## . ... VERICLE REPAIR SHOP AND MOBILE VEHICLE

## **CRUSHER ANNUAL REPORT**

Submit the Annual Report no later than March 1, 2019.

This annual report is for the year of operation from January 01, 2018 to December 31, 2018

**SECTION 1 - FACILITY INFORMATION** 

Visit in the second second	FACILITY	INFORMATION		ris federal		
FACILITY NAME:						
FACILITY LOCATION ADDRESS:	reakt	201	• .			
FACILITY LOCATION ADDRESS:	FACILITY	CITY:	ST	ATE:	ZIP CODE:	
2820 Carton Rd	1 W	olley	1	M	14470	
FACILITY TOWN:	FACILITY	FACILITY	FACILITY PHONE NUMBER:			
Wolley	Or	leans	(585)	659	7-8063	
FACILITY NYS PLANNING UNIT: (A list of N	YS Planning Un	its can be found at the end	of this report).	NY RE	SDEC GION #: 4 A	
FACILITY TYPE: Vehicle Dismantler DMV i.D. # 70523 71 D\S	Motor	Vehicle Repair Shop	□Mob	ile Ve	hicle Crusher	
FACILITY CONTACT:  Noyee  Moyev	public private	CONTACT PHONE NUMBER: 595(659-1		FACT	FAX NUMBER:	
CONTACT EMAIL ADDRESS:					-	
	A STATE OF THE SECOND PARTY	INFORMATION.				
OWNER NAME:		HONE NUMBER: 9-28063	OWNER F	AX N	UMBER:	
OWNER ADDRESS:	OWNER C		ST	ATE:	ZIP CODE:	
2820 Courton Rd	10		N	4	14470	
OWNER CONTACT:	OWNER C	ONTACT EMAIL ADD	RESS:			
	OPERATO	RINFORMATION	ages UV			
OPERATOR NAME: Same as owner			□ pt	ıblic ivate		
	A TOTAL STORY	PERIENCES				
Preferred address to receive correspondence Other (provide):	9: Facility lo	cation address	Owner	address		
Preferred email address: Facility Contact  Other (provide):		wner Contact				
Preferred individual to receive correspondent Other (provide):	Ce: Facili	ty Contact On	mer Contact			
Did you operate in 2018? Yes; Comple	te this form.					
☐ No; Complet	e and submit	Sections 1 and 12.			EIVED S DEC	
Reprinted (12/18)				CFP	0 4 2019	
			an 11 f	OF MA	TERIALS MANAGEMENT	
And the second section of the second section of the second section of the second section of the second section	to a sufficient floor and the supplier will proportion on the supplier of the		Dia		The state of the s	

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLE	
Provide the number of ELVs received from January 1 to December 31:	15-20
Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31:	15
• Provide the number of ELVs stored at the facility as of December 31:	50-60
Provide the highest number of ELVs stored at the facility     at any one time from January 1 to December 31:	50-60
Provide the approximate area used for the storage of vehicles (acres):	. 1 ½ acres
Provide the names of scrap metal processors to which you sold or sent de	commissioned ELVs:
1) David Dunns Salvage	
2)	
F)	
	•
SECTION 2B MOBILE CRUSHERS - ENQ-OF-LIFE VEHICLE	
SECTION 2B MOBILE CRUSHERS - ENQ-OF-LIFE VEHICLE	S (ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3:	· NONE
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3:	· NONE
ECTION 2B MOBILE CRUSHERS - ENQ-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	· NONE
SECTION 2B MOBILE CRUSHERS - ENQ-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL1)	· NONE
SECTION 2B MOBILE CRUSHERS - ENQ-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL1)	· NONE
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL  1) 2) 3)	· NONE
SECTION 2B MOBILE CRUSHERS - ENQ-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL1)	· NONE
ECTION 2B MOBILE CRUSHERS - ENQ-OF-LIFE VEHICLE  Provide the number of ELVs crushed from January 1 to December 3:  Provide the names of each facility where you crushed decommissioned EL  1)  2)  3)	· NONE

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e.  $\sqrt[4]{s}$  or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Volume	Destination Name & Address		
Waste Fluid Recovered	Used on-eite (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)	
Refrigerant (pounds)	None	·				
Used Oil** (gallons)	None 40	None	·		5 Le co	
Diesel Fuel (gallons)	5-10	None				
Gasoline (gallons)	5-10			used		
Engine Coolant/ Antifreeze (gallons)	Reused					
Window Washing Fluid (gallons)	None					
Other (specify)			• **			

<sup>\*</sup> Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

<sup>\*\*</sup> Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period. Destination Received Sent Off Site Stored On Site **Material Types** (tons) (tons) (tons) To Scrap NYS Planning Unit (or state if Metal other than New York) **Processor** Ferrous Scrap 20 **☑**Yes No Metal Aluminum **☑**Yes □No Scrap Metal Lead Weights **17**Yes □N<sub>0</sub> Non - Ferrous Yes No Scrap Metal Other (specify): Yes □N<sub>0</sub> □N<sub>0</sub> ☐Yes **SECTION 5 - MERCURY SWITCHES COLLECTED** Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS ANN (Number) ABS Indicate permitted facility or permitted transporter accepting mercury containing devices: Savare **SECTION 6 - AIR BAGS COLLECTED** Provide the number of air bags recovered. NONE Number of Air Bags Deployed: Number of Air Bags Removed: Indicate permitted facility or permitted transporter accepting air bags: Reprinted (12/18)

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.		
Number of Lead-Acid Batteries collected from ELVs:	20	
Indicate permitted facility or permitted transporter accepting lead-acid batte	ries:	
Parlidburnes Salvage		
Any materials disposed must undergo a hazardous waste determination an hazardous.	d proper handling, sto	rage and disposal, if
SECTION 8 - WASTE TIRES CO	DLLECTED	
Number of waste tires stored on-site:	200	as of December 31
Number of used tires available for sale on-site:	Nove	as of December 31
Number of used tires sold:	NONE	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	20-25	during operating year
Indicate name of facility(ies) accepting waste tires:		
Paul Donns lyndanvill		
SECTION 9 - SELF INSPEC	TIONS	
Number of self-inspections conducted for the year:	•	None
Are self-inspection records up-to-date with inspector name, what was in Yes No	espected, time and dat	e of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas in Yes No	nspected for leaks/spi	lls?
SECTION 10 - PROBLE	MS	
Were any problems encountered during the reporting period (e.g., specif facility procedures)?	fic occurrences which	have led to changes in
Yes ZNo If yes, attach additional sheets identifying each problem	n and the methods for	resolution of the problem
SECTION 11 - CHANGI	ES	
Were there any changes from approved reports, plans, specifications, a	and permit conditions?	. Arm
Tives William If yes attach additional sheets identifying changes with	h a justification for ear	h channe

Reprinted (12/18)

## As of December 31, 2018:

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. MC	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores ORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	1			
2.	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		9		
3.	Have you recorded the date of receipt for all end-of-life vehicles received?				
4.	Are the end-of-life vehicle records available on-site?		Z		- :
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		P		
6.	Have all observed leaks been remedied or contained?		0		/
7.	Does your facility have a written Contingency Plan?			O	
8.	Are facility personnel trained to implement the Contingency Plan?			D	
9.	Does your Contingency Plan include actions to be taken in the event of the follow	ing?			
	9a. Fire.			[N	
	9b. Spill or release of vehicle waste fluids.			回	7
	9c. Unauthorized material received at facility.			口	
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?				None
11.	Are all vehicle residues prevented from migrating from or running off your property?		O		
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?		D		
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?	Image: Control of the			•
	Are waste fluids kept from being discharged onto the ground or into surface waters?		回	Ü	
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		回		
	15a. Are the access controls working (i.e. controlling access)?		1		
16.	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?	Ø			
17.	Are you doing the following with your concrete (or equivalent surface) pad that is draining, crushing, etc.?	used for v	rehicle (	nemait	tling, fluid
	17a. Cleaning daily.		<b>U</b>	1	
	17b. Cleaning spills as they occur.				`
	17c. Collecting and properly disposing of absorbent materials.		V		

**Reprinted (12/18)** 

	Waste Management Compliance Checklist	NA	Yes	No	Compliance		
18.	18. Have the following wastes been drained, removed, deployed, collected and/or stored following best management practices, prior to vehicle crushing or shredding?						
	18a. Fluids (including engine oil, transmission fluid, transade fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).			•			
	18b. Lead acid batteries.			I			
	18c. Mercury switches or other mercury containing devices, if any.			1			
	18d. Refrigerants, if any.			V	-		
	18e. Air bags.			7			
·	18f. PCB capacitors, if any.			V			
19.	Are fluids stored separately & in containers that are compatible with their contents?		V				
20.	Are fluids stored in closed containers?		1				
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		D		,		
22.	Are containers clearly and legibly labeled to describe their contents?		U				
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		O)				
24.	Are lead-acid batteries stored upright and off the ground?		V		,		
25.	Are lead-acid batteries covered to protect them from precipitation?		<b>回</b>				
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?						
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		<b>I</b>				
	27a. Are provisions in place to absorb any acid leakage?		1				
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?						
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?			回	•		
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		Image: Control of the				
31.	If sent off-site, is used oil transported via a permitted hauler?		V				
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a.	, <b>32b.</b> , 3	32c:			
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	Ø					
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	Ø	口				
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?	D					

റം	40	$\overline{}$	-	•	٠.		ı to
υм	10	Ю	-	4=	11	386	-10

Waste Management Compliance Checklist	NA Yes No Compliance
<ol> <li>Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?</li> </ol>	
34. Are studges from sumps and oil/water separators stored in covered, closed and labeled containers?	
35. Are sludges properly recycled or disposed?	
36. Are used oil filters properly drained, crushed or dismantled?	
37. Are drained oil filters property recycled or disposed?	
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c.	
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?	
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to ਰਗਣ?	
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?	pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations?  (Attach additional chasts as necessary.)	
COMMENTS? (Attach additional sheets if necessary)	

## SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Signature

Date

Wayne May ev

Name (Print or Type)

Email (Print or Type)

Title (Print or Type)

Address

NY 14470

(585)659-8063



Reprinted (12/18)