CRUSHER ANNUAL REPORT

SWIMSV RECEIVED

Submit the Annual Report no later than March 1, 2019.

This annual report is for the year of operation from <u>January 01, 2018</u> to <u>December 31, 2018</u> MAR **0 4** 2019

SECTION 1 - FACILITY INFORMATION NYS DEC					
	FACILITY INFORMATION	Region 9 - Buffalo			
FACILITY NAME: 1190 MOTOrs INL					
FACILITY LOCATION ADDRESS:	FACILITY CITY:	STATE: ZIP CODE:			
12253 OLD Olean RD	.1	NY 14172			
	Yorkshire	11/3			
FACILITY TOWN:	FACILITY COUNTY:	FACILITY PHONE NUMBER:			
Jorlishire	CPIT.	716-492-5210			
FACILITY NYS PLANNING UNIT: (A list of NYS	S Planning Units can be found at the end of	this report). NYSDEC REGION #:			
FACILITY TYPE: Vehicle Dismantler	☐ Motor Vehicle Repair Shop	Mobile Vehicle Crusher			
DMV I.D. # 70735	over kalen varan tarah kalen kalen yan kepanyak kepanyak kepanya tarah kalenda kepanya kerang kepanya kepanya	ending di secretariah se-sebuah Markooyaya kilaban dalam kekada dan pana di dan mangalarah			
FACILITY CONTACT:	public CONTACT PHONE	CONTACT FAX NUMBER:			
Jamis Granchewiph		210 716-707-2197			
CONTACT EMAIL ADDRESS: 3144	10 motors elph	10, Com			
	OWNER INFORMATION				
OWNER NAME:	OWNER PHONE NUMBER:	OWNER FAX NUMBER:			
Jamie Franclowiph	716-983-030)	716-707-2191			
OWNER ADDRESS:	OWNER CITY:	STATE: ZIP CODE:			
OWNER CONTACT: OWNER CONTACT EMAIL ADDRESS:					
716-992-5210	J1490 moTors	e Jahoo . com			
	OPERATOR INFORMATION				
OPERATOR NAME: Same as owner		□public □private			
PREFERENCES					
Preferred address to receive correspondence: Facility location address Owner address					
Preferred email address: Facility Contact Owner Contact					
Preferred individual to receive correspondence:					
Did you operate in 2018? Yes; Complete this form.					
No; Complete and submit Sections 1 and 12.					

Reprinted (12/18)

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES	
Provide the number of ELVs received from January 1 to December 31:	132
Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31:	220
Provide the number of ELVs stored at the facility as of December 31:	333
Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31:	310
Provide the approximate area used for the storage of vehicles (acres):	acres
Provide the names of scrap metal processors to which you sold or sent deco	ommissioned ELVs:
1) Merpilico scroptshredding	
2)	
BECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	(ELVs) PROCESSED
	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3:	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1)	
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1) 2) 3)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1)	

Reprinted (12/18)

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Volume		Destination Name & Address
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	15	10	And the state of t		
Used Oil** (gallons)		215	755		2440 she son orive
Diesel Fuel (gallons)		10			
Gasoline (gallons)	418	250			
Engine Coolant/ Antifreeze (gallons)	50	150	360		7440sherDennsive
Window Washing Fluid (gallons)	30	130			
Other (specify)					

^{*} Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Received	Stored On Site Sent Off S	Sent Off Site	Destination				
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit</u> (or state if other than New York)	Me	crap etal essor		
Ferrous Scrap Metal	3,527		348,50	BUSSO 10 Enthne	Yes	□No		
Aluminum Scrap Metal	.83T	5.7	6,27	BISSON ENJINE	Yes	□No		
Lead Weights		325	3	١.,	∐Yes	□No		
Non – Ferrous Scrap Metal	,28	1,5T	3,20	BOSSAP MY.	Yes	□No		
Other (specify):				,	∐Yes	□No		
Storn 1855			1.45	DIEMOND HURWITZ BUSSED 10	Yes	□No		

SECTION 5 - MERCURY SWITCHES COLLECTED

SECTION 5 -	MICKCORT SWITCHES COLLECTED					
Provide the number of mercury-containing device (H&TS) and antilock brake assemblies (ABS). H&TS (Number)	ces <u>recovered</u> . Including but not limited to hood & trunk lighting switches ABS (Number)					
Indicate permitted facility or permitted transported FIVS POHAM FIVS PD. BOX 3						
801ming Jon	FORMINATON HILLS MT 48333 ZZ8 L					
SECTION 6 - AIR BAGS COLLECTED						
Provide the number of air bags recovered.						
Number of Air Bags Removed:	Number of Air Bags Deployed: 393					
Indicate permitted facility or permitted transporter accepting air bags:						
· · · · · · · · · · · · · · · · · · ·						

SECTION 7 - LEAD-ACID BATTERIES COLLECTED					
Provide the number of lead-acid batteries <u>recovered</u> and their disposition. Number of Lead-Acid Batteries collected from ELVs:					
Number of Lead-Acid Batteries collected from ELVs:					
Indicate permitted facility or permitted transporter accepting lead-acid batteries: INTERSTOTE BOTTON of GYENTON BUSSAN 113 EVANST. Hambury My. 14075					
Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disposal, if hazardous. SECTION 8 – WASTE TIRES COLLECTED					
165					
> L G					
C C					
Number of used tires sold: Ouring operating year					
Number of waste tires shipped off-site for recycling, disposal, other: during operating year					
SECTION 9 - SELF INSPECTIONS					
Number of self-inspections conducted for the year:					
Are self-inspection records up-to-date with inspector name, what was inspected, time and date of inspection? Yes No At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills?					
Yes No					
SECTION 10 - PROBLEMS					
Were any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures)?					
Yes No If yes, attach additional sheets identifying each problem and the methods for resolution of the problem					
SECTION 11 – CHANGES					
Were there any changes from approved reports, plans, specifications, and permit conditions?					
Yes No If yes, attach additional sheets identifying changes with a justification for each change.					

As of December 31, 2018:

			Televier	100 000	Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?		区		
2.	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		X		
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		X		
4.	Are the end-of-life vehicle records available on-site?		X	System	
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		V		
6.	Have all observed leaks been remedied or contained?		X		
7.	Does your facility have a written Contingency Plan?	Teacher.	X	231101123	
8.	Are facility personnel trained to implement the Contingency Plan?		N.		
9.	Does your Contingency Plan include actions to be taken in the event of the following	ing?			
	9a. Fire.		X		
	9b. Spill or release of vehicle waste fluids.		X	22.0 A 20.00	
	9c. Unauthorized material received at facility.		X		
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		[X]		
11.	Are all vehicle residues prevented from migrating from or running off your property?		X		
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?		X	TAN Section State	
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		[V]		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?		X		
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		X		
	15a. Are the access controls working (i.e. controlling access)?		X	11-11-11-11-11	
16.	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		X		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is udraining, crushing, etc.?	used for	vehicle	disma	ntling, fluid
	17a. Cleaning daily.		X		
	17b. Cleaning spills as they occur.		X		
	17c. Collecting and properly disposing of absorbent materials.		Y		

Reprinted (12/18)

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	d follow	ing bes	st mana	gement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		X		
	18b. Lead acid batteries.	100-0023	X	3,2,2,2	
	18c. Mercury switches or other mercury containing devices, if any.	7,24,0	χ		
	18d. Refrigerants, if any.		χ		
	18e. Air bags.		X		
	18f. PCB capacitors, if any.		X		
19.	Are fluids stored separately & in containers that are compatible with their contents?				
20.	Are fluids stored in closed containers?		X		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		X		
22.	Are containers clearly and legibly labeled to describe their contents?	Alexandrian	X	22 22 72/11	
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		X		
24.	Are lead-acid batteries stored upright and off the ground?		χ		
25.	Are lead-acid batteries covered to protect them from precipitation?		X		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		X		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		X		
	27a. Are provisions in place to absorb any acid leakage?		X		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		X	0.00	
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		X		
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		X		
31.	If sent off-site, is used oil transported via a permitted hauler?		y		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a	., 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?				
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?				
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?				

Waste Management Compliance Checklist	NA	Yes	No	Date of Return to
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		X		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	X			
35. Are sludges properly recycled or disposed?	K			
36. Are used oil filters properly drained, crushed or dismantled?		K		
37. Are drained oil filters properly recycled or disposed?		γ		
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?				
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?	- 13 M Anno		(contracts	
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?				
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		-		pounds
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
COMMENTS? (Attach additional sheets if necessary)				

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation Division of Materials Management Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260

Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Signature	2/28/)9 Date
Name (Print or Type)	Title (Print or Type)
71490 motors e /ph	int or Type)
17053 old olean RD 3093 AT Address	Yor 11shirt
W.y. 14173 State and Zin	716,292-52)0

ATTACHMENTS: YES NO