VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submilitie Annual Report no later than March 1, 2019.

This annual report is for the year of operation from January 01, 2018 to December 31, 2018

SECTION 1 - FACILITY INFORMATION

	FACILITY	INFORMATION					
FACILITY NAME:	^						
Clinton Auto	PARTS						
FACILITY LOCATION ADDRESS:		FACILITY CITY: STATE:			ZIP CODE:		
1125 Uinton ST.		falo		NY	14206		
FACILITY TOWN:	FACILITY	COUNTY:	FACILITY PHONE NUMBER:				
	ERIE	,	716	,-856	-3016		
FACILITY NYS PLANNING UNIT: A SECOND REPORT OF THE PROPERTY OF	C Planeros Die	ester, le somo a l'appoint 69 u	ha teses		SDEC GION #: 9		
FACILITY TYPE: Vehicle Dismantler	Motor	Vehicle Repair Shop		Mobile Ve	hicle Crusher		
DMV I.D. # 7/172/0							
FACILITY CONTACT:	public	CONTACT PHONE			FAX NUMBER:		
LISA KNYSZAK	private	NUMBER: 716-856-3016	0 7	16-856	6-0126		
CONTACT EMAIL ADDRESS: Clinto	on Auto	PARTS 50, 91	mai	1.com			
23.7.3		INFORMATION					
OWNERNAME: Nicholas Marcezin		HONE NUMBER: 683-5373	OWN	ER FAX NU	JMBER:		
OWNER ADDRESS: 4153 Broadway	OWNER CITY: STATE: ZIP CODE: 14043						
OWNER CONTACT:		ONTACT EMAIL ADDRE	SS:				
	OPERATO	R INFORMATION					
OPERATOR NAME: same as owner	and the second s			□public □private			
	PREI	FERENCES					
Preferted address to receive correspondence Cother (provide):	e: 🔀 Facility lo	cation address		wner address			
Preferred email address: 🂢 Facility Contact		wner Contact					
Preferred individual to receive corresponden Other (provide):	ce: Kacili	ty Contact Owne	r Contact		· · · · · · · · · · · · · · · · · · ·		
Did you operate in 2018? X Yes; Comple	te this form.						
☐ No; Complete and submit Sections 1 and 12.							

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLE	205
Provide the number of ELVs received from January 1 to December 31:	_305
Provide the number of ELVs crushed and/or removed from the facility	70
from January 1 to December 31:	759
• Provide the number of ELVs stored at the facility as of December 31:	652
Provide the highest number of ELVs stored at the facility	0.40
at any one time from January 1 to December 31:	_\$ <i>0D_</i> _
	. —
 Provide the approximate area used for the storage of vehicles (acres): 	<u>6.5</u> acres
Provide the names of scrap metal processors to which you sold or sent declared.	commissioned ELVs:
1) Twin Yulage Recepting	
3	
2)	
3)	
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELT	
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELVs	
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELT 1)	
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELT	
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL' 1)	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)		30 g Allore			
Used Oil** : jationsa	500	30gAllane 500			
Diesel Fuel	NA				
Gasoline (gallons)	300	100			
Engine Coolant/ Antifreeze (gallons)		300			
Window Washing Fluid (gailons)		200			
Other (specify)					
All other	fluids	BURN	in oil	Henter	

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting

	Received	Stored On Site	Sent Off Site	Destination				
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit (</u> or state if other than New York)	To Scrap Metal Processo			
Ferrous Scrap Metal	CARS		1.631.80+	BS CARS ONE broke down for Ferrous	₩Yes	□No		
Aluminum Scrap Metal			352 LBS		Yes			
_ead Weights			2130 LBS	CARS Are brokedown for NON-Ferrous Scrap	Yes	□No		
Non – Ferrous Scrap Metal	CARS		206.843	CARS Are broke down	Yes	□No		
Other (specify).				Scrap	□Yes	□No		
					□Yes	□No		
SECTION 5 – MERCURY SWITCHES COLLECTED								
Provide the number of mercury-containing devices <u>recovered</u> . Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS).								
	H&TS <u>/</u> 2 (Number)	32		ABS				

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.					
Number of Lead-Acid Batteries collected from ELVs:					
Indicate permitted facility or permitted transporter accepting lead-acid batteries:					
Twin Vulage Recycling					
Any materials disposed must undergo a hazardous waste determination and pro	per handling, sto	rage and disposal, if			
hazardous.	-				
SECTION 8 – WASTE TIRES COLLE	ECTED				
Number of waste tires stored on-site:	<u> 300 </u>	as of December 31			
Number of used tires available for sale on-site:	50	as of December 31			
Number of used tires sold:	5033	during operating year			
Number of waste tires shipped off-site for recycling, disposal, other:	6420	during operating year			
Indicate name of facility(ies) accepting waste tires:					
	· · · · · · · · · · · · · · · · · · ·	. 104(1)			
Ceitor Done					
SECTION 9 – SELF INSPECTIO Number of self-inspections conducted for the year:		366_			
Are self-inspection records up-to-date with inspector name, what was inspec					
At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspecting Yes ☐ No	cted for leaks/spil	ls?			
SECTION 10 - PROBLEMS	******				
Were any problems encountered during the reporting period (e.g., specific octacility procedures)?	currences which	have led to changes in			
Yes No If yes, attach additional sheets identifying each problem and	the methods for	resolution of the problem			
SECTION 11 – CHANGES					
Were there any changes from approved reports, plans, specifications, and pe	ermit conditions?				
Yes No If yes, attach additional sheets identifying changes with a ju	stification for eac	h change.			

SECTION 12 – COMPLIANCE CERTIFICATION

As of December 31, 2018:

	1 1442			
If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?		X		
2 Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		凶		
3 Have you recorded the date of receipt for all end-of-life vehicles received?		X		
4 Are the end-of-life vehicle records available on-site?		X		
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		X		
6. Have all observed leaks been remedied or contained?		X		
7. Does your facility have a written Contingency Plan?		K		
8. Are facility personnel trained to implement the Contingency Plan?		X		
Does your Contingency Plan include actions to be taken in the event of the following	ng?			
9a. Fire.		X		
9b. Spill or release of vehicle waste fluids.		X		
9c. Unauthorized material received at facility.		X		
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		X		
Are all vehicle residues prevented from migrating from or running off your property?		M		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?		X		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		X		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?	同	X	而	
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		X		
15a. Are the access controls working (i.e. controlling access)?		X	П	
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		X		
17. Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	sed for	vehicle	disma	ntling, fluid
17a. Cleaning daily.		X		
17b. Cleaning spills as they occur.		X		
17c. Collecting and properly disposing of absorbent materials.		X		

Reprinted (12/18)

18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	d foll	ow	ing be	st n	nana	ngement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).]	K			
	18b. Lead acid batteries.	Т	П	X	T	\Box	
	18c. Mercury switches or other mercury containing devices, if any.		П	X	╁		
	18d. Refrigerants, if any.		П	X	$\dagger \dagger$	1	
	18e. Air bags.		П	X	$\dagger \dagger$		
	18f. PCB capacitors, if any.		П	ΪX	$\dagger \dagger$	_	
19.	Are fluids stored separately & in containers that are compatible with their contents?		וֹן	X			
20.	Are fluids stored in closed containers?			X			
21.	Are containers which contain waste fluids in good condition and not visibly leaking?			X			
22.	Are containers clearly and legibly labeled to describe their contents?			X			
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?]	X			
24.	Are lead-acid batteries stored upright and off the ground?			X	\prod		
25.	Are lead-acid batteries covered to protect them from precipitation?			X			
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?]	区			
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?]	X			
	27a. Are provisions in place to absorb any acid leakage?		Ц				
23.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?]	X			
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?]	X			
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?]	X			
31.	If sent off-site, is used oil transported via a permitted hauler?			X			
[•] 32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	er 32	₽a.	, 32b.,	320	c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?			X			
, ' ;	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?]	X			
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?			X			

33 Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?	\square		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	X		
35. Are sludges properly recycled or disposed?	X		
36. Are used oil filters properly drained, crushed or dismantled?	X		
37. Are drained oil filters properly recycled or disposed?	X		
33. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:			
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?			
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?			
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?	_	0 0	_ pounds _ gallons
Co you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)			
COMMENTS? (Attach additional sheets if necessary)			

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

 ${\bf Email\ address: SWMF annual report@dec.ny.gov}$

i certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Ria Knieszak	2/25/19
Bla Knipzak Skinature	Date
LISA Kryszak	MANAGIER Title (Print or Type)
Name (Print or Type)	Title (Print or Type)
01. 1 0 10 15 7	0.04
Clinton auto Parts 50 Email (Pri	Junau. Com
Citian (Fire	ποι τyp e)
1125 Uinton	Roffalo
Address	Buffa10 City
14206	(716)856 - 3016
State and Zin	Phone Number

ATTACHMENTS: YES NO