VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2019.

This annual report is for the year of operation from January 01, 2018 to December 31, 2018

SECTION 1 - FACILITY INFORMATION

SECTION		INFORMATION						
FACILITY NAME: MARKS DISPOSAL SERVICE								
FACILITY LOCATION ADDRESS:	FACILITY	CITY:		STATE:	ZIP CODE:			
1970 WILLIAM ST	BUFF	ALO		NY	14206			
FACILITY TOWN:	FACILITY	COUNTY:	FACIL	ITY PHO	ONE NUMBER:			
SLOAN								
FACILITY NYS PLANNING UNIT: (A list of NY NORTHEAST SOUTHTOWNS SOLID WASTE MANAGED			his repor		YSDEC EGION #:			
FACILITY TYPE: Vehicle Dismantler DMV I.D. #5152038	☐ Motor	Vehicle Repair Shop		Mobile V	/ehicle Crusher			
FACILITY CONTACT:	public	CONTACT PHONE	C	ONTAC	T FAX NUMBER:			
MARTIN MARKS	private	NUMBER: 716-896-1616 EXT 100	7	16-89	96-3986			
CONTACT EMAIL ADDRESS: MARTIN@MA	RKSAUTOP	ARTS.COM						
	OWNER	INFORMATION						
OWNER NAME: MARTIN MARKS		HONE NUMBER: -1616 EXT 100		ER FAX 1 396-398	NUMBER: 86			
OWNER ADDRESS: PO BOX 72	OWNER C	HTY:		STATE NY	: ZIP CODE: 14240			
OWNER CONTACT:		CONTACT EMAIL ADDRE		S CO	M			
MARTIN MARKS MARTIN@MARKSAUTOPARTS.COM								
OPERATOR INFORMATION								
OPERATOR NAME: same as owner			110	☑ public ☑ privat				
	PRE	FERENCES						
Preferred address to receive correspondence Other (provide):	e: Facility lo	cation address		wner addre	ess			
Preferred email address: Facility Contact Other (provide):	7 0	wner Contact						
Preferred individual to receive correspondent Other (provide):	ce: Facili	ty Contact	r Contact					
Did you operate in 2018? Yes; Comple	te this form.							
☐ No; Complet	e and submit	Sections 1 and 12.						

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES	
• Provide the number of ELVs received from January 1 to December 31:	1101
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	190
Provide the number of ELVs stored at the facility as of December 31:	236
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	490
Provide the approximate area used for the storage of vehicles (acres):	12 acres
• Provide the names of scrap metal processors to which you sold or sent decay. SEE M&M U-PULL-IT, INC. ANNUAL REPORT	commissioned ELVs:
2)	
3)	
3)SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	S (ELVs) PROCESSED
3)SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	S (ELVs) PROCESSED
	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	395	150	300	0	R&J SERVICE RUSINIAKS SERVICE BERGEN SALES & SERVICE
Used Oil** (gallons)	6,000	500	12,555		ECO-MAXX
Diesel Fuel (gallons)	0	0	0	0	
Gasoline (gallons)	14,275	125	0	0	
Engine Coolant/ Antifreeze (gallons)	0	0	1,381		ECO-MAXX
Window Washing Fluid (gallons)	2,000	50	700	0	R&J SERVICE, RUSINIAKS SERVICE, BERGEN SALES & SERV
Other (specify)					

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

Destination

Material Types	Received	Stored On Site	Sent Off Site			
	(tons)	(tons)	(tons)	NYS <u>Planning Unit</u> (or state if other than New York)	Me	crap etal essor
Ferrous Scrap Metal	0	0	0		□Yes	□No
Aluminum Scrap Metal	0	0	0		□Yes	□No
_ead Weights	0	0	0		□Yes	□No
Non – Ferrous Scrap Metal	0	0	0		□Yes	□No
Other (specify):	0	0	0		□Yes	□No
					□Yes	□No
Provide the numb H&TS) and antilo	er of mercury-co ck brake assemb	ntaining devices <u>rec</u> blies (ABS).		HES COLLECTED Ing but not limited to hood & trunk li	ghting sw	itches
H&TS) and antilo	er of mercury-colock brake assemb H&TS 17 (Number)	ntaining devices <u>rec</u> blies (ABS). 79 ted transporter acce	covered. Includir	ng but not limited to hood & trunk li ABS 6 (Number)	ghting sw	itches
H&TS) and antilo	er of mercury-colock brake assemb H&TS 17 (Number)	ntaining devices <u>rec</u> blies (ABS). 79 ted transporter acco PROGRAM	covered. Including the second	ng but not limited to hood & trunk line ABS 6 (Number) ontaining devices:	ghting sw	itches
H&TS) and antilo	er of mercury-co ck brake assemb H&TS 17 (Number) I facility or permit JRY SWITCH	ntaining devices <u>recolles</u> (ABS). 79 ted transporter accorded PROGRAM SECTION 6 -	covered. Includir	ng but not limited to hood & trunk line ABS 6 (Number) ontaining devices:	ghting sw	itches
H&TS) and antilo	er of mercury-conck brake assemble H&TS 17 (Number) I facility or permit JRY SWITCH	ntaining devices <u>recolles</u> (ABS). 79 ted transporter accorded PROGRAM SECTION 6 -	epting mercury co	ng but not limited to hood & trunk line ABS 6 (Number) ontaining devices:	ghting sw	

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.		
Number of Lead-Acid Batteries collected from ELVs:	3,944	_
Indicate permitted facility or permitted transporter accepting lead-acid batte	eries:	
METALICO BUFFALO		
Any materials disposed must undergo a hazardous waste determination ar	nd proper handling,	storage and disposal, if
SECTION 8 - WASTE TIRES CO	OLLECTED	
Number of waste tires stored on-site:	0	_ as of December 31
Number of used tires available for sale on-site:	127	_ as of December 31
Number of used tires sold:	957	_ during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	0	_ during operating year
ndicate name of facility(ies) accepting waste tires:		
SEE M&M U-PULL-IT, INC. ANNUAL REPORT		
SECTION 9 - SELF INSPEC	CTIONS	
Number of self-inspections conducted for the year:		1
Are self-inspection records up-to-date with inspector name, what was in ☐ Yes ☐ No	nspected, time and	date of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas ☑Yes ☐No	inspected for leaks/	spills?
SECTION 10 - PROBLE	MS	
Were any problems encountered during the reporting period (e.g., spec facility procedures)?	ific occurrences wh	ich have led to changes in
Yes No If yes, attach additional sheets identifying each problem	m and the methods	for resolution of the problen
SECTION 11 – CHANG	ES	
Were there any changes from approved reports, plans, specifications,	and permit condition	ns?
Yes No If yes, attach additional sheets identifying changes with	th a justification for	each change.

Reprinted (12/18)

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

Waste Management Compliance Checklist	NA	Yes	No	Date of Return to Compliance
If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	7			
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		7		
3. Have you recorded the date of receipt for all end-of-life vehicles received?		V		
4. Are the end-of-life vehicle records available on-site?		1		
 Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? 		V		
6. Have all observed leaks been remedied or contained?		V		
7. Does your facility have a written Contingency Plan?		V		
8. Are facility personnel trained to implement the Contingency Plan?		V		
9. Does your Contingency Plan include actions to be taken in the event of the following	ng?			
9a. Fire.		V		
9b. Spill or release of vehicle waste fluids.		V		
9c. Unauthorized material received at facility.		V		
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		V		
Are all vehicle residues prevented from migrating from or running off your property?		V		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?		V		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		1		
Are waste fluids kept from being discharged onto the ground or into surface waters?		V		
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		V		
15a. Are the access controls working (i.e. controlling access)?		V		
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		V		
17. Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	ised for	vehicle	disma	ntling, fluid
17a. Cleaning daily.		V		
17b. Cleaning spills as they occur.		V		
17c. Collecting and properly disposing of absorbent materials.		V		

Reprinted (12/18)

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
18. Have the following wastes been drained, removed, deployed, collected and/or s practices, prior to vehicle crushing or shredding?	tored follow	ving be	st mana	gement
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rea axle fluid, brake fluid, power steering fluid, coolant, and fuel).	ar 🔲	V		
18b. Lead acid batteries.		1		
18c. Mercury switches or other mercury containing devices, if any.		1		
18d. Refrigerants, if any.		1		
18e. Air bags.		1		
18f. PCB capacitors, if any.			V	
19. Are fluids stored separately & in containers that are compatible with their contents?		✓		
20. Are fluids stored in closed containers?		V		
21. Are containers which contain waste fluids in good condition and not visibly leaking?		\checkmark		
22. Are containers clearly and legibly labeled to describe their contents?		V		
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?		V		
24. Are lead-acid batteries stored upright and off the ground?		1		
25. Are lead-acid batteries covered to protect them from precipitation?		V		
26. Are all lead-acid batteries sent for recycling within one-year of receipt?		V		
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		V		
27a. Are provisions in place to absorb any acid leakage?		1		
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		V		
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	V			
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		V		
31. If sent off-site, is used oil transported via a permitted hauler?		V		
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then a	answer 32a	., 32b.,	32c:	
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		V		
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		V		
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		V		

Waste Management Compliance Checklist	NA	Yes	No	Date of Return to
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		✓		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?		$\overline{\mathbf{A}}$		
35. Are sludges properly recycled or disposed?		✓		
36. Are used oil filters properly drained, crushed or dismantled?		✓		
37. Are drained oil filters properly recycled or disposed?		✓		
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?	✓			
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?	V			
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	✓			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		_	N/A	pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.) NONE COMMENTS? (Attach additional sheets if necessary)				

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.



State and Zip

Attachment A

- Dismantling of ELV's is performed at facilities 1 & 2
- Dismantling of ELV's is performed at facilities 1 & 2 for facility 3
- ELV's fluids are drained at facilities 1 & 2 for facility 4
- Light dismantling (ie. Dry parts), is performed at facility 3
- · All crushing is performed at facility 4
- Final check for mercury switches performed at facility 4
- Disposal of mercury switches is done thru facility 1, 2, 3, & 4
- All ELV's for facility 3 are purchased by facility 4

