

KACH'S AUTO SERVICE

Address - 4800 WITMER RD NIAGARA FALLS NY 14305

Phone Number 716-282-3455 Fax Number 716-285-8296

Email- JUNKYARDBK@YAHOO.COM

Fax Transmittal Form

TO: NYS DAPT. OFEC	From: Lell Min KACH 1005 Date Sent: Le 115/19
Name: CC:	Date Sent: Le 115/19
Phone:	Number of Pages:
Fax: 1518402 9041	10

х,

Message:

ð

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE

CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2019.

This annual report is for the year of operation from January 01, 2018 to December 31, 2018

SECTION 1 - FACILITY INFORMATION

	FACILITY	INFORMATION		- -			
FACILITY NAME:							
Kach's Auto Service							
FACILITY LOCATION ADDRESS:	FACILITY CITY: STATE: ZIP CODE:						
4800 Witmer RD	Niaga	ra Falls	NY		14305		
FACILITY TOWN:	FACILITY	COUNTY:	FACI	NE NUMBER:			
Niagara	Niaga	ra	716-282-3455				
FACILITY NYS PLANNING UNIT: (A list of NYS Planning Units can be found at the end of this report). NYSDEC REGION #:9 Niagara County REGION #:9							
FACILITY TYPE: Vehicle Dismantler DMV I.D. #7030382	Motor	Vehicle Repair Shop		Mobile Ve	hicle Crusher		
FACILITY CONTACT: Impublic CONTACT PHONE CONTACT FAX NUMBER: William L Kachinoski Imprivate NUMBER: 7162823455 7162858296							
CONTACT EMAIL ADDRESS: Junkyardbk@	yahoo.com						
	OWNER	INFORMATION					
owner name: William L Kachinoski	OWNER P 7162823	HONE NUMBER: 455		er fax ni 858296	JMBER:		
OWNER ADDRESS: 4732 Chester Ave	OWNER C Niagara Fa			STATE: NY	ZIP CODE: 14305		
OWNER CONTACT: Self		ONTACT EMAIL ADDRE	SS:				
OPERATOR NAME: Same as owner	<u>n na sente da c</u>			public private			
	PREF	ERENCES					
Preferred address to receive correspondence: Image: Facility location address Image: Owner address Other (provide): Image: Facility location address Image: Facility location address							
Preferred email address: Facility Contact	Πo	mer Contact					
Preferred Individual to receive correspondence: Facility Contact Owner Contact							
	····				· · · · · · · · · · · · · · · · · · ·		
Did you operate in 2018? 🗹 Yes; Complete	this form.						

No; Complete and submit Sections 1 and 12.

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLE	340
Provide the number of ELVs received from January 1 to December 31:	<u> </u>
 Provide the number of ELVs crushed and/or removed from the facility 	386
from January 1 to December 31:	125
Provide the number of ELVs stored at the facility as of December 31:	120
 Provide the highest number of ELVs stored at the facility 	255
at any one time from January 1 to December 31:	
Provide the approximate area used for the storage of vehicles (acres):	1.5 acres
Provide the names of scrap metal processors to which you sold or sent de	commissioned ELVs:
Metalico Niagara	
Metalico Buffalo	
15	
3)	
BECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL)	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL)	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL)	

Reprinted (12/18)

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

	Fluid	Destination Name & Address				
Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)		
0						
800	,	ŊŎġŎŢŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎŎ				
0			· · · · · · · · · · · · · · · · · · ·			
120						
		260		crystal clean		
10						
	on-site (oil heater, etc.) 0 800 800 0 120	Used on-site (oil heater, etc.) 0 0 800 0 800 120	on-site (oil heater, etc.)Stored on-site at year-endSold/ Recycled off-site00080000120260	Used on-site (oil heater, etc.)Stored on-site at year-endSold/ Recycled off-siteDisposed off-site*00008000001202600		

* Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

** Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Received Stored On Site	Sent Off Site	Destination					
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit (</u> or state if other than New York)	To Scrap Metal Processor			
Ferrous Scrap Metal	0				Yes	⊡No		
Aluminum Scrap Metal	1600				⊡Yes	⊡No		
Lead Weights	o				TYes	N₀		
Non – Ferrous Scrap Metal	250	f ela definitaria de la Martina de La manor de Martino e de la definitaria de la definitaria de la definitaria	nda di mana ang kanang sa kanang sa kanang sa kanang kanang kanang kanang kanang kanang kanang kanang kanang ka		⊡Yes	⊡No		
Other (specify):					TYes	⊡N∘		
na an ann an an ann an ann an an ann an	nn agus a tha a nn ann ann ann ann ann ann ann ann				⊡Yes	⊡No		

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing devices <u>recovered</u>. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS).

H&TS 0 (Number)

ABS	0	
(Numb	er)	

Indicate permitted facility or permitted transporter accepting mercury containing devices:

SECTION 6 – AIR BAGS COLLECTED	

Provide the number of air bags recover	<u>ed</u> .		
Number of Air Bags Removed:	0	Number of Air Bags Deployed:	0
Indicate permitted facility or permitted tra	ansporter accepting a	ir bags:	

	**************************************		***************************************
	***************************************		naabalaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa

Reprinted (12/18)

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.

Number of Lead-Acid Batteries collected from ELVs:

120

Indicate permitted facility or permitted transporter accepting lead-acid batteries:

Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disposal, if hazardous.

Number of waste tires stored on-site:	600	as of December 31
Number of used tires available for sale on-site:	120	as of December 31
Number of used tires sold:	80	during operating year
Number of waste tires shipped off-site for recycling, o	disposal, other: 400	during operating year

SECTION 8 --- WASTE TIRES COLLECTED

Indicate name of facility(ies) accepting waste tires:

Hyde Tread Tire Lockport NY

SECT	ION 9 -	SELF	INSPECTIONS
------	---------	------	-------------

Number of self-inspections conducted for the year:

Are self-inspection records up-to-date with inspector name, what was inspected, time and date of inspection?

At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills?

SECTION 10 - PROBLEMS

Were any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures)?

🔲 Yes 🔟 No 👘 If yes, attach additional sheets identifying each problem and the methods for resolution of the problem

SECTION 11 – CHANGES

Were there any changes from approved reports, plans, specifications, and permit conditions?

Yes Mo If yes, attach additional sheets identifying changes with a justification for each change.

wkly

.

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

					Date of Return to
	Waste Management Compliance Checklist	NA	Үөз	No	Compliance
1. MOF	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores E THAN 1,000 tires, do you have a PART 360 permit for tire storage?				an a
	s a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?				
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		$\mathbf{\nabla}$		
4.	Are the end-of-life vehicle records available on-site?		$\overline{\mathbf{\nabla}}$		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?				
6.	Have all observed leaks been remedied or contained?				
7.	Does your facility have a written Contingency Plan?		$\mathbf{\nabla}$		
8.	Are facility personnel trained to implement the Contingency Plan?				
9.	Does your Contingency Plan include actions to be taken in the event of the followir	ng?			
	e, Fire.				
1	b. Spill or release of vehicle waste fluids.				
1	C. Unauthorized material received at facility.		\Box		
10. /	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		N		
11.	Are all vehicle residues prevented from migrating from or running off your property?		$\overline{\mathbf{N}}$,
	s dust controlled to prevent interference with facility operations or from leaving facility site?		N		
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		$\overline{\mathbf{N}}$		
	Are waste fluids kept from being discharged onto the ground or into surface waters?		$\mathbf{\nabla}$		
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		$\overline{\mathbf{N}}$		
	15a. Are the access controls working (i.e. controlling access)?		$\overline{\mathbf{v}}$		
16.	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?			$\mathbf{\nabla}$	
17.	Are you doing the following with your concrete (or equivalent surface) pad that is us draining, crushing, etc.?	sed for	vehicle	dismar	ntling, fluid
ALL. 100 - 1010	7a. Cleaning daily.		\Box		
,	7b. Cleaning spills as they occur.				
,	7c. Collecting and properly disposing of absorbent materials.				

Reprinted (12/18)

KACHS AUTO

				Date of Return to
Waste Management Compliance Checklist 18. Have the following wastes been drained, removed, deployed, collected and/or stor practices, prior to vehicle crushing or shredding?	<u>e en la com</u>	Yes ving be	<u></u>	Compliance agement
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).				
18b. Lead acid batteries.		\checkmark		
18c. Mercury switches or other mercury containing devices, if any.		~		
18d. Refrigerants, if any.		~		
18e. Air bags.		\		
18f. PCB capacitors, if any.		<		
19. Are fluids stored separately & in containers that are compatible with their contents?		I		-
20. Are fluids stored in closed containers?				
21. Are containers which contain waste fluids in good condition and not visibly leaking?		$\overline{\mathbf{V}}$		
22. Are containers clearly and legibly labeled to describe their contents?		7		
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?		$\overline{\mathbf{v}}$		
24. Are lead-acid batteries stored upright and off the ground?		>		
25. Are lead-acid batteries covered to protect them from precipitation?		$\mathbf{\nabla}$		
26. Are all lead-acid batteries sent for recycling within one-year of receipt?		$\overline{\mathbf{N}}$		
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?				
27a. Are provisions in place to absorb any acid leakage?		$\mathbf{\mathbf{V}}$		
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?				
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?				
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		$\mathbf{\overline{\mathbf{N}}}$		
31. If sent off-site, is used oil transported via a permitted hauler?			1	
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ans	wer 32a.	, 32 b., i	32c:	
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		Ŋ		
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?				
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?				

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?				
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?				
35. Are sludges properly recycled or disposed?		~		
36. Are used oil filters properly drained, crushed or dismantled?		~		
37. Are drained oil filters properly recycled or disposed?		$\overline{\mathbf{v}}$		······································
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?				
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?				
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?				
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?	0pounds			
	gailons			

Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)

No

COMMENTS? (Attach additional sheets if necessary)

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation Division of Materials Management Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260 Fax 518-402-9041 Email address: SWMFannuaireport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law,

06/15/2019

Date

owner

William L Kachinosk

Name (Print or Type)

Title (Print or Type)

junkyardbk@yahoo.com

Email (Print or Type)

4800 Witmer Rd

Address

NY 14305

State and Zip

Niagara Falls

City

2823455

Phone Number

ATTACHMENTS: YES NO