VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT SUBMITED BY

TABS CONSULTING GROUP This (718) 492-6464

Submit the Annual Report no later than March 1, 2020. This annual report is for the year of operation from <u>January 01, 2019</u> to <u>December 31, 2019</u>

SECTION 1 - FACILITY INFORMATION

SECTI		INFORMATION	714					
FACILITY NAME: R. AMPARO SALVAGE (
FACILITY LOCATION ADDRESS: FACILITY CITY: STATE: ZIP CODE:								
851 WASHINGTON AVE BRONX NY 10475								
FACILITY TOWN:	CILITY TOWN: FACILITY COUNTY: FACILITY PHONE NUMBER:							
BRONX	BRO	٧X	718	3-583-	-1418			
FACILITY NYS PLANNING UNIT: (A list of NYS Planning Units can be found at the end of this report). New York City NYSDEC REGION #: 2								
FACILITY TYPE: Vehicle Dismantler DMV I.D. #7096247	☐ Motor	Vehicle Repair Shop		Mobile Ve	hicle Crusher			
FACILITY CONTACT:	public	CONTACT PHONE	C	ONTACT	FAX NUMBER:			
RAMON AMPARO	private	NUMBER: 718-583-1418	N	1/A				
CONTACT EMAIL ADDRESS: RAMONAN	PARO1@I	MSN.COM						
	OWNER	INFORMATION						
OWNER NAME: R. AMPARO SALVAGE CORP	OWNER P 718-583	HONE NUMBER: -1418	OWNE N/A	ER FAX N	JMBER:			
OWNER ADDRESS: 1851 WASHINGTON AVE	OWNER O	ITY:		STATE: NY	ZIP CODE : 10475			
OWNER CONTACT:		ONTACT EMAIL ADDRE						
RAMON AMPARO	RAMON	AMPARO1@MSN	I.COM	1				
	OPERATO	R INFORMATION						
OPERATOR NAME: same as owner RAMON AMPARO			_	_public ☑private				
	PREI	ERENCES						
Preferred address to receive correspondence: Facility location address Other (provide): Owner address								
Preferred email address: Facility Contact Other (provide):	O.	vner Contact						
Preferred individual to receive correspondent Other (provide):	ce: Facilit	y Contact Owne	r Contact					
Did you operate in 2019? Ves; Comple	te this form.		***************************************					
☐ No; Complete	e and submit	Sections 1 and 12.						

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLE	55
Provide the number of ELVs received from January 1 to December 31:	
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	49
Provide the number of ELVs stored at the facility as of December 31:	4
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	9
 Provide the approximate area used for the storage of vehicles (acres): 	.10 acres
 Provide the names of scrap metal processors to which you sold or sent de PASCAP, BRONX 	commissioned ELVs:
2)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1) 2) N/A	
3)	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e.</u> \sqrt{s} or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	20		20		LOCAL REPAIR FACILITIES
Used Oil** (gallons)		10	75		SPEEDY OIL RECOVERY, JACKSON, NJ
Diesel Fuel (gallons)					
Gasoline (gallons)	150				
Engine Coolant/ Antifreeze (gallons)		10			
Window Washing Fluid (gallons)					
Other (specify)					

^{*} Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Bassinad Stand On Site Sant Off Site	Destination	ination				
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit</u> (or state if other than New York)	M	To Scrap Metal Processor	
Ferrous Scrap Metal					□Yes	□No	
Aluminum Scrap Metal					□Yes	□No	
Lead Weights		N/A			□Yes	□No	
Non – Ferrous Scrap Metal					□Yes	□No	
Other (specify):	man managati Permanananan Angara				□Yes	□No	
					□Yes	□No	
H&TS) and antilock	H&TS (Number)	ies (ABS).		ABS (Number) ontaining devices:			
		SECTION 6 -	AIR BAGS C	OLLECTED			
Provide the number Number of Air Bags Indicate permitted fa	Removed:	0		ber of Air Bags Deployed:	0	_	
/EHICLE GOI	ES TO SHE	REDDER FOR	R FINAL DIS	SPOSAL			

Reprinted (12/19)

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.		
Number of Lead-Acid Batteries collected from ELVs:	6	
ndicate permitted facility or permitted transporter accepting lead-acid batte NEW CITY RECYCLING, MT.	eries:	
any materials disposed must undergo a hazardous waste determination ar azardous.	nd proper handling,	storage and disposal, if
SECTION 8 – WASTE TIRES CO	OLLECTED	
Number of waste tires stored on-site:	20	as of December 31
Number of used tires available for sale on-site:	20	as of December 31
Number of used tires sold:	16	during operating year
lumber of waste tires shipped off-site for recycling, disposal, other:	146	during operating year
MONSTRO TIRES, BRONX, NY		
SECTION 9 – SELF INSPECTION 9 – SELF INSPECTION 9 – SELF INSPECTION 1 – SELF INSPECTION 1 – SELF INSPECTION 2 – SELF INSPECTIO	TIONS	
Are self-inspection records up-to-date with inspector name, what was in ☐ Yes ☐ No	spected, time and	date of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas in Yes _No	nspected for leaks	spills?
SECTION 10 - PROBLE	MS	
Were any problems encountered during the reporting period (e.g., specificallity procedures)?	fic occurrences wh	ich have led to changes in
Yes No If yes, attach additional sheets identifying each problem	n and the methods	for resolution of the probler
SECTION 11 - CHANGI	ES	
Were there any changes from approved reports, plans, specifications, a	nd permit condition	ns?
☐ Yes ☑ No If yes, attach additional sheets identifying changes with	a justification for	each change.

Reprinted (12/19)

SECTION 12 – COMPLIANCE CERTIFICATION

As of December 31, 2018:

						Date of Return to
	44	Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. MC		our facility stores LESS THAN 1,000 tires, check NA. If your facility stores THAN 1,000 tires, do you have a PART 360 permit for tire storage?	V			
2.		system in place to control vegetation and prevent it from encroaching onto e access lanes or driveways?	V			
3.	На	ve you recorded the date of receipt for all end-of-life vehicles received?		V		
4.	Are	the end-of-life vehicle records available on-site?		V		
5.		ve all end-of-life vehicles been inspected, upon arrival, for leaking fluids and authorized wastes?		V		
6.	На	ve all observed leaks been remedied or contained?		V		
7.	Do	es your facility have a written Contingency Plan?		V		
8.	Are	facility personnel trained to implement the Contingency Plan?		V		
9.	Do	es your Contingency Plan include actions to be taken in the event of the following	ng?			
	9a.	Fire.		V		
	9b.	Spill or release of vehicle waste fluids.		V		
	9c.	Unauthorized material received at facility.		V		
10.		spills of waste fluids, if any occur, reported to the NYSDEC ills Hotline within two hours of detection?		V		
11.	Are	all vehicle residues prevented from migrating from or running off your operty?		7		
12.	Is d	ust controlled to prevent interference with facility operations or from leaving cility site?		V		
13.	Are	vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with cility operations?		V		
14.	Are	waste fluids kept from being discharged onto the ground or into surface iters?		V		
15.	ls a	ccess to your facility controlled by: fences, gates, sign and/or natural barriers of vehicles)?		V		
	15a	. Are the access controls working (i.e. controlling access)?		V		
16.		fluids drained from end-of-life vehicles on a pad constructed of concrete or uivalent material?		V		
17.	Are	you doing the following with your concrete (or equivalent surface) pad that is us aining, crushing, etc.?	sed for	vehicle	disma	ntling, fluid
	17a	Cleaning daily.		V		
	17b	Cleaning spills as they occur.		V		
	17c.	Collecting and properly disposing of absorbent materials.		V		

Reprinted (12/19)

100					
					Date of Return to
N. C.	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	ed follov	ving be	st mana	agement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		V		
	18b. Lead acid batteries.	П	V		
	18c. Mercury switches or other mercury containing devices, if any.		V		
	18d. Refrigerants, if any.	П	V	П	
	18e. Air bags.	V			
	18f. PCB capacitors, if any.	V			
19.	Are fluids stored separately & in containers that are compatible with their contents?		V		
20.	Are fluids stored in closed containers?		V		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		V		
22.	Are containers clearly and legibly labeled to describe their contents?		V		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		V		
24.	Are lead-acid batteries stored upright and off the ground?		V		
25.	Are lead-acid batteries covered to protect them from precipitation?		V		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		V		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		V		
	27a. Are provisions in place to absorb any acid leakage?		V		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		V		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	V			
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		V		
31.	If sent off-site, is used oil transported via a permitted hauler?		~		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a.	, 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	V			
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	V			
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?	V			

Waste Management Compliance Checklist	NA	Yes	No	Date of Return to
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		V		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	V			
35. Are sludges properly recycled or disposed?	V	П	П	
36. Are used oil filters properly drained, crushed or dismantled?		V		
37. Are drained oil filters properly recycled or disposed?		1		
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?		V		
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		V		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		V		
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		0)	pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.) NONE AWARE OF		_		
COMMENTS? (Attach additional sheets if necessary)				

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

Phone Number

direction and supervision in compliance with a system design	rmation identified in this report have been prepared under my gned to ensure that qualified personnel properly and accurately alse statement I make in such report is punishable pursuant to and section 210.45 of the Penal Law. Date
RAMON AMPARO Name (Print or Type)	PRESIDENT Title (Print or Type)
RAMONAMPARO1@	msn.com
1851 WASHINGTON AVE	BRONX
NY, 10475	,718 ,583 1418

State and Zip

	1	
ATTACHMENTS:	YES	NO