VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2020. This

annual report is for the year of operation from <u>January 01, 2019</u> to <u>December 31, 2019</u>

SECTION 1 – FACILITY INFORMATION

Application of the state of the	FACILITY	INFORMATION				· 🔅	
FACILITY NAME:							
LKQ Broadway Auto Parts							
FACILITY LOCATION ADDRESS: FACILITY CITY: STATE: ZIP CODE:							
1572 Route 9	Stuyve	esant		NY	12173		
FACILITY TOWN:	FACILITY	COUNTY:	FACIL	ITY PHON	E NUMBER:		
Stockport	Colum	nbia	(51	8) 799	3) 799-2245		
FACILITY NYS PLANNING UNIT: (A list of NYS Columbia County (except Canaan (T))	S Planning Uni	ts can be found at the end of t	his repor	t). NYS	SDEC GION #: 4		
FACILITY TYPE: Vehicle Dismantler DMV I.D. # ⁷⁴⁵⁴⁷⁸⁴	☐ Motor	Vehicle Repair Shop		Mobile Ve	hicle Crusher		
FACILITY CONTACT:	✓ public	CONTACT PHONE	С	ONTACT	FAX NUMBER	l:	
Roberto Valle III	private	NUMBER: (518) 799-7909	(518) 79	9-2248		
CONTACT EMAIL ADDRESS: rxvalle@lkqco	rp.com		'				
	OWNER	INFORMATION				1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
OWNER NAME: LKQ Broadway Auto Parts							
OWNER ADDRESS:	OWNER C			STATE:	ZIP CODE:		
1572 Route 9	Stuyvesant		20	NY	12173		
owner contact: Roberto Valle III	1	ONTACT EMAIL ADDRE DIKQCORD.COM	SS:				
1 CODOTTO VAILE III		R INFORMATION					
OPERATOR NAME: same as owner	OI EIGHTOI			 ✓public			
			1 -	private			
	PREF	ERENCES					
Preferred address to receive correspondence: Facility location address Other (provide): Owner address							
Preferred email address:							
Preferred individual to receive correspondence:							
Did you operate in 2019? Yes; Complete	e this form.						
☐ No; Complete	and submit	Sections 1 and 12.					
Did you operate in 2019? ✓ Yes; Complete this form. □ No; Complete and submit Sections 1 and 12.							

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES	•
Provide the number of ELVs received from January 1 to December 31:	3105
Provide the number of ELVs crushed and/or removed from the facility from Japanes 1 to December 31.	3006
from January 1 to December 31:	990
Provide the number of ELVs stored at the facility as of December 31:	
Provide the highest number of ELVs stored at the facility	1108
at any one time from January 1 to December 31:	
Provide the approximate area used for the storage of vehicles (acres):	8acres
• Provide the names of scrap metal processors to which you sold or sent dec 1) UPSTATE SHREDDING	ommissioned ELVs:
2)	
2)	
3)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV	3006
3)SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3:	3006
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV	3006
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1) LKQ BROADWAY AUTO PARTS	3006
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1) LKQ BROADWAY AUTO PARTS 2)	3006
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1) LKQ BROADWAY AUTO PARTS 2)	3006
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1) LKQ BROADWAY AUTO PARTS 2)	3006

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. \(\frac{1}{2} \)'s or \(\text{X}'s \)) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address				
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)		
Refrigerant (pounds)			1309		GOLDEN REFRIGERANT		
Used Oil** (gallons)	3606	320	240		SHELDON OIL SERVICES, INC.		
Diesel Fuel (gallons)	60						
Gasoline (gallons)	4115	200					
Engine Coolant/ Antifreeze (gallons)			1915		SHELDON OIL SERVICES, INC.		
Window Washing Fluid (gallons)	410						
Other (specify)							

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

Reprinted (12/19)

Destination

	Received	Stored On Site	Sent Off Site	Destination		
Material Types	(tons)	(tons) (tons) NYS Planning Unit (o		NYS <u>Planning Unit (</u> or state if other than New York)		
Ferrous Scrap Metal			381.29	Columbia County (except Canaan (T))	☑Yes	□No
Aluminum Scrap Metal			83.82	Columbia County (except Canaan (T))		□No
Lead Weights					□Yes	□No
Non – Ferrous Scrap Metal			28.63	Columbia County (except Canaan (T))	☑ Yes	□No
Other (specify):	- CONTRACTOR - CON	CONTRACTOR AND			□Yes	No
					□Yes	□No
Indicate permitted EQ INDUSTRI		ed transporter acce	epting mercury c	ABS (Number) ontaining devices:		
Provide the numbe	er of air bags <u>recc</u>	_	- AIR BAGS (COLLECTED		
Number of Air Bag	gs Removed:	0	Nun	nber of Air Bags Deployed:		
Indicate permitted	facility or permitte	ed transporter acce	epting air bags:			

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.		
Number of Lead-Acid Batteries collected from ELVs:	3142	
Indicate permitted facility or permitted transporter accepting lead-acid batte NORTHEAST BATTERY & ALTERNATOR, LLC	eries:	
Any materials disposed must undergo a hazardous waste determination ar hazardous.	nd proper handling, s	torage and disposal, if
SECTION 8 – WASTE TIRES CO	OLLECTED	
Number of waste tires stored on-site:	109	as of December 31
Number of used tires available for sale on-site:	199	as of December 31
Number of used tires sold:	2028	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	6418	during operating year
Indicate name of facility(ies) accepting waste tires:		
MTX		
	· · · · · · · · · · · · · · · · · · ·	
SECTION 9 – SELF INSPEC	CTIONS	4
Number of self-inspections conducted for the year:		
Are self-inspection records up-to-date with inspector name, what was ir ☑ Yes ☐ No	ispected, time and c	ate of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas i	nspected for leaks/s	pills?
SECTION 10 – PROBLE	MS	
Were any problems encountered during the reporting period (e.g., speci facility procedures)?	fic occurrences whic	h have led to changes in
Yes No If yes, attach additional sheets identifying each probler	n and the methods f	or resolution of the problem
SECTION 11 – CHANG	ES	
Were there any changes from approved reports, plans, specifications, a	and permit condition	s?
☐ Yes ☑ No If yes, attach additional sheets identifying changes wit	h a justification for e	ach change.

Reprinted (12/19)

SECTION 12 – COMPLIANCE CERTIFICATION

As of December 31, 2018:

	Waste Management Compliance Checklist		Yes	No	Date of R Compl	
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	✓			See atta	chment
2.	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		✓			
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		✓			
4.	Are the end-of-life vehicle records available on-site?			✓	See atta	chment
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		✓			
6.	Have all observed leaks been remedied or contained?		√			
7.	Does your facility have a written Contingency Plan?		✓			
8.	Are facility personnel trained to implement the Contingency Plan?		✓			
9.	Does your Contingency Plan include actions to be taken in the event of the following	ng?				
	9a. Fire.		√			
	9b. Spill or release of vehicle waste fluids.		✓			
	9c. Unauthorized material received at facility.		✓			
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?	✓			See Atta	chment
11.	Are all vehicle residues prevented from migrating from or running off your property?	:	✓			
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?		✓			
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?	7777	✓			
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?		✓			
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		✓			
	15a. Are the access controls working (i.e. controlling access)?		✓			
	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		✓			
17.	Are you doing the following with your concrete (or equivalent surface) pad that is us draining, crushing, etc.?	sed for	vehicle	disma	ntling, fluid	
	17a. Cleaning daily.		/			
	17b. Cleaning spills as they occur.		✓			
	17c. Collecting and properly disposing of absorbent materials.					

Reprinted (12/19)

					Date of R	
18.	Waste Management Compliance Checklist Have the following wastes been drained, removed, deployed, collected and/or store		vina be	est mar	eanni Iagement	2111012
	practices, prior to vehicle crushing or shredding?		,g			
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		✓			
	18b. Lead acid batteries.		1			
	18c. Mercury switches or other mercury containing devices, if any.		1			
	18d. Refrigerants, if any.		√			
	18e. Air bags.			√		
	18f. PCB capacitors, if any.	✓			See Atta	chment
19.	Are fluids stored separately & in containers that are compatible with their contents?		✓			
20.	Are fluids stored in closed containers?		√			
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		✓			
22.	Are containers clearly and legibly labeled to describe their contents?		✓			
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		✓			
24.	Are lead-acid batteries stored upright and off the ground?		√			
25.	Are lead-acid batteries covered to protect them from precipitation?		✓			
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		√			
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?	✓			See Atta	chment
	27a. Are provisions in place to absorb any acid leakage?		√			
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?					
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	>			See Atta	chment
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		✓			
31.	If sent off-site, is used oil transported via a permitted hauler?		✓			
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	er 32a	., 32b.,	32c:		
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		✓			
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?				See Atta	chment
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		V			

				Date of R	
Waste Management Compliance Checklist	NA	Yes	No	Compli	
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		V		See Atta	chment
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?		✓		See Atta	chment
35. Are sludges properly recycled or disposed?		√			
36. Are used oil filters properly drained, crushed or dismantled?		1			2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
37. Are drained oil filters properly recycled or disposed?		1			
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:					
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?		✓			
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		✓			
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		√			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar		_	NA	pounds	
month?		_	NA	gallons	
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.) NA					
COMMENTS? (Attach additional sheets if necessary) NA					

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

State and Zip

		I	 ı
	/		 l .
ATTACHMENTS:		VE0	 $ M \cap$
ATTACHMENTS		1 Y F S	 ו ואונו



LKQ BROADWAY AUTO PARTS, INC 1572 US ROUTE 9 STUYVESANT, NY 12173

NYS DEC DIV OF MATERIALS MGMT BUREAU OF PERMITTING AND PLANNING 625 BROADWAY ALBANY, NY 12233-7260

January 17, 2020

RE: VEHICLES DISMANTLING 2019 ANNUAL REPORT DMV# 7054784

COMPLIANCE CHECKLIST RESPONSE:

SECTION 12 WASTE FLUIDS: TRANSMISSION, BRAKE, HYDRAULIC, POWER STEERING AND DIESEL FUEL ARE ALL BURNED IN WASTE OIL FURNACE. GASOLINE IS USED IN COMPANY TRUCKS. WINDOW WASHING FLUID IS USED IN COMPANY VEHICLES. SECTION 12 LINE 1: THIS FACILITY DOES NOT STORE MORE THAN 1000 TIRES. SECTION 12 LINE 4: THE RECORDS ARE HOUSED AT LOCATION IN OHIO SECTION 12 LINE 10: THIS FACILITY WILL CONTACT NYSDEC HOTLINE SHOULD A SPILL OCCUR.

SECTION 12 LINE 18F: THIS FACILITY DOES NOT HAVE PCB CAPACITORS.

VEHICLES ARE FROM 1995 AND NEWER.

<u>SECTION 12 LINES 27, 27A</u> LEAKING BATTERIES WOULD BE RECORDED. MOST ARE EMPTY BEFORE ARRIVING AT THE FACILITY.

SECTION 12 LINE 29: NO PCB CAPACITORS ARE PRESENT. VEHICLES ARE 1995 & NEWER

SECTION 12 LINE 32B: USED OIL IS ALSO PURCHASED FROM SHELDON OIL SERVICES

SECTION 12 LINE 33: FACILITY SEPARATES FLUIDS THROUGH SORTING TABLES.

SECTION 12 LINE 34: SLUDGE IS REMOVED FROM SITE.

SECTION 12 LINE 39: SOLVENTS AND DEGREASERS ARE NOT USED.