VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2020. This

annual report is for the year of operation from <u>January 01, 2019</u> to <u>December 31, 2019</u>

SECTION 1 - FACILITY INFORMATION

SECTION 1 - PACILITY INFORMATION						
FACILITY INFORMATION						
FACILITY NAME: Calvetta Auto Sales						
FACILITY LOCATION ADDRESS:	FACILITY CITY: STATE: ZIP CODE:					
5650 Cauterskill Rd	Catskill NY 12414					
FACILITY TOWN:	FACILITY COUNTY: FACILITY PHONE NUMBER:					
Catskill Greene 518 943 3000						
FACILITY NYS PLANNING UNIT: (A list of NYS Greene County	S Planning Units can be found at the end of	this report). NYSDEC REGION #: 4				
FACILITY TYPE: Vehicle Dismantler	Motor Vehicle Repair Shop	YS DEC ACTIVITY CODE:				
DMV I.D. #7038641	Mobile Vehicle Crusher					
FACILITY CONTACT:	public CONTACT PHONE	CONTACT FAX NUMBER:				
Joe Calcavecchia	Private NUMBER: 518 821 1212					
CONTACT EMAIL ADDRESS: cindy.calvet	ta@gmail.com					
	OWNER INFORMATION					
owner name: Joe Calcavecchia	OWNER PHONE NUMBER: 518 821 1212	OWNER FAX NUMBER:				
OWNER ADDRESS: 5650 Cauterskill Rd	OWNER CITY: Catskill	STATE: ZIP CODE: NY 12414				
OWNER CONTACT:	OWNER CONTACT EMAIL ADDRE	ESS:				
Joe	cindy.calvetta@gmail.com					
	OPERATOR INFORMATION					
OPERATOR NAME: same as owner		□public □private				
	PREFERENCES					
Preferred address to receive correspondence: Facility location address Owner address Owner address						
Preferred email address: Facility Contact Owner Contact Other (provide):						
Preferred individual to receive correspondence: Facility Contact Owner Contact Other (provide):						
Did you operate in 2019? Ves; Complete this form.						
No; Complete and submit Sections 1 and 12.						

 Provide the number of ELVs received from January 1 to December 31: 	309
Triovide the humber of ELVS received from Sandary 1 to December 31.	
Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31:	345
Provide the number of ELVs stored at the facility as of December 31:	approx 400
Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31:	approx 400
 Provide the approximate area used for the storage of vehicles (acres): 	20 acres
2)	
3)	
	S (ELVs) PROCESSED
3)SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: - Provide the names of each facility where you crushed decommissioned El	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: - Provide the names of each facility where you crushed decommissioned EI 1) 2)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: - Provide the names of each facility where you crushed decommissioned EI 1) 2)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: - Provide the names of each facility where you crushed decommissioned EI 1)	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

:		Fluid	Destination Name & Address				
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)		
Refrigerant (pounds)		32	17- 10-VI		Aprea Automotive		
Used Oil** (gallons)	700	200					
Diesel Fuel: (gallons)	Added with waste oil	0					
Gasoline (gallons)	850	125			Albany Tank Services		
Engine Coolant/ Antifreeze (gallons)	75	150	165		Heritage Crystal Clean		
Window Washing Fluid (gallons)	30	40					
Other (specify)							

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

			0.4055000	Destination		
Material Types	Received (tons)	Stored On Site (tons)	Sent Off Site (tons)	NYS <u>Planning Unit (or state if</u> other than New York)	Me	crap etal essor
Ferrous Scrap Metal	2800	150	2669	Capital Region Solid Waste Managem	☑Yes	∏No
Aluminum Scrap Metal	49		49	Capital Region Solid waste managem	⊡Yes	□No
Lead Weights					Yes	□No
Non – Ferrous Scrap Metal	72		72	Capital region solid waste manageme	☑Yes	□No
Other (specify):					☐Y e s	□No
					□Yes	□No

SECTION 5 - MERCURY SWITCHES COLLECTED

SECTION	A 2 MITHOO	N SWITCHES SOLLESIES	
Provide the number of mercury-containing (H&TS) and antilock brake assemblies (A	ng devices <u>recov</u> ABS).	rered. Including but not limited to hood & trun	k lighting switches
_{н&тs} 30		ABS 0	
(Number)		(Number)	
Indicate permitted facility or permitted tra JB Car Crushers	insporter accept	ing mercury containing devices:	
SE	ECTION 6 - A	AIR BAGS COLLECTED	
Provide the number of air bags recovere	ed.		_
Number of Air Bags Removed:	0	Number of Air Bags Deployed:	0
Indicate permitted facility or permitted tra	ansporter accept	ting air bags:	

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.		
Number of Lead-Acid Batteries collected from ELVs:	300	-
Indicate permitted facility or permitted transporter accepting lead-acid batteries Empire Recycling Albany NY	: :	
Any materials disposed must undergo a hazardous waste determination and phazardous.	roper handling, s	storage and disposal, if
SECTION 8 – WASTE TIRES COL	LECTED	
Number of waste tires stored on-site:	150	as of December 31
Number of used tires available for sale on-site:	NA	as of December 31
Number of used tires sold:	NA	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	1500	during operating year
Indicate name of facility(ies) accepting waste tires: Casings Catskill NY		
SECTION 9 - SELF INSPECTI	ONS	
Number of self-inspections conducted for the year:		4
Are self-inspection records up-to-date with inspector name, what was inspector of the self-inspection records up-to-date with inspector name, what was inspector of the self-inspection records up-to-date with inspector name, what was inspector of the self-inspection records up-to-date with inspector name, what was inspector of the self-inspector of th	ected, time and	date of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas insp Yes No	ected for leaks/s	spills?
SECTION 10 - PROBLEMS	3	
Were any problems encountered during the reporting period (e.g., specific of facility procedures)?	occurrences whi	ch have led to changes in
Yes No If yes, attach additional sheets identifying each problem a	nd the methods t	for resolution of the problem
SECTION 11 - CHANGES		
Were there any changes from approved reports, plans, specifications, and	permit condition	ns?
Yes No If yes, attach additional sheets identifying changes with a	justification for e	each change.

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

					Date of Return to
	Waste Management Compliance Checklist	NA.	Yes	No	Compliance
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	~			
2.	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		V		
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		~		
4.	Are the end-of-life vehicle records available on-site?		~		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		~	ally recta	
6.	Have all observed leaks been remedied or contained?		~		
7.	Does your facility have a written Contingency Plan?		V		
8.	Are facility personnel trained to implement the Contingency Plan?		•		
9.	Does your Contingency Plan include actions to be taken in the event of the following	ng?			
	9a. Fire.	and the second	~		
	9b. Spill or release of vehicle waste fluids.		V		
	9c. Unauthorized material received at facility.	4	V		
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?	- Contract	~		
11.	Are all vehicle residues prevented from migrating from or running off your property?		~		
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?		~		
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		V		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?		~		
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?	All lands	~		
	15a. Are the access controls working (i.e. controlling access)?		~		
16.	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		~		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is draining, crushing, etc.?	used for	vehicle	disma	ntling, fluid
	17a. Cleaning daily.		~		
	17b. Cleaning spilfs as they occur.		~		
	17c. Collecting and properly disposing of absorbent materials.		~		

			S214			
				Date of Return to		
Waste Management Compliance Checklist		Yes	e Livetin	Compliance		
18. Have the following wastes been drained, removed, deployed, collected and/or stored following best management practices, prior to vehicle crushing or shredding?						
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		~				
18b. Lead acid batteries.		~				
18c. Mercury switches or other mercury containing devices, if any.		~				
18d. Refrigerants, if any.		~	000			
18e. Air bags.			'			
18f. PCB capacitors, if any.	~					
19. Are fluids stored separately & in containers that are compatible with their contents?		>				
20. Are fluids stored in closed containers?		>				
21. Are containers which contain waste fluids in good condition and not visibly leaking?		٧				
22. Are containers clearly and legibly labeled to describe their contents?		~				
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?		١				
24. Are lead-acid batteries stored upright and off the ground?		1				
25. Are lead-acid batteries covered to protect them from precipitation?		١	No. of Control			
26. Are all lead-acid batteries sent for recycling within one-year of receipt?		٧				
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		>				
27a. Are provisions in place to absorb any acid leakage?		~				
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		٧				
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	V	-				
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		~				
31. If sent off-site, is used oil transported via a permitted hauler?		1				
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ans	wer 32a.	., 32b.,	32c:			
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		~				
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	V					
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		~				

Calvetta

				Date of Refurn.
Waste Management Compliance Checklist	NA.	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		~		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	V			
35. Are sludges properly recycled or disposed?	'			
36. Are used oil filters properly drained, crushed or dismantled?		~		
37. Are drained oil filters properly recycled or disposed?		~		
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?	V			
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?	~			
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	V			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?			NA NA	pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
NO				
COMMENTS? (Attach additional sheets if necessary)				

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

	march 1-20
Signature	Date
Joseph Calcavecchia Name (Print or Type)	Owner Title (Print or Type)
cindy.calvetta@gmail.	COM int or Type)
5650 Cauterskill Rd	Catskill
Address NY 12414	City 518 943 3000
State and Zip	() Phone Number

ATTACHMENTS: YES NO