VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2020. This

annual report is for the year of operation from January 01, 2019 to December 31, 2019

SECTION 1 - FACILITY INFORMATION

	FACILITY	INFORMATION		And a state				
FACILITY NAME: Middendorf Auto Salvage						<u>, , , , , , , , , , , , , , , , , , , </u>		
FACILITY LOCATION ADDRESS:	FACILITY	CITY:	TE:	ZIP CODE:				
770 Spaulding Hill Rd	Oweg	0		NY	•	13827		
FACILITY TOWN:	FACILITY	COUNTY:	LITY P	ITY PHONE NUMBER:				
Owego	Tioga					7-222-5472		
FACILITY NYS PLANNING UNIT: (A list of NYS Planning Units can be found at the end of this report). NYSDEC REGION #: 7								
FACILITY TYPE: Vehicle Dismantler DMV I.D. #7043163		Vehicle Repair Shop Vehicle Crusher	NYS DE 98679	C ACT	ידוער	CODE:		
FACILITY CONTACT:	public	CONTACT PHONE		CONT		FAX NUMBER:		
Anthony Middendorf						7-3166		
CONTACT EMAIL ADDRESS:								
	OWNER	INFORMATION						
OWNER NAME:	OWNER PHONE NUMBER: OWNER FAX NUMBER:							
Anthony Middendorf	607-222-5472 607-687-3166					6		
OWNER ADDRESS: 770 Spaulding Hill Rd					ZIP CODE: 13827			
OWNER CONTACT:	OWNER C	ONTACT EMAIL ADD	RESS:					
Anthomy Middendorf	middend	lorfgolf@yahoo.c	om					
工业 网络苏格兰和纳莱格兰的 音	OPERATO	RINFORMATION			段 5.7			
OPERATOR NAME: Same as owner	·····		_	pul				
	PRE	FERENCES			100 A.			
Preferred address to receive correspondence	e: 🔀 Facility lo	cation address		Owner at	ddress			
Preferred email address: Facility Contact	X 0	wner Contact		×	··	· · ·		
Preferred individual to receive correspondence Other (provide):	56: 🛄 Facili	ty Contect 🛛 🕅 Ov	vner Contac	7				
Did you operate in 2019? Z Yes; Complete	te this form.							
🗌 No; Complete	e and submit	Sections 1 and 12.						

.

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES	
 Provide the number of ELVs received from January 1 to December 31; 	5
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	6
 Provide the number of ELVs stored at the facility as of December 31: 	49
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	49
 Provide the approximate area used for the storage of vehicles (acres); 	3acres
Provide the names of scrap metal processors to which you sold or sent dec	commissioned ELVs:
¹⁾ Ben Weitsman & Son Inc.	
2)	
2)	
2)	
	S (ELVS) PROCESSE
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	N/A
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3:	N/A
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	N/A
3)	N/A
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1) 2)	N/A
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	N/A
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	N/A

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address			
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)	
Refrigerant (pounds)	0	0	0	0		
Used Qil** (gallons)	200	200	0	0		
Diesel Fuel (gallons)	Q	0	0	0		
Gasoline (gallons)	0	0	0	0		
Englne Coolant/ Antifreeze (gallons)	0	Ö	0	0		
Window Washing Fluid (gallons)	0	0	0	0		
Other (specify)	0	0	0	0		

* Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

** Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Received	Stored On Site	Sent Off Site	Destination		
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit (</u> or state if other than New York)	To Scrap Metal Processor	
Ferrous Scrap Metal		3			Yes	⊡No
Aluminum Scrap Metal				· .	⊡Yes	⊡ No
Lead Weights					□Yes	[]No
Non – Ferrous Scrap Metal	ма уна Риссиналасски салания на ту _{Сит} инити инт		and and a second s		[]Yes	⊡No
Other (specify):			, , , , , , , , , , , , , , , , , , ,		Tes	INO
		ne h			Yes	[]No

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing devices <u>recovered</u>. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS).

H&TS_____ (Number) ABS ______ (Number)

Indicate permitted facility or permitted transporter accepting mercury containing devices:

	SECTION 6 - AIR	BAGS COLLECTED	
Provide the number of air bags <u>recov</u>	ered.		
Number of Air Bags Removed:	0	Number of Air Bags Deployed;	0
indicate permitted facility or permitted	transporter accepting	air bags:	

SECTION 7 -- LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.

Number of Lead-Acid Batteries collected from ELVs:

•		
3		

200

Indicate permitted facility or permitted transporter accepting lead-acid batteries:

Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disposal, if hazardous.

SECTION 8 – WASTE TIRES COLLECTED

Number of waste tires stored on-site:	200	as of December 31
Number of used tires available for sale on-site:	<u></u>	as of December 31
Number of used tires sold:	······································	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:		during operating year
Indicate name of facility(ies) accepting waste tires:		

SECTION 9 - SELF INSPECTIONS

N/A

Number of self-inspections conducted for the year:

Are self-inspection records up-to-date with inspector name, what was inspected, time and date of inspection?

At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills?

SECTION 10 - PROBLEMS

Were any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures)?

🛄 Yes 🛄 No 👘 If yes, attach additional sheets identifying each problem and the methods for resolution of the problem

SECTION 11 – CHANGES

Were there any changes from approved reports, plans, specifications, and permit conditions?

Yes No If yes, attach additional sheets identifying changes with a justification for each change.

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

Waste Management Compliance Checklist NA Yes No Compliance 1. If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores Image: Compliance Image: Complia					Date of Rebuilt
MORE THAN 1.000 tres, do you have a PART 360 permit for the storage? Image: Control vegetation and prevent it from encreaching onto frie access lanes or driveways? Is a system in place to control vegetation and prevent it from encreaching onto frie access lanes or driveways? Image: Control vegetation and prevent it from encreaching onto frie access lanes or driveways? Image: Are the end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? Image: Control vegetation and prevent it from encreaching fluids and unauthorized wastes? Image: Have all observed leaks been remedied or contained? Image: Control vegetation and prevent it from encreaching fluids and unauthorized wastes? Image: Control vegetation and prevent the Contingency Plan? Image: Control vegetation and prevent it from encreaching fluids and unauthorized wastes? Image: Control vegetation and prevent the Contingency Plan? Image: Control vegetation and prevent it from encreaching fluids and image: Control vegetation and prevent interference with a contingency Plan include actions to be taken in the event of the following? 9a. Fire. Image: Control vegetation of the NYSDEC Image: Control vegetation of the molecular vegetation of the prevent interference with facility operations or from leaving the velocide residues prevented from migrating from or running off your property? Image: Control vegetation of the following? 9a. Fire. Image: Control vegetation with facility operations or from leaving the velocide residues prevented from migrating from or running off your property? Image: Control vegeta	Waste Management Compliance Checklist	NA	Yes	No	
2 Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways? 3. Have you recorded the date of raceipt for all end-of-life vehicles received? I I					
 Are the end-of-life vehicle records available on-site? Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? Have all observed leaks been remediad or contained? Have all observed leaks been remediad or contained? Does your facility have a written Contingency Plan? Are facility personnel trained to implement the Contingency Plan? Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. Are all vehicle residues prevented from migrating from or running off your property? 14. Are waste fluids, if any occur, reported to the NYSDEC Spills holline within two hours of detection? Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? Are waters fluids keept from being discharged onto the ground or into surface (in cyclical controlled by: fences, gates, sign and/or natural barriers (into vehicles)? Are vectors (mosquitoes, rats, mice, etc.) controlling access)? Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? Are vectors (mosquitoes, rats, mice, etc.) controlling access)? Are vectors (mosquitoes, optimal discharged onto the ground or into surface equivalent atterial?	2. Is a system in place to control vegetation and prevent it from encroaching onto				
 5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? 6. Have all observed leaks been remedied or contained? 7. Does your facility have a written Contingency Plan? 8. Are facility personnel trained to implement the Contingency Plan? 9. Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. 9d. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vactors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17. Are gau doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17. Cleaning daily. 17. Cleaning spills as they occur. 	3. Have you recorded the date of receipt for all end-of-life vehicles received?		2		
unauthorized wastes? Image: Contained? 6. Have all observed leaks been remedied or contained? Image: Contained? 7. Does your facility have a written Contingency Plan? Image: Contained? 8. Are facility personnel trained to implement the Contingency Plan? Image: Contained? 9. Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. Image: Contained? 9b. Spill or release of vehicle waste fluids. Image: Contained? 9c. Unauthorized material received at facility. Image: Contained? 9c. Unauthorized material received at facility. Image: Controlled to prevent effort migrating from or running off your property? 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? Image: Controlled to prevent interference with facility operations or from leaving facility site? 11. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? Image: Controlled to prevent interference with facility operations? 12. Is dust controlled to prevent interference with facility controlled to prevent interference with facility operations? Image: Controlled to prevent interference with facility operations? 13. Are evaste fluids kept from bei	4. Are the end-of-life vehicle records available on-site?		~		
7. Does your facility have a written Contingency Plan? Image: Contingency Plan 8. Are facility personnel trained to implement the Contingency Plan? Image: Contingency Plan include actions to be taken in the event of the following? 9. Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. Image: Contingency Plan include actions to be taken in the event of the following? 9b. Spill or release of vehicle waste fluids. Image: Contingency Plan include actions to be taken in the event of the following? 9c. Unauthorized material received at facility. Image: Contingency Plan include actions to be taken in the event of the following? 9c. Unauthorized material received at facility. Image: Contingency Plan include actions to be taken in the event of the following? 9c. Unauthorized material received at facility. Image: Contingency Plan include actions of the NYSDEC Spills Hotline within two hours of detection? Image: Contingency Plan include actions of form running off your property? 11. Are all vehicle residues prevented from migrating from or running off your property? Image: Controlled to prevent interference with facility operations or from leaving facility site? 12. Is dust controlled to prevent interference with facility operations? Image: Controlled to prevent interference with facility operations? 13. Are vectors (mosquiltoes, rats, mice, etc.) controlled to prevent interference with facility operations? Image: Contr			2		
 8. Are facility personnel trained to implement the Contingency Plan? 9. Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are all vector resides prevented by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, runshing, etc.? 	6. Have all observed leaks been remedied or contained?		$\mathbf{\overline{\mathbf{N}}}$		
9 Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire, Image: Control of the following? 9b. Spill or release of vehicle waste fluids. Image: Control of the following? 9c. Unauthorized material received at facility. Image: Control of the following? 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Image: Control of the following of the following? 11. Are all vehicle residues prevented from migrating from or running off your property? Image: Control of the following of the following of the following of the following? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? Image: Control of the following of the following? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? Image: Control of the following? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? Image: Control of the following? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? Image: Control of the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crusting, etc.? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? Image: Concrete or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crusting, etc.? 17.	7. Does your facility have a written Contingency Plan?				
9a. Fire. Image: Construction of the second sec	8. Are facility personnel trained to implement the Contingency Plan?	and from the	~		
9b. Spill or release of vehicle waste fluids. Image: Construct of the image: Consthe image: Construct of the image: Construct of	9 Does your Contingency Plan include actions to be taken in the event of the following	ng?			
9c. Unauthorized material received at facility. Image: Construct the	9a. Fire,		~		
 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. 'Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17b. Cleaning spills as they occur. 	9b. Spill or release of vehicle waste fluids.		~		
Spills Hotline within two hours of detection? Image: Constraint of the second of t	9c. Unauthorized material received at facility.			~	
 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning spills as they occur. 			2		
 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. 17b. Cleaning spills as they occur. 	11. Are all vehicle residues prevented from migrating from or running off your		~		
 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15a. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. 17b. Cleaning spills as they occur. 	12. Is dust controlled to prevent interference with facility operations or from leaving		~		
14. Are waste fluids kept from being discharged onto the ground or into surface waters? Image: Control of the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? Image: Control of the ground or into surface waters? 15. Are the access controls working (i.e. controlling access)? Image: Control of the ground or into surface working (i.e. controlling access)? Image: Control of the ground or into surface working (i.e. control of concrete or equivalent material? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? Image: Control of the ground or into surface or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. Image: Cleaning spills as they occur. 17b. Cleaning spills as they occur. Image: Cleaning spills as they occur.	13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with		~	10.00.7 10	
(not vehicles)? Image: Control structure 15a. Are the access controls working (i.e. controlling access)? Image: Control structure 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? Image: Concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. Image: Concrete or equivalent surface 17b. Cleaning spills as they occur. Image: Concrete or equivalent surface	14. Are waste fluids kept from being discharged onto the ground or into surface		~		
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? Image: Concrete of the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. Image: Cleaning spills as they occur. 17b. Cleaning spills as they occur. Image: Cleaning spills as they occur.			P		
equivalent material? L	15a. Are the access controls working (i.e. controlling access)?				
17 Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. 17b. Cleaning spills as they occur.					
17b. Cleaning spills as they occur.	17: Are you doing the following with your concrete (or equivalent surface) pad that is u	ised for	vehicle	disma	ntling, fluid
	17a. Cleaning daily.		P		
17c. Collecting and properly disposing of absorbent materials.	17b. Cleaning spills as they occur.		-		
	17c. Collecting and properly disposing of absorbent materials.	$\mathbf{\mathbf{v}}$			

			Date of Roth
Waste Management Compliance Checklist	A Construction of the second	Yes	and the second
 Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding? 	ed follow	ing bes	t management
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		\mathbf{P}	
18b. Lead acid batteries.		~	
18c. Mercury switches or other mercury containing devices, if any.		~	
18d. Refrigerants, if any.		~	and the second
18e. Air bags.		~	
18f. PCB capacitors, if any.		-	
19. Are fluids stored separately & in containers that are compatible with their contents?			
20. Are fluids stored in closed containers?			
21. Are containers which contain waste fluids in good condition and not visibly leaking?		2	
22. Are containers clearly and legibly labeled to describe their contents?			
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?		2	
24. Are lead-acid batteries stored upright and off the ground?		~	
25. Are lead-acid batteries covered to protect them from precipitation?		2	17770 harry (2.00)
26. Are all lead-acid batteries sent for recycling within one-year of receipt?		•	
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?			
27a. Are provisions in place to absorb any acid leakage?		~	
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		~	
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?			
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		~	
31. If sent off-site, is used oil transported via a permitted hauler?		~	
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ans	wer 32a	, 32b.,	32c.
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		•	
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		~	
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?			

.

				Date of Return
Waste Management Compliance Checklist	NA	Yes	No	Compliaine
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?				
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?		N		
35. Are sludges properly recycled or disposed?		~		
36. Are used oil filters properly drained, crushed or dismantled?		~		
37. Are drained oil filters properly recycled or disposed?	The second			γγ
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 				V
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?				
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?				
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	2			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?			N/A	pounds gallons

Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)

No

.

COMMENTS? (Attach additional sheets if necessary)

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation Division of Materials Management Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260 Fax 518-402-9041 Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under midirection and supervision in compliance with a system designed to ensure that qualified personnel properly and accuratel gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant is section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Signature

Anthony Middendorf

Name (Print or Type)

Date

Owner

11/18/2020

Title (Print or Type)

middendorfgolf@yahoo.com

Email (Print or Type)

770 Spaulding Hill Rd

Address

)wego

City

New York 13827

State and Zip

607 222 **5472**

Phone Number

ATTACHMENTS: YES YND