02/18/2020 10:55 4962508 FW KYES TRANSPORT PAGE 01/09

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2020. This annual report is for the year of operation from <u>January 01, 2019</u> to <u>December 31, 2019</u>

SECTION 1 - FACILITY INFORMATION

	a annual of the state of the st	INFORMATION			eneralbulare eneral monte energy energy energy (fills de la recentation en energy)
FACILITY NAME:	1712111		.		
Summer Hill Auto Salvage				HAVI.	
FACILITY LOCATION ADDRESS:	FACILITY CITY: STATE: ZIP CODE:			E: ZIP CODE:	
RD2-956 Salt Rd	Groton NY 13073			13073	
FACILITY TOWN:	FACILITY	COUNTY:	FACI	LITY PH	ONE NUMBER:
Groton	Tomp	kins	607	7-898	3-5292
FACILITY NYS PLANNING UNIT: (A list of NYS Tompkins County	S Planning Uni	ts can be found at the end of	this repo		NYSDEC REGION #: 7
FACILITY TYPE: Vehicle Dismantler DMV I.D. #4550098	_	Vehicle Repair Shop New Yehicle Crusher	YYS DE	C ACTI	/ITY CODE:
FACILITY CONTACT:	public	CONTACT PHONE		CONTAC	CT FAX NUMBER:
Floyd Kyes	private	NUMBER: 607-898-5292		307-8	98-3373
CONTACT EMAIL ADDRESS: fwkyestrans@	gmail.com				
	OWNER	INFORMATION			
OWNER NAME:	1	HONE NUMBER:	1	ER FAX	NUMBER:
Floyd Kyes	315-496-	······································	N/A		### ##################################
OWNER ADDRESS: 456 Salt Rd	OWNER C	ITY:		STATE	E: ZIP CODE: 13092
OWNER CONTACT:	OWNER C	ONTACT EMAIL ADDRI	ESS:	,	
Floyd Kyes fwkyestrans@gmail.com					
	OPERATO	RINFORMATION	**********		
OPERATOR NAME: Same as owner				∏publi ∐priva	
	PREI	ERENCES		YA	
Preferred address to receive correspondence: Facility location address Other (provide): Owner address					
Preferred email address: Facility Contact Other (provide):	☑ 0	vner Contact		,	AP 14
Preferred individual to receive correspondence:					
Did you operate in 2019? Yes; Complete this form.					
☐ No; Complete	and submit	Sections 1 and 12.			

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLE	A
 Provide the number of ELVs received from January 1 to December 31; 	4
Provide the number of ELVs crushed and/or removed from the facility	3
from January 1 to December 31:	
Provide the number of ELVs stored at the facility as of December 31:	6
 Provide the highest number of ELVs stored at the facility 	9
at any one time from January 1 to December 31:	
	2
Provide the approximate area used for the storage of vehicles (acres):	acres
Provide the names of scrap metal processors to which you sold or sent de Antique Auto Swap Meets, Hershey & Carlisle PA & Syracuse Nationals	commissioned ELVs:
Teets & Son Scrap of Groton	
2) Teets & Son Scrap of Gloton	
3)	- Inja
BECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	
BECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL 1)	
BECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	
BECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL 1)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL 1) 2) 3)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL 1) 2)	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	0	0	0	0	N/A
Used Oil** (gallons)	12	0	o	o	N/A
Diesel Fuel (gallons)	0	0	0	0	N/A
Gasoline (gallons)	0	0	0	0	N/A
Engine Coolant/ Antifreeze (gallons)	0	0	0	0	N/A
Window Washing Fluid (gallons)	0	0	0	0	N/A
Other (specify)	0	0	0	0	N/A
	75.			74 Adminis	VA.

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal,
if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

			C1 Off 634	Destination		
Material Types	Received (tons)	Stored On Site (tons)	Sent Off Site (tons)	NYS <u>Planning Unit (</u> or state if other than New York)	Me	icrap etal essor
Ferrous Scrap Metal	o	0	0		∐Yes	□No
Aluminum Scrap Metal	0	0	D		□Yes	□No
Lead Weights	0	0	0		□Yes	□No
Non – Ferrous Scrap Metal	0	0	0		Yes	□No
Other (specify):	0	0	0		□Yes	□No
3NVII					∐Yes	□No

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing (H&TS) and antilock brake assemblies (Al		Including but not limited to	hood & trunk lighting switches
H&TS 0 (Number)		ABS 0 (Number)	wv martifi-
Indicate permitted facility or permitted tran	sporter accepting m	ercury containing devices:	
SEC	CTION 6 - AIR E	AGS COLLECTED	
Provide the number of air bags recovered	<u>1</u> .		
Number of Air Bags Removed:	0	Number of Air Bags Dep	ployed: 0
Indicate permitted facility or permitted tran	sporter accepting ai	bags:	

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.	2				
Number of Lead-Acid Batteries collected from ELVs:	3				
ndicate permitted facility or permitted transporter accepting lead-acid batteries:					
Teets & Son Scrap of Groton					
Any materials disposed must undergo a hazardous waste determination and hazardous.	l proper handling	g, storage and disposal, if			
SECTION 8 - WASTE TIRES CO	LLECTED				
Number of waste tires stored on-site:	8	as of December 31			
Number of used tires available for sale on-site:	14	as of December 31			
Number of used tires sold:	6	during operating year			
Number of waste tires shipped off-site for recycling, disposal, other:	0	during operating year			
Indicate name of facility(les) accepting waste tires:					
N/A					
SECTION 9 — SELF INSPEC	TIONS	2			
Number of self-inspections conducted for the year:		1			
Are self-inspection records up-to-date with inspector name, what was inserted Yes No	spected, time an	d date of inspection?			
At a minimum, are fluid storage areas, vehicles, vehicle storage areas in ☑Yes ☐No	spected for leak	s/spills?			
SECTION 10 - PROBLEM	NS	194 194 194 194 194 194 194 194 194 194			
Were any problems encountered during the reporting period (e.g., specififacility procedures)?	c occurrences w	hich have led to changes in			
Yes No If yes, attach additional sheets identifying each problem	and the method	s for resolution of the problem			
SECTION 11 - CHANGE	S	(SA)			
Were there any changes from approved reports, plans, specifications, ar	nd permit condition	ons?			
were mere any changes normapproved reports, plans, specifications, an					

PAGE 00/00

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

						Date of Return to
		Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. MO	RET	our facility stores LESS THAN 1,000 tires, check NA. If your facility stores HAN 1,000 tires, do you have a PART 360 permit for tire storage?				
2.		system in place to control vegetation and prevent it from encroaching onto eaccess lanes or driveways?		S		
3.	Hav	re you recorded the date of receipt for all end-of-life vehicles received?		\		
4.		the end-of-life vehicle records available on-site?		✓		
5.		re all end-of-life vehicles been inspected, upon arrival, for leaking fluids and authorized wastes?		V		
6.	Hav	re all observed leaks been remedied or contained?		N		
7.	Doe	es your facility have a written Contingency Plan?		N		
8,	Are	facility personnel trained to implement the Contingency Plan?				
9.	Doe	s your Contingency Plan include actions to be taken in the event of the following	ıg?			
•	9a.	Fire.				
	9b,	Spill or release of vehicle waste fluids.				
	9¢.	Unauthorized material received at facility.		V		
10.		spills of waste fluids, if any occur, reported to the NYSDEC sills Hotline within two hours of detection?		Z		
11.	Are	all vehicle residues prevented from migrating from or running off your operty?				
12.	ls d	ust controlled to prevent interference with facility operations or from leaving cility site?		1		
13.	Аге	vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with cility operations?		\lambda		. ,
14.	Are	waste fluids kept from being discharged onto the ground or into surface aters?		~		
15.		ccess to your facility controlled by: fences, gates, sign and/or natural barriers of vehicles)?		\mathbf{V}		
	15a	. Are the access controls working (i.e. controlling access)?		7		
16.		fluids drained from end-of-life vehicles on a pad constructed of concrete or uivalent material?		1		
17.	Are	you doing the following with your concrete (or equivalent surface) pad that is us aining, crushing, etc.?	sed for	vehicle	dismar	ntling, fluid
	17a	Cleaning daily.			V	
	17b.	Cleaning spills as they occur.		V		
	17c,	Collecting and properly disposing of absorbent materials.		7		

Reprinted (12/19)

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	Nø	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	ed follow		st mana	
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		S		
	18b. Lead acid batteries.		1		
	18c. Mercury switches or other mercury containing devices, if any.	1			
	18d. Refrigerants, if any.	1			
	18e. Air bags.	✓			
	18f. PCB capacitors, if any.	1			
19.	Are fluids stored separately & in containers that are compatible with their contents?		S		
20.	Are fluids stored in closed containers?	Paratis	1		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		$\overline{\mathbf{x}}$		
22.	Are containers clearly and legibly labeled to describe their contents?		V		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		\		
24.	Are lead-acid batteries stored upright and off the ground?		Y		
25.	Are lead-acid batteries covered to protect them from precipitation?		V		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		V		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		V		
	27a. Are provisions in place to absorb any acid leakage?		1		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?	V			
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	\			
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		S		
31.	If sent off-site, is used oil transported via a permitted hauler?	V			
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a.	, 32b.,	32c.	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		▼		
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		[\]		,
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		7		

Waste Management Compliance Checklist NA Yes No Complia 33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers? 34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	eturni			
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?				
solvents, gasoline, or degreasers? 34. Are sludges from sumps and oil/water separators stored in covered, closed and	iance			
35. Are sludges properly recycled or disposed?				
36. Are used oil filters properly drained, crushed or dismantled?				
37. Are drained oil filters properly recycled or disposed?				
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?				
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?				
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?				
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month? N/A gallons				
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
None	Mihaahar			
COMMENTS? (Attach additional sheets if necessary)				
All ELVs in stock & all parts removed are stored inside enclosed storage trailers	S.			
This facility stocks only ANTIQUE inventory from ELVs made before 1980.				

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

4962508

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210,45 of the Penal Law.

Signapure -	2/18/2020_
Floyd Kyes	Owner
Name (Print or Type)	Title (Print or Type)
fwkyestrans@gmail.co	
Email (Pri	int or Type)
RD2-956 Salt Road	Groton
Address	City
NY 13073	607 898 5292
State and Zip	Phone Number

ATTACHMENTS: YES NO