# VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2020. This

annual report is for the year of operation from January 01, 2019 to December 31, 2019

SECTION 1 - FACILITY INFORMATION					
, ,	FACILITY INFORMATION				
FACILITY_NAME:-					
Fox Salvage					
FACILITY LOCATION ADDRESS:					
UMO A MALIRAI	Canandaiava	NN   14424 -			
FACILITY TOWN:	FACILITY COUNTY:	FACILITY PHONE NUMBER:			
\(\) \(\) \(\) \(\)	8				
Gortan	Untario	585-394-2910			
FACILITY NYS PLANNING UNIT: (A list of NY	S Planning Units can be found at the end	of this report). NYSDEC REGION #:			
FACILITY TYPE: Vehicle Dismantler	Motor Vehicle Repair Shop	NYS DEC ACTIVITY CODE:			
DMV I.D. # 7101473	Mobile Vehicle Crusher	11002070111110021			
FACILITY CONTACT:	public CONTACT PHONE  Private NUMBER:	CONTACT FAX NUMBER:			
homas tox	private NUMBER: 585-3924-39	1/0			
CONTACT EMAIL ADDRESS:					
	OWNER INFORMATION				
OWNER NAME:	OWNER PHONE NUMBER:	OWNER FAX NUMBER:			
I homas Fox	585-394-7958				
OWNER ADDRESS:	OWNER CITY:	STATE: ZIP CODE:			
OWNER CONTACT:	OWNER CONTACT EMAIL ADD				
1cm					
1411	OPERATOR INFORMATION	•			
OPERATOR NAME: Same as owner public					
OF LIVE OF TAKE		private			
PREFERENCES					
Preferred address to receive correspondence: Facility location address  Other (provide):					
Preferred email address: Facility Contact Owner Contact Other (provide):					
Preferred individual to receive correspondence:					
Did you operate in 2019? 🗹 Yes; Complete this form.					
No; Complete and submit Sections 1 and 12.					

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES	
<ul> <li>Provide the number of ELVs received from January 1 to December 31:</li> </ul>	_80_
<ul> <li>Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31:</li> </ul>	63
<ul> <li>Provide the number of ELVs stored at the facility as of December 31:</li> </ul>	383
<ul> <li>Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31:</li> </ul>	383
<ul> <li>Provide the approximate area used for the storage of vehicles (acres):</li> </ul>	acres
<ul> <li>Provide the names of scrap metal processors to which you sold or sent dec</li> </ul>	ا ommissioned ELVs:
1) Fore Beaucling	
2)	
3)	
• Provide the number of ELVs crushed from January 1 to December 3:	S (ELVs) PROCESSED
• Provide the number of ELVS crushed from January 1 to December 5.	
	/s·
<ul> <li>Provide the names of each facility where you crushed decommissioned EL\</li> </ul>	/s:
Provide the names of each facility where you crushed decommissioned EL\  1)	/s:
Provide the names of each facility where you crushed decommissioned ELV  1)  2)	/s:
Provide the names of each facility where you crushed decommissioned ELV  1)  2)  3)	/s:
Provide the names of each facility where you crushed decommissioned ELV  1)  2)  4)  5)	/s:

#### **SECTION 3 - WASTE FLUIDS RECOVERED**

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e.  $\sqrt{s}$  or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)			.78		
Used Oil** (gallons)			215		
Diesel Fuel (gallons)					
Gasoline (gallons)	1		225		
Engine Coolant/ Antifreeze (gallons)			145		
Window Washing Fluid (gallons)			50		
Other (specify)				,	
				15	

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

<sup>\*\*</sup> Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

**SECTION 4 – SCRAP METAL** Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period. Destination Received Stored On Site Sent Off Site **Material Types** (tons) (tons) (tons) To Scrap NYS Planning Unit (or state if Metal other than New York) Processor Ferrous Scrap □No □Yes Metal Aluminum □No □Yes Scrap Metal Yes □No Lead Weights Non - Ferrous Yes No Scrap Metal Other (specify): □No □Yes Yes □No **SECTION 5 - MERCURY SWITCHES COLLECTED** Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS ABS (Number) (Number) Indicate permitted facility or permitted transporter accepting mercury containing devices: **SECTION 6 – AIR BAGS COLLECTED** Provide the number of air bags recovered.

Number of Air Bags Deployed:

Reprinted (12/19)

Number of Air Bags Removed:

Indicate permitted facility or permitted transporter accepting air bags:

## SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.					
Number of Lead-Acid Batteries collected from ELVs:					
Indicate permitted facility or permitted transporter accepting lead-acid batteries  Torc Recycling	:				
Any materials disposed must undergo a hazardous waste determination and prhazardous.	roper handling, st	orage and disposal, if			
SECTION 8 – WASTE TIRES COLL	LECTED				
Number of waste tires stored on-site:	<u> </u>	as of December 31			
Number of used tires available for sale on-site:	_ <u>D</u> _	as of December 31			
Number of used tires sold:	$\bigcirc$	during operating year			
Number of waste tires shipped off-site for recycling, disposal, other:	_0_	during operating year			
Indicate name of facility(ies) accepting waste tires:					
SECTION 9 - SELF INSPECTION	ONS				
Number of self-inspections conducted for the year:		to of increasing?			
Are self-inspection records up-to-date with inspector name, what was inspe	ecteu, time and da	te of inspection?			
Aţ a minimum, are fluid storage areas, vehicles, vehicle storage areas inspe	ected for leaks/sp	ills?			
SECTION 10 - PROBLEMS	<u> </u>	<del></del>			
Were any problems encountered during the reporting period (e.g., specific o facility procedures)?	occurrences which	have led to changes in			
☐ Yes ☑No If yes, attach additional sheets identifying each problem an	nd the methods for	r resolution of the problem			
SECTION 11 – CHANGES		<u> </u>			
Were there any changes from approved reports, plans, specifications, and p	permit conditions	?			
Yes No If yes, attach additional sheets identifying changes with a justification for each change.					

#### **SECTION 12 - COMPLIANCE CERTIFICATION**

## As of December 31, 2018:

		7.	gi.	э	Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?				
2.	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		M		
3.	Have you recorded the date of receipt for all end-of-life vehicles received?				
4.	Are the end-of-life vehicle records available on-site?				
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?				
6.	Have all observed leaks been remedied or contained?				
7.	Does your facility have a written Contingency Plan?		V		
8.	Are facility personnel trained to implement the Contingency Plan?		V		
9.	Does your Contingency Plan include actions to be taken in the event of the following	ng?			
	9a. Fire.		V		
	9b. Spill or release of vehicle waste fluids.		N		,
	9c. Unauthorized material received at facility.			V	
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?				
11. ·	Are all vehicle residues prevented from migrating from or running off your property?				•
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?				
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		V		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?				
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		V		
	15a. Are the access controls working (i.e. controlling access)?		V		
16.	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		V		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is used raining, crushing, etc.?	sed for	vehicle	dismar	ntling, fluid
	17a. Cleaning daily.				
	17b. Cleaning spills as they occur.		V		
	17c. Collecting and properly disposing of absorbent materials.		V		

Reprinted (12/19)

					Date of Return to
200 AND THE PARTY OF THE PARTY	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	ed follov	wing bes	t man	agement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		IJ		
	18b. Lead acid batteries.		7,		
	18c. Mercury switches or other mercury containing devices, if any.				
	18d. Refrigerants, if any.		$ \sqrt{ } $		
	18e. Air bags.				
	18f. PCB capacitors, if any.		$\sqrt{}$		
19.	Are fluids stored separately & in containers that are compatible with their contents?			, $\Box$	
20.	Are fluids stored in closed containers?		V,		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		$\square$		
22.	Are containers clearly and legibly labeled to describe their contents?				
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?	`			
24.	Are lead-acid batteries stored upright and off the ground?		7	^	
25.	Are lead-acid batteries covered to protect them from precipitation?		$\square$		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?				
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		Image: Control of the		
	27a. Are provisions in place to absorb any acid leakage?		$\bigcup$		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		回		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		Image: Control of the		
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		D		
31.	If sent off-site, is used oil transported via a permitted hauler?		7		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	er 32a	, 32b., 3	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	区			
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	Q			•
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		Table 1		

	uweonii.			Date of Return
Waste Wanagement Compliance Checklist	"NA	Yes	No.	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?				
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?				
35. Are sludges properly recycled or disposed?				
36. Are used oil filters properly drained, crushed or dismantled?		$\checkmark$		
37. Are drained oil filters properly recycled or disposed?				
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention . Plan been prepared for this facility?				-
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		$\Box$		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	$\square$			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?				pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
		* <del>* .</del>		
COMMENTS? (Attach additional sheets if necessary)				·
				··· <del>·</del>

#### SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210,45 of the Penal Law.

Signature M	2/85/20 Date
Thomas Tox Name (Print or Type)	Title (Print or Type)
Email (P	rint or Type)
Address	City
State and Zip	() Phone Number

ATTACHMENTS: YES NO