VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE

CRUSHER ANNUAL REPORT

RECEIVED NYS DEC

Submit the Annual Report no later than March 1, 2020. This JAN 2 7 2020

annual report is for the year of operation from January 01, 2019 to December 31, 2019

SECTION 1 - FACILITY INFORMATION

DIVISION OF MATERIALS MANAGEMENT

Construction (States to Construction)	FACILITY	INFORMATION					
FACILITY NAME:							
2130 STATE RD., LLC DBA/	#1 AUTO	PARTS					
FACILITY LOCATION ADDRESS:	FACILITY LOCATION ADDRESS: FACILITY CITY: STATE: ZIP CODE:						
2130 RT. 14 N GENEVA NY 14456							
FACILITY TOWN: FACILITY COUNTY: FACILITY PHONE NUMBER:							
GENEVA ONTARIO 1-800-247-9253							
FACILITY NYS PLANNING UNIT: (A list of NYS Planning Units can be found at the end of this report). NYSDEC REGION #: 8							
FACILITY TYPE: Vehicle Dismantler DMV I.D. #_7099904	☐ Motor	Vehicle Repair Shop		Mobile Ve	hicle Crusher		
FACILITY CONTACT: public CONTACT PHONE CONTACT FAX NUMBER: JOHN SEBASTIAN private NUMBER: 585-381-9667 585-381-3074							
CONTACT EMAIL ADDRESS: JPS1@ROC	HESTER.RF	R.COM					
(a setta est metro) artimitum (2005)	OWNER	INFORMATION					
OWNER NAME:OWNER PHONE NUMBER:OWNER FAX NUMBER:JOHN SEBASTIAN, JOE SEBASTIAN585-381-9667585-381-3074							
OWNER ADDRESS:OWNER CITY:STATE:ZIP CODE:954 LINDEN AVENUEEAST ROCHESTERNY14445							
OWNER CONTACT: JOHN SEBASTIAN OWNER CONTACT EMAIL ADDRESS: JPS1@ROCHESTER.RR.COM							
	OPERATO	RINFORMATION					
OPERATOR NAME: same as owner			1 7	_public ☑private			
	PREI	FERENCES					
Preferred address to receive correspondence Other (provide):	: 🔽 Facility lo	cation address	O	wner address			
Preferred email address: Facility Contact Other (provide):	Oi	wner Contact					
Preferred individual to receive correspondence Other (provide):	e: 🔽 Facilii	ty Contact	er Contact				
Did you operate in 2019? Yes; Complet	e this form.						
☐ No; Complete	and submit	Sections 1 and 12.					

	450
Provide the number of ELVs received from January 1 to December 31:	
Provide the number of ELVs crushed and/or removed from the facility	940
from January 1 to December 31:	
Provide the number of ELVs stored at the facility as of December 31:	1100
Provide the highest number of ELVs stored at the facility	2000
at any one time from January 1 to December 31:	
Provide the approximate area used for the storage of vehicles (acres):	acres
2)	
BECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	S (ELVs) PROCESSED
BECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	S (ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3:	
BECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	
BECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL 1)	
BECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL 1) 2) 3)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1) 2) 3) 4)	
BECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL 1) 2) 3)	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site on-site at year-end		Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	6.0	2.0	0.0	0.0	CUSTOMER RESALE AND EMPLOYEE
Used Oil** (gallons)	200.0	100.0	0.0	1020.0	NOCO BUFFALO NY
Diesel Fuel (gallons)	50.0	0.0	0.0		reused on-site
Gasoline (gallons)	650.0	50.0	0.0	0.0	reused on-site
Engine Coolant/ Antifreeze (gallons)	350.0	175.0	0.0	0,0	reused on-site
Window Washing Fluid (gallons)	35.0	6.0	0.0	0.0	reused on-site
Other (specify)					

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

Destination

Material Types	Received (tons)	Stored On Site (tons)	Sent Off Site (tons)	NYS <u>Planning Unit (or state if</u> other than New York)	Me	crap etal essor
Ferrous Scrap Metal	N/A				Yes	□ No
Aluminum Scrap Metal	N/A				Yes	□N
Lead Weights	N/A				Yes	□N
Non Ferrous Scrap Metal	N/A				Yes	□N
Other (specify):					Yes	□N
					Yes	
	er of mercury-cor ck brake assemb H&TS	ntaining devices <u>rec</u> blies (ABS).		HES COLLECTED Ing but not limited to hood & trunk lim	ghting sw	itches
(H&TS) and antilo	er of mercury-cor ock brake assemb H&TS (Number)	ntaining devices <u>rec</u> blies (ABS).	covered. Including	ABS(Number) ontaining devices:	ghting sw	itches
H&TS) and antilo	er of mercury-cor ock brake assemb H&TS (Number)	ntaining devices <u>rec</u> olies (ABS). 33 ted transporter acceury Switch Reco	epting mercury covery Program	ABS (Number) ontaining devices:	ghting sw	itches
(H&TS) and antilo	er of mercury-cor ick brake assemb H&TS (Number) I facility or permitt Vehicle Merc	ntaining devices recolles (ABS). 33 ted transporter acceury Switch Reco	epting mercury covery Program	ABS (Number) ontaining devices:	ghting sw	itches
(H&TS) and antilo	er of mercury-corock brake assemble H&TS	ntaining devices recolles (ABS). 33 ted transporter acceury Switch Reco	epting mercury covery Program	ABS (Number) ontaining devices:	ghting sw	itches
ndicate permitted The National Provide the numb	er of mercury-corock brake assemble H&TS	section 6 –	epting mercury covery Program	ABS (Number) ontaining devices:		itches

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.					
Number of Lead-Acid Batteries collected from ELVs:	420				
Indicate permitted facility or permitted transporter accepting lead-acid batteries RSR NORTH AMERICA CORP., NEWALTA, CUSTOMER RES					
Any materials disposed must undergo a hazardous waste determination and pr hazardous.	oper nandling, s	torage and disposal, if			
SECTION 8 – WASTE TIRES COLL	ECTED.				
Number of waste tires stored on-site:	240	as of December 31			
Number of used tires available for sale on-site:	300	as of December 31			
Number of used tires sold:	870	during operating yea			
Number of waste tires shipped off-site for recycling, disposal, other:	820	during operating year			
Indicate name of facility(ies) accepting waste tires: SENECA MEADOWS LANDFILL					
SECTION 9 - SELF INSPECTION	ONS	40			
Number of self-inspections conducted for the year:					
Are self-inspection records up-to-date with inspector name, what was inspe	cted, time and o	late of inspection?			
At a minimum, are fluid storage areas, vehicles, vehicle storage areas insperior Yes No	ected for leaks/s	pills?			
SECTION 10 - PROBLEMS					
Were any problems encountered during the reporting period (e.g., specific o facility procedures)?	ccurrences whic	h have led to changes in			
Yes No If yes, attach additional sheets identifying each problem an	d the methods f	or resolution of the problem			
SECTION 11 - CHANGES					
Were there any changes from approved reports, plans, specifications, and p	permit condition	s?			
Yes No If yes, attach additional sheets identifying changes with a j	ustification for e	ach change.			

Reprinted (12/19)

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	V			
	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?	✓			
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		V		
4.	Are the end-of-life vehicle records available on-site?		✓		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		\		
6.	Have all observed leaks been remedied or contained?		V		
7.	Does your facility have a written Contingency Plan?		\		
8.	Are facility personnel trained to implement the Contingency Plan?		 		
9.	Does your Contingency Plan include actions to be taken in the event of the following	ng?			
	9a. Fire.		✓		
	9b. Spill or release of vehicle waste fluids.		V		
	9c. Unauthorized material received at facility.		V		
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		V		
11.	Are all vehicle residues prevented from migrating from or running off your property?		7		
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?		V		
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		7		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?		7		
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		1		
	15a. Are the access controls working (i.e. controlling access)?		1		
16.	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		V		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is udraining, crushing, etc.?	used for	vehicle	dismar	ntling, fluid
	17a. Cleaning daily.		✓		
	17b. Cleaning spills as they occur.		✓		
	17c. Collecting and properly disposing of absorbent materials.		1		

Reprinted (12/19)

	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	ed follov	ving bes	st mana	agement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		\		
	18b. Lead acid batteries.		1		
	18c. Mercury switches or other mercury containing devices, if any.		1		
	18d. Refrigerants, if any.		1		
	18e. Air bags.		1		
	18f. PCB capacitors, if any.	1			
19	Are fluids stored separately & in containers that are compatible with their contents?		>		
20.	Are fluids stored in closed containers?		\		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		\		
22.	Are containers clearly and legibly labeled to describe their contents?		✓		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		\		
24.	Are lead-acid batteries stored upright and off the ground?		✓		
25.	Are lead-acid batteries covered to protect them from precipitation?		>		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		>		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		Y		
	27a. Are provisions in place to absorb any acid leakage?		1		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		V		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?				
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		>		
31.	If sent off-site, is used oil transported via a permitted hauler?		\		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a.	, 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		✓		
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		V		
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		✓		

			Date of Return to
NA	Yes	No	Compliance
	✓		
\			
1			
	1		
	√		
	✓		
	V		
	V		
	_	N/A N/A	pounds gallons

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

ATTACHMENTS:	YES	✓ NO
--------------	-----	-------------