6075826485

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE **CRUSHER ANNUAL REPORT**

Submit the Annual Report no later than March 1, 2020. This

annual report is for the year of operation from January 01, 2019 to December 31, 2019

SECTION 1 – FACILITY INFORMATION					
EACH ITY NAME:	FACILITY INFORMATION				
FACILITY NAME:					
Champon Scrap Matale					
	FACILITY CITY:	STAT			
2081 ent Rollist	Franker .		14841		
FACILITY TOWN:	FACILITY COUNTY:	•	HONE NUMBER:		
Hector		16077 -	532-6485		
FACILITY NYS PLANNING UNIT: (A list of NYS	S Planning Units can be found at the end of t	his report).	NYSDEC REGION#:		
FACILITY TYPE: Vehicle Dismantler	Motor Vehicle Repair Shop	Mobil	e Vehicle Crusher		
DMV I.D. # 709 2153					
FACILITY CONTACT:	public CONTACT PHONE	CONT	ACT FAX NUMBER:		
Nate Ingration JA	private NUMBER:	160,	D 583-6470		
CONTÁCT EMAIL AÓDRESS:					
	OWNER INFORMATION				
OWNER NAME:	OWNER PHONE NUMBER:		X NUMBER:		
Kalph Unimpan	(60.3) 283-64.82		82-6476		
OWNER ADDRESS: 20 137	OWNER CITY:	STA	TE: ZIP CODE:		
SUNTERCONTACT	OWNER CONTACT FRAM ASSESS		1 1 7 0 7/		
	OWNER CONTACT: OWNER CONTACT EMAIL ADDRESS:				
1607) 572-6485					
	OPERATOR INFORMATION		•		
OPERATOR NAME: Same as owner		∏puk ∏priv			
PREFERENCES					
Preferred address to receive correspondence: Facility location address Owner address Owner address					
Preferred email address: Facility Contact Owner Contact					
Preferred individual to receive correspondence:					
Did you operate in 2019? Yes; Complete this form.					
No; Complete and submit Sections 1 and 12.					
The, complete and sashing deduction failers.					

Provide the number of ELVs received from January 1 to December 31:	200-300
Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31:	200
Provide the number of ELVs stored at the facility as of December 31:	_500
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	800
 Provide the approximate area used for the storage of vehicles (acres): 	acres
Provide the names of scrap metal processors to which you sold or sent dec	commissioned ELVs:
1) Union Processing North Chile NY	
2)	
3)	e (El Va) Brooccas
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3:	<u> </u>
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	<u> </u>
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	<u> </u>
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	<u> </u>
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL Provide the names of each facility where you crushed decommissioned EL	<u> </u>
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL1)	<u> </u>
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL1) 2) 3)	<u> </u>
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL 2)	<u> </u>

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

	Fluid Volume				Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)		
Refrigerant (pounds)	۵٥	nc +	Rospit				
Used Oil** (gallons)	4.50	Marie					
Diesel Fuel (gallons)	125	JAMAR.					
Gasoline (gallons)	50	25762					
Engine Coolant/ Antifreeze (gallons)	50_	p16479 <u>-</u>					
Window Washing Fluid (gallons)	poor	mone					
Other (specify)	35						
low to Aid	15						

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

Feb 28 20 04:52p

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting

	Danaissad	Stand On Site	Sent Off Site	Destination		
Material Types	Received (tons)	Stored On Site (tons)	(tons)	NYS <u>Planning Unit (</u> or state if other than New York)	M€	crap etal essor
Ferrous Scrap Metal	225	4,000	500		Yes	∏No
Aluminum Scrap Metal	15	20	20		ØYes	□No
Lead Weights	not	accepter	l		∐Yes	□No
Non – Ferrous Scrap Metal	60	40	60		☑Yes	□No
Other (specify):					☐Yes	□No
					∐Yes	□No

SECTION 5 MEDCLIPY SWITCHES COLLECTED

SECTION 5 - MIENCONT SYNTONIES COLLECTED			
Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS			
Indicate permitted facility or permitted transporter accepting mercury containing devices: $ \textit{ELVS} $			
SECTION 6 – AIR BAGS COLLECTED			
Provide the number of air bags <u>recovered</u> .			
Number of Air Bags Removed: Number of Air Bags Deployed:			
Indicate permitted facility or permitted transporter accepting air bags: ELVS			

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.				
Number of Lead-Acid Batteries collected from ELVs:				
Indicate permitted facility or permitted transporter accepting lead-acid batteries:				
Descup Md 20794				
Any materials disposed must undergo a hazardous waste determination and prohazardous.	oper handling, sto	orage and disposal, if		
SECTION 8 - WASTE TIRES COLL	ECTED			
Number of waste tires stored on-site:	200	as of December 31		
Number of used tires available for sale on-site:	M.C. Starte	as of December 31		
Number of used tires sold:	17:77 2	during operating year		
Number of waste tires shipped off-site for recycling, disposal, other: Indicate name of facility(ies) accepting waste tires:	Const 40 same 200 man 200 me 100 mm	during operating year ਅਪਰੋਨਾਵਾਨ ਨਿਊ		
Servica Meridous				
SECTION 9 – SELF INSPECTION Number of self-inspections conducted for the year:	DNS			
Are self-inspection records up-to-date with inspector name, what was inspective and the self-inspection records up-to-date with inspector name, what was inspective and the self-inspection records up-to-date with inspector name, what was inspection records up-to-date with inspector name, what was inspector name, where the self-inspector name, where the self-inspector name is not also inspector name.	cted, time and da	te of inspection?		
At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills? Yes \(\subseteq No \)				
SECTION 10 - PROBLEMS				
Were any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures)?				
Yes No If yes, attach additional sheets identifying each problem and the methods for resolution of the problem				
SECTION 11 - CHANGES				
Were there any changes from approved reports, plans, specifications, and p	permit conditions	?		
☐Yes ☑No — It yes, attach additional sheets identifying changes with a j	ustification for ea	ch change.		

6075826485

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

	Date of Return to		
Waste Management Compliance Checklish	NA Yes No Compliance		
 If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage? 			
2. Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?			
3. Have you recorded the date of receipt for all end-of-life vehicles received?			
4. Are the end-of-life vehicle records available on-site?			
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?			
6. Have all observed leaks been remedied or contained?			
7. Does your facility have a written Contingency Plan?			
8. Are facility personnel trained to implement the Contingency Plan?			
9. Does your Contingency Plan include actions to be taken in the event of the following	ng?		
9a. Fire.			
9b. Spill or release of vehicle waste fluids.			
9c. Unauthorized material received at facility.			
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?			
11. Are all vehicle residues prevented from migrating from or running off your property?			
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?			
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?			
14. Are waste fluids kept from being discharged onto the ground or into surface waters?			
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?			
15a. Are the access controls working (i.e. controlling access)?			
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?			
17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.?			
17a. Cleaning daily.			
17b. Cleaning spills as they occur.			
17c. Collecting and properly disposing of absorbent materials.			

Reprinted (12/19)

	the state of the s			
and the first of the second of	The second programme			
18. Have the following wastes been drained, removed, deployed, collected and/or stone practices, prior to vehicle crushing or shredding?	ed following best management			
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).				
18b. Lead acid batteries.				
18c. Mercury switches or other mercury containing devices, if any.				
18d. Refrigerants, if any.				
18e. Air bags.				
18f. PCB capacitors, if any.				
19. Are fluids stored separately & in containers that are compatible with their contents?				
20. Are fluids stored in closed containers?				
21. Are containers which contain waste fluids in good condition and not visibly leaking?				
22. Are containers clearly and legibly labeled to describe their contents?				
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?				
24. Are lead-acid batteries stored upright and off the ground?				
25. Are lead-acid batteries covered to protect them from precipitation?				
26. Are all lead-acid batteries sent for recycling within one-year of receipt?				
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?				
27a. Are provisions in place to absorb any acid leakage?				
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?				
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?				
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?				
31. If sent off-site, is used oil transported via a permitted hauler?				
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answer 32a., 32b., 32c:				
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?				
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?				
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?				

Feb 28 20 04:53p

6075826485

			evier over Wardsmark di
Vaste Maragunda: Complete (1968)	ves.	NS I	Completice
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?			
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?			
35. Are sludges properly recycled or disposed?			<u></u>
36. Are used oil filters properly drained, crushed or dismantled?			
37. Are drained oil filters properly recycled or disposed?			
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:	/		
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?			
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?			
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?	<u> </u>	NJA NJA	pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)			
No			· · · · · · · · · · · · · · · · · · ·
	 		<u> </u>
COMMENTS? (Attach additional sheets if necessary)			
		•	

Feb 28 20 04:54p

6075826485

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation Division of Materials Management **Bureau of Solid Waste Management** 625 Broadway Albany, New York 12233-7260 Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Ruft Changes Signature	2/38/20 Dale //
Name (Print or Type)	Title (Print or Type)
Fmail (P	rint or Type)
2081 Caly Kd/87	Hecker
Address	City
114 1484/ State and 7in	(607) 532- 6483

ATTACHMENTS: YES