# VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

, Submit the Annual Report no later than March 1, 2020. This

annual report is for the year of operation from <u>January 01, 2019</u> to <u>December 31, 2019</u>

**SECTION 1 – FACILITY INFORMATION** 

	FACILITY	INFORMATION	ili.		And the control of th		
FACILITY NAME:							
DARIEN AUTO PARTS		•					
FACILITY LOCATION ADDRESS:	FACILITY	CITY:		STATE	E: ZIP CODE:		
1213 Broadway Road	Darien Center NY				14040		
FACILITY TOWN:	FACILITY COUNTY: FACILITY PHONE NUMBER						
Darien Center	Genesee 585-547-2221						
FACILITY NYS PLANNING UNIT: (A list of NYS Planning Units can be found at the end of this report).  GLOW Region Solid Waste Management Committee  NYSDEC REGION #:							
FACILITY TYPE: Vehicle Dismantler DMV I.D. #7002973  Motor Vehicle Repair Shop   NYS DEC ACTIVITY CODE:  Mobile Vehicle Crusher							
FACILITY CONTACT:	Dublic public	CONTACT PHONE	(	CONTAC	CT FAX NUMBER:		
Dennis Bialkowski	private	NUMBER: 585-547-2221	5	585-5 <sub>0</sub>	47-2222		
CONTACT EMAIL ADDRESS: parts@darienautoparts.com							
OWNER INFORMATION							
OWNER NAME: Dennis Bialkowski	1	HONE NUMBER:			NUMBER:		
	585-547		500-	547-22			
OWNER ADDRESS: 1213 Broadway Road	OWNER C Darien Ce			NY	E: ZIP CODE: 14040		
OWNER CONTACT:	OWNER C	ONTACT EMAIL ADDRI	ESS:	•	'		
Dennis Bialkowski parts@darienautoparts.com							
The state of the s	OPERATO	RINFORMATION		The transition of the control of the	to the state of th		
OPERATOR NAME:   Same as owner				⊟publid ☑privat			
And the second s	FRE	ERENCES	. he de 1 mars . he de 1 mars . 1 m : de 1 m		The same first Collection for the same of the primary is a primary of the primary		
Preferred address to receive correspondence: Facility location address  Other (provide):							
Preferred email address: Facility Contact Owner Contact  Other (provide):							
Preferred individual to receive correspondence: Facility Contact  Other (provide):							
Did you operate in 2019?  Yes; Complet	e this form.	COLLECTIVE AND	TOPOMY MICEPAL WOODS I VICE	RAMININATINATED AND AND AND AND AND AND AND AND AND AN			
No; Complete and submit Sections 1 and 12.							

Reprinted (12/19)

5855472222

acres
:LVs:
OCESSED

### **SECTION 3 - WASTE FLUIDS RECOVERED**

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e.  $\sqrt{s}$  or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car répair, etc.).

		Fluid	Volume		Destination Name & Address			
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)			
Refrigerant (pounds)	0	0	0					
Used Oil** (gallono)	225	400	ALL AND ACCUSATION OF THE PROPERTY OF THE PROP	d				
Diesel Fuel (gallons)	Ö	O		AA. 843				
Gasoli <b>ne</b> (gallons)	175	Ö	0					
Engine Coolant/ Antifreeze (gallons)	0	10	60					
Window Washing Fluid (gallons)		10	`,					
Other (specify)								

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposel,
if hazardous.

<sup>\*\*</sup> includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

Reprinted (12/19)

## SECTION 4 - SCRAP METAL

Material I Vnec I		Stored On Site	Same Cité Siles	Destination		
	Received Stored On Site S (tons)		Sent Off Site (tons)	NYS <u>Planning Unit</u> (or state if other than New York)	To Scrap Metal Processor	
Ferrous Scrap Metal	210.8T		275.3T	Northeast Southtowns Solid Waste Manag	☑Yes	□N¢
Aluminum Scrap Metal	2,4T		2.9T	Northeast Southtowns Solid Waste Manag	☑Yes	□No
Lead Weights					Yes	□No
Non – Ferrous Scrap Metal	3.42T		4.73T	Northeast Southtowns Solid Waste Manag	☑Yes	□No
Other (specify):				0 00 00	Yes	□No
				and the second of the second o	□Yes	□No
Sec. 2.1 11 1				the control of the control of American Re-	فالمناء والمتابية	4_L
(H&TS) and antilo	ck brake assemb H&TS 75 (Number)	lies (ABS).		ng but not limited to hood & trunk lig  ABS (Number)  ontaining devices;	hting swi	itches
(H&TS) and antilo	ck brake assemb H&TS 75 (Number)	lies (ABS).		ABS (Number)	hting swi	itches
(H&TS) and antilo	ck brake assemb H&TS 75 (Number)	lies (ABS).	epting mercury o	ABS 0 (Number) ontaining devices:	hting swi	itches
(H&TS) and antilo	ck brake assemb H&TS 75 (Number) facility or permitt	ed transporter acce	epting mercury o	ABS 0 (Number) ontaining devices:	hting sw	itches
H&TS) and antilo	er of air bags rec	ed transporter acce	epting mercury o	ABS 0 (Number) ontaining devices:	O	itches

SECTION 7 — LEAD-ACID BATTERIES C	OLLECTED	
Provide the number of lead-acid batteries <u>recovered</u> and their disposition.	104	•
Number of Lead-Acid Batterjes collected from ELVs:	104	
Indicate permitted facility or permitted transporter accepting lead-acid batteries: Diamond Hurwitz		
Any materials disposed must undergo a hazardous waste determination and prohazardous.	per handling, st	torage and disposal, if
SECTION 8 – WASTE TIRES COLLI		
Number of waste tires stored on-site:	400	as of December 31
Number of used tires available for sale on-site:	90	as of December 31
Number of used tires sold:	<u>24                                    </u>	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	250	during operating year
Indicate name of facility(ies) accepting waste tires:		
•.		
SECTION 9 - SELF INSPECTIO	ns	
Number of self-inspections conducted for the year:		-#ALA
Are self-inspection records up-to-date with inspector name, what was inspecting Yes No	eted, time and d	ate of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspe	cted for leaks/sp	pills?
SECTION 10 - PROBLEMS		
Were any problems encountered during the reporting period (e.g., specific or facility procedures)?	currences whic	h have led to changes in
Yes No If yes, attach additional sheets identifying each problem and	the methods fo	or resolution of the problem
SECTION 11 CHANGES		abed 41 At an analysis
Were there any changes from approved reports, plans, specifications, and p		
Yes No If yes, attach additional sheets identifying changes with a ju	stification for e	ach change.

Reprinted (12/19)

# **SECTION 12 - COMPLIANCE CERTIFICATION**

As of December 31, 2018:

					Date of Return to
	Waste Management Compliance Checklist	NA -	Yes	No	Compliance
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	<b>V</b>			- State in the transfer for the state of the
2.	ls a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		7		
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		$\Box$		
4.	Are the end-of-life vehicle records available on-site?		<b>Y</b>		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		<b>✓</b>		
6.	Have all observed leaks been remedied or contained?		$\overline{\mathbf{A}}$		
7.	Does your facility have a written Contingency Plan?		>		
뚕.	Are facility personnel trained to implement the Contingency Plan?		>		
9.	Does your Contingency Plan include actions to be taken in the event of the following	ıg?			
	9a. Fire.		[5]		
	9b. Spill or release of vehicle waste fluids.		>		
	9c. Unauthorized material received at facility.	>			
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		[5]		
11.	Are all vehicle residues prevented from migrating from or running off your property?		<b>Y</b>		
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?	7			-
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		>		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?		<b>\</b>		
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		[\]		
	15a. Are the access controls working (i.e. controlling access)?		}		
	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent meterial?		<b>V</b>		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is used raining, crushing, etc.?	sed for	vehicle	dismar	ntling, fluid
	17a. Cleaning daily.		<b>Y</b>	:	
	17b. Cleaning spills as they occur.		7		
	17c. Collecting and properly disposing of absorbent materials.		7		

Reprinted (12/19)

				angalar er er park til t	
					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or st practices, prior to vehicle crushing or shredding?	ored follow	wing be	st mana	igement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		V		
	18b. Lead acid batteries.		1		
	18c. Mercury switches or other mercury containing devices, if any.		<b>4</b>		
	18d. Refrigerants, if any.		7		
	18e. Air bags.			7	
	18f. PCB capacitors, if any.		1		
19.	Are fluids stored separately & in containers that are compatible with their contents?		7		
20.	Are fluids stored in closed containers?		1		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		V		
22.	Are containers clearly and legibly labeled to describe their contents?		1		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		<u>[5]</u>		
24.	Are lead-acid batteries stored upright and off the ground?		4		
25.	Are lead-acid batteries covered to protect them from precipitation?		V		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		<b>V</b>	***	
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		7		
	27a. Are provisions in place to absorb any acid leakage?		4		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		<b>V</b>		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	7			
30.	is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		7		
31.	If sent off-site, is used oil transported via a permitted hauler?				
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ar	nswer 32a	., 32b.,	32c;	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		<b>✓</b>		
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		4		
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		4		1

	ter a communication	1114 111 111 111 111 111 111 111 111 11	)	Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		5		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	<b>\</b>			
35. Are sludges properly recycled or disposed?	<b>✓</b>			,
36. Are used oil filters properly drained, crushed or dismantled?	<b>✓</b>			
37. Are drained oil filters properly recycled or disposed?	7			
<ol> <li>If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c;</li> </ol>		****		
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?	$\overline{\mathbf{A}}$			
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?	V			
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	<b>V</b>			VA
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?			/a /a	pounds
				gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)  No				
COMMENTS? (Attach additional sheets if necessary)			***************************************	
	, , , , , , , , , , , , , , , , , , , ,			

### SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by smail, fax or mail to:

5855472222

New York State Department of Environmental Conservation **Division of Materials Management** Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260 Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Mennya & Bischows by	2/26/2020
Dennis E. Bialkowsł	Owner
Name (Print or Type)	Title (Print or Type)
parts@darienautopart	s.com
Email (Pri	ntor Type)
1213 Broadway	Darien Center
Address	City
NY	58 547 2221
State and Zip	Phone Number

	-	ı		
ATTACHMENTS:		VES	<b>/</b>	NO