VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2020. This

annual report is for the year of operation from <u>January 01, 2019</u> to <u>December 31, 2019</u>

SECTION 1 - FACILITY INFORMATION

	FACILITY	INFORMATION				
FACILITY NAME:						
MARKS DISPOSAL SERVICE	EINC.					
FACILITY LOCATION ADDRESS:	FACILITY	CITY:		STATE:	ZIP CODE:	
1970 WILLIAM ST	BUFF	ALO		NY	14206	
FACILITY TOWN:	FACILITY	COUNTY:	FACIL	ITY PHON	IE NUMBER:	
SLOAN	ERIE		716	6-896-	1616	
FACILITY NYS PLANNING UNIT: (A list of NY Northeast Southtowns Solid Waste Management Board (ts can be found at the end of	this repo	RE	SDEC GION #: 9	
FACILITY TYPE: Vehicle Dismantler DMV I.D. #5152038		Vehicle Repair Shop Nehicle Crusher	NYS DE	C ACTIVIT	Y CODE:	
FACILITY CONTACT:	public	CONTACT PHONE	(CONTACT	FAX NUMBER:	
MARTIN MARKS	private	NUMBER: 716-896-1616 EXT 100	7	16-896	5-3986	
CONTACT EMAIL ADDRESS: MARTIN@MA	RKSAUTOP	ARTS.COM				
	OWNER	INFORMATION				
OWNER NAME:	181 - 10 - 10 - 10 - 1	HONE NUMBER:	740 6000	ER FAX NI		
MARTIN MARKS	716-896-	1616 EXT 100	716-8	396-3986		
OWNER ADDRESS: PO BOX 72	OWNER C	ITY:		STATE: NY	ZIP CODE: 14240	
OWNER CONTACT:	The second second second	ONTACT EMAIL ADDRE				
MARTIN MARKS	MARTIN	N@MARKSAUTO	PART	S.COM		
	OPERATO	RINFORMATION				
OPERATOR NAME: same as owner				☑ public ☑ private		
	PREI	ERENCES				
Preferred address to receive correspondence Other (provide):	: Facility lo	cation address		wner address		
Preferred email address: Facility Contact Other (provide):	✓ 01	vner Contact				
Preferred individual to receive correspondent Other (provide):	e: Facilii	ty Contact	er Contact			
Did you operate in 2019? ✓ Yes; Complete		Sections 1 and 12.				

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES	S (ELVs) PROCESSED
Provide the number of ELVs received from January 1 to December 31:	398
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	207
Provide the number of ELVs stored at the facility as of December 31:	312
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	312
Provide the approximate area used for the storage of vehicles (acres):	12 acres
• Provide the names of scrap metal processors to which you sold or sent detail SEE M&M U-PULL-IT, INC. ANNUAL REPORT	commissioned ELVs:
2)	
3)	
3)	S (ELVs) PROCESSED
	S (ELVs) PROCESSED
3)SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	<u></u>
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	<u></u>
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	<u></u>
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	<u></u>
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	<u></u>
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	<u></u>

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	300	150	300	0	R&J SERVICE, RUSINIAKS SERVICE, BERGEN SALES & SER
Used Oil** (gallons)	12000	500	7435	0	ECO-MAXX
Diesel Fuel (gallons)	0	0	0	0	
Gasoline (gallons)	13336	125	0	0	
Engine Coolant/ Antifreeze (gallons)	0	0	2919	0	ECO-MAXX
Window Washing Fluid (gallons)	1985	50	700	0	R&J SERVICE, RUSINIAKS SERVICE, BERGEN SALES & SER
Other (specify)					

^{*} Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting

	Deseived	Stored On Otto	Sent Off Site	Destination			
Material Types	Received (tons)	Stored On Site (tons)	(tons)	NYS <u>Planning Unit</u> (or state if other than New York)	Me	crap etal essor	
Ferrous Scrap Metal	0	0	0		□Yes	□No	
Aluminum Scrap Metal	0	0	0		□Yes	□No	
Lead Weights	0	0	0		□Yes	□No	
Non – Ferrous Scrap Metal	0	0	0		□Yes	□No	
Other (specify):	0	0	0		□Yes	□No	
					□Yes	□No	
Provide the numb H&TS) and antilo	er of mercury-co	ntaining devices <u>rec</u>		HES COLLECTED ag but not limited to hood & trunk li			
H&TS) and antilo	er of mercury-co ck brake assemb H&TS <u>6</u> (Number)	ntaining devices <u>rec</u> blies (ABS).	covered. Includir	ABS (Number)			
H&TS) and antilo	er of mercury-co ck brake assemb H&TS <u>6</u> 5 (Number) facility or permit	ntaining devices <u>rec</u> blies (ABS). D	covered. Includir	ABS (Number)			
H&TS) and antilo	er of mercury-co ck brake assemb H&TS <u>6</u> 5 (Number) facility or permit	ntaining devices <u>rec</u> blies (ABS). Detection to the control of th	covered. Includir	ng but not limited to hood & trunk li ABS 1			
H&TS) and antilo	er of mercury-cock brake assemble H&TS 68 (Number) facility or permit JRY SWITCH	ntaining devices recolles (ABS). ted transporter acceller PROGRAM SECTION 6 -	epting mercury co	ng but not limited to hood & trunk li ABS 1			

Reprinted (12/19)

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.		
Number of Lead-Acid Batteries collected from ELVs:	3785	
Indicate permitted facility or permitted transporter accepting lead-acid batterion	ies:	
Any materials disposed must undergo a hazardous waste determination and hazardous.	l proper handling, s	storage and disposal, if
SECTION 8 – WASTE TIRES CO	LLECTED	
Number of waste tires stored on-site:	0	as of December 31
Number of used tires available for sale on-site:	100	as of December 31
Number of used tires sold:	1910	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	0	during operating year
Indicate name of facility(ies) accepting waste tires:		
SEE M&M U-PULL-IT, INC. ANNUAL REPORT		
SECTION 9 – SELF INSPECT		
Number of self-inspections conducted for the year:		1
Are self-inspection records up-to-date with inspector name, what was ins ☑ Yes ☐ No	pected, time and d	ate of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas in: Yes No	spected for leaks/s	pills?
SECTION 10 - PROBLEM	//S	
Were any problems encountered during the reporting period (e.g., specific facility procedures)?	c occurrences whic	h have led to changes in
Yes No If yes, attach additional sheets identifying each problem	and the methods for	or resolution of the problem
SECTION 11 – CHANGE	S	
Were there any changes from approved reports, plans, specifications, an	d permit conditions	s?
Yes No If yes, attach additional sheets identifying changes with	a justification for e	ach change.

Reprinted (12/19)

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	V			
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		V		
3. Have you recorded the date of receipt for all end-of-life vehicles received?		1		
4. Are the end-of-life vehicle records available on-site?		V		
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		\		
6. Have all observed leaks been remedied or contained?		V		
7. Does your facility have a written Contingency Plan?		V		
Are facility personnel trained to implement the Contingency Plan?		V		
9. Does your Contingency Plan include actions to be taken in the event of the following	ng?			
9a. Fire.		V		
9b. Spill or release of vehicle waste fluids.		V		
9c. Unauthorized material received at facility.		V		
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		1		
Are all vehicle residues prevented from migrating from or running off your property?		7		
Is dust controlled to prevent interference with facility operations or from leaving facility site?		V		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		7		
Are waste fluids kept from being discharged onto the ground or into surface waters?		1		
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		V		
15a. Are the access controls working (i.e. controlling access)?		1		
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		7		
17. Are you doing the following with your concrete (or equivalent surface) pad that is udraining, crushing, etc.?	sed for	vehicle	disma	ntling, fluid
17a. Cleaning daily.		V		
17b. Cleaning spills as they occur.		V		
17c. Collecting and properly disposing of absorbent materials.		V		

Reprinted (12/19)

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or stor practices, prior to vehicle crushing or shredding?	ed follow	ving bes	st mana	gement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		V		
	18b. Lead acid batteries.		1		
	18c. Mercury switches or other mercury containing devices, if any.		1		
	18d. Refrigerants, if any.		1		
	18e. Air bags.		1		
	18f. PCB capacitors, if any.			1	
19.	Are fluids stored separately & in containers that are compatible with their contents?		✓		
20.	Are fluids stored in closed containers?		1		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		\checkmark		
22.	Are containers clearly and legibly labeled to describe their contents?		V		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		V		
24.	Are lead-acid batteries stored upright and off the ground?		1		
25.	Are lead-acid batteries covered to protect them from precipitation?		V		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		V		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		✓		
	27a. Are provisions in place to absorb any acid leakage?		1		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		V		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	V			
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		V		
31.	If sent off-site, is used oil transported via a permitted hauler?		1		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ans	wer 32a	., 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		V		
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		V		
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		V		

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		$\overline{\mathbf{A}}$		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?		✓		
35. Are sludges properly recycled or disposed?		✓		
36. Are used oil filters properly drained, crushed or dismantled?		✓		
37. Are drained oil filters properly recycled or disposed?		✓		
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?	V			
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?				
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	✓			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		_	N/A	pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.) NONE				
COMMENTS? (Attach additional sheets if necessary) NONE				

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

2) of the Environmental ogniser vation East a	11.0 0000011 2 10; 10 0; 110 1 0; 121 24.
Aut The.	2/26/2020
Signature	Date
MARTIN MARKS	VICE PRESIDENT
Name (Print or Type)	Title (Print or Type)
MARTIN@MARKSAU	
Email (P	rint or Type)
1970 WILLIAM ST	BUFFALO
Address	City
NY, 14206	716 896 1616 EXT 100
State and Zip	Phone Number

	7		
ATTACHMENTS:	lacksquare	YES	NC

Attachment A

- Dismantling of ELV's is performed at facilities 1 & 2
- Dismantling of ELV's is performed at facilities 1 & 2 for facility 3
- ELV's fluids are drained at facilities 1 & 2 for facility 4
- Light dismantling (ie. Dry parts), is performed at facility 3
- · All crushing is performed at facility 4
- · Final check for mercury switches performed at facility 4
- Disposal of mercury switches is done thru facility 1, 2, 3, & 4
- All ELV's for facility 3 are purchased by facility 4

