VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2020. This annual report is for the year of operation from <u>January 01, 2019</u> to <u>December 31, 2019</u>

SECTION 1 - FACILITY INFORMATION

大學學學學學學學學學學學學學學	FACILITY	INFORMATION				
FACILITY NAME: 2060 Auto Parts Inc.						
FACILITY LOCATION ADDRESS:	FACILITY	CITY:	-	STATE:	ZIP CODE:	
2060 William St.	Buffal	0		NY	14206	
FACILITY TOWN:	FACILITY	COUNTY:	FACII	LITY PHON	IE NUMBER:	
Cheektowaga	Erie		716	5-894 -	2060	
FACILITY NYS PLANNING UNIT: (A list of NYS	S Planning Uni	ts can be found at the end of	this repo		SDEC GION #: 9	
FACILITY TYPE: Vehicle Dismantler	Motor	Vehicle Repair Shop I	NYS DE	C ACTIVIT	Y CODE:	
DMV I.D. #7002711	Mobile	Vehicle Crusher				
FACILITY CONTACT:	public	CONTACT PHONE	(CONTACT	FAX NUMBER:	
Michael Serwacki Jr.		NUMBER: 716-949-0888	7	'16-89 	5-0547	
CONTACT EMAIL ADDRESS:	<u>.</u>					
	OWNER	NFORMATION		1 H 41.		
owner name: Michael Serwacki Jr.	OWNER P 716-949	HONE NUMBER: -0888	OWN	ER FAX N	UMBER:	
OWNER ADDRESS: 92 Townline Rd	OWNER C	ITY:		STATE: NY	ZIP CODE: 14059	
OWNER CONTACT: OWNER CONTACT EMAIL ADDRESS: 2060autoparts@gmail.com						
	OPERATO	RINFORMATION				
OPERATOR NAME: same as owner				□public □private		
	PRE	FERENCES				
Preferred address to receive correspondence: Facility location address						
Preferred email address: Facility Contact Other (provide):		wner Contact				
Preferred individual to receive correspondence: Facility Contact Owner Contact Other (provide):						
Did you operate in 2019? Yes; Complete this form.						
☐ No; Complete and submit Sections 1 and 12.						

CTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES	(ELVS) PROCESSE 209
rovide the number of ELVs received from January 1 to December 31:	209
rovide the number of ELVs crushed and/or removed from the facility om January 1 to December 31:	242
rovide the number of ELVs stored at the facility as of December 31:	1258
rovide the highest number of ELVs stored at the facility tany one time from January 1 to December 31:	1521
Provide the approximate area used for the storage of vehicles (acres):	20 acres
Provide the names of scrap metal processors to which you sold or sent deco	ommissioned ELVs:
Attachment A	
Attachment A	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3:	
CTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV	
CTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV	
CTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV	
CTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV	
CTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV	
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV	
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	60	90	90	0	R&J Service Bergen Sales
Used Oil** (gallons)	4200	1000	1425	0	NOCO
Diesel Fuel (gallons)	0	0	0	0	
Gasoline (gallons)	3900	300	0	0	Used in delivery trucks
Engine Coolant/ Antifreeze (gallons)	10	125	100	0	NOCO
Window Washing Fluid (gallons)	20	30	26	0	Sold and used
Other (specify)					

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period. **Destination** Received Stored On Site **Sent Off Site Material Types** To Scrap (tons) (tons) (tons) NYS Planning Unit (or state if Metal other than New York) **Processor** Ferrous Scrap ☐Yes | ∏No Metal Aluminum ☐ Yes ...No Scrap Metal ΠNo ☐Yes Lead Weights Non - Ferrous □Yes □No Scrap Metal □No ☐Yes | Other (specify): Yes □No SECTION 5 - MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS_190 48 ABS (Number) (Number) Indicate permitted facility or permitted transporter accepting mercury containing devices: **ELVS Mercury Switch Program SECTION 6 - AIR BAGS COLLECTED** Provide the number of air bags recovered. 0 57 Number of Air Bags Deployed: Number of Air Bags Removed: Indicate permitted facility or permitted transporter accepting air bags: Cored to RAS recall program

Reprinted (12/19)

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Number of Lead-Acid Batteries collected from ELVs:	2650	
Indicate permitted facility or permitted transporter accepting lead-acid batter Metalico Buffalo	ries:	
Any materials disposed must undergo a hazardous waste determination and	d proper handling, sto	rage and disposal, if
nazardous.		•
SECTION 8 WASTE TIRES CO	_	
Number of waste tires stored on-site:	0	as of December 31
Number of used tires available for sale on-site:	150	as of December 31
Number of used tires sold:	670	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	C-M&M	during operating year
SECTION 9 - SELF INSPEC	CTIONS	12
Number of self-inspections conducted for the year:		
Are self-inspection records up-to-date with inspector name, what was ir ☑ Yes ☐ No	nspected, time and da	ite of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas i ✓ Yes ☐ No	nspected for leaks/sp	ills?
SECTION 10 - PROBLE	MS	
Were any problems encountered during the reporting period (e.g., specifacility procedures)?	ific occurrences which	have led to changes in
☐Yes ☑No If yes, attach additional sheets identifying each probler	m and the methods fo	r resolution of the problem
SECTION 11 – CHANG	ES	
Were there any changes from approved reports, plans, specifications,		
Yes No If yes, attach additional sheets identifying changes will	th a justification for ea	ich change.

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

			No.	
HOLDER STATE OF THE STATE OF TH		111		Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
 If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage? 	V			
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		V		
Have you recorded the date of receipt for all end-of-life vehicles received?		~	Ш	
4. Are the end-of-life vehicle records available on-site?		V		
Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		V		
6. Have all observed leaks been remedied or contained?		V		
7. Does your facility have a written Contingency Plan?		V		
8. Are facility personnel trained to implement the Contingency Plan?		V		
9. Does your Contingency Plan include actions to be taken in the event of the following	ng?			
9a. Fire.		V		
9b. Spill or release of vehicle waste fluids.		V		
9c. Unauthorized material received at facility.		V		
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		V		
Are all vehicle residues prevented from migrating from or running off your property?		V		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?		V		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		V		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		V		
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		V		
15a. Are the access controls working (i.e. controlling access)?		V		
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		V		
 Are you doing the following with your concrete (or equivalent surface) pad that is udraining, crushing, etc.? 	sed for	vehicle	disma	antling, fluid
17a. Cleaning daily.		V		
17b. Cleaning spills as they occur.		V		
17c. Collecting and properly disposing of absorbent materials.		V		

Reprinted (12/19)

				1				
1					Date of Return to			
	Waste Management Compliance Checklist	NA	Yes	No	Compliance			
18.	18. Have the following wastes been drained, removed, deployed, collected and/or stored following best management practices, prior to vehicle crushing or shredding?							
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		V					
	18b. Lead acid batteries.		7					
	18c. Mercury switches or other mercury containing devices, if any.		٧					
	18d. Refrigerants, if any.		~					
	18e. Air bags.		7					
	18f. PCB capacitors, if any.		7					
19.	Are fluids stored separately & in containers that are compatible with their contents?		~					
20.	Are fluids stored in closed containers?		~					
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		V					
22.	Are containers clearly and legibly labeled to describe their contents?		V					
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		V					
24.	Are lead-acid batteries stored upright and off the ground?		~					
25.	Are lead-acid batteries covered to protect them from precipitation?		V					
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		V					
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		~					
	27a. Are provisions in place to absorb any acid leakage?		~					
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		v					
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	V						
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		V					
31.	If sent off-site, is used oil transported via a permitted hauler?		1					
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	wer 32a	., 32b.,	32c:				
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		V					
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		V					
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		V					

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		\		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?		1		
35. Are sludges properly recycled or disposed?		7		
36. Are used oil filters properly drained, crushed or dismantled?		٧		
37. Are drained oil filters properly recycled or disposed?		1		
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?	~			
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?	V			
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	~			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		_	n/a n/a	pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
COMMENTS? (Attach additional sheets if necessary)				

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

2) of the Environmental Conservation Law a	and section 210.45 of the Penal Law
MIM	02/10/2020
Signature	Date
Michael Serwacki Jr	President
Name (Print or Type)	Title (Print or Type)
2060autoparts@gma	il.com Print or Type)
92 Townline Rd	Elma
Address	City
NY 14059	716 949 0888
State and Zin	Phone Number

ATTACHMENTS:	1	YES	NO
ATTACHMENTS.		LIES.	LINU

Attachment A

- . Dismantling of ELV's is performed at facilities 1 & 2
- Dismantling of ELV's is performed at facilities 1 & 2 for facility 3
- ELV's fluids are drained at facilities 1 & 2 for facility 4
- Light dismantling (ie. Dry parts), is performed at facility 3
- · All crushing is performed at facility 4
- · Final check for mercury switches performed at facility 4
- Disposal of mercury switches is done thru facility 1, 2, 3, & 4
- · All ELV's for facility 3 are purchased by facility 4

