VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE

CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2021. This

annual report is for the year of operation from January 01, 2020 to December 31, 2020

SECTI	ON 1 - FA	CILITY INFORMATIC	ON			
	FACILITY	INFORMATION	2-1-2-			
facility name: Gary's U- Pull It						
FACILITY LOCATION ADDRESS:	FACILITY CITY: STATE: ZIP CODE:					
230 Colesville Rd	Bingh	amton	1	NY	13904	
FACILITY TOWN:	FACILITY COUNTY: FACILITY PHONE NUMBER:					
Kirkwood	Broon	ne	607	-775	-1900	
FACILITY NYS PLANNING UNIT: (A list of N Broome County	YS Planning Un	its can he found at the end o	f this repo		rsdec Egion #: 7	
FACILITY TYPE: Vehicle Dismantler DMV I.D. #7002824		Vehicle Repair Shop e Vehicle Crusher	NYS DE		TY CODE:	
FACILITY CONTACT:	public	CONTACT PHONE			FAX NUMBER:	
Sebastian Fiacco	private	NUMBER: 607-775-1900 x-203122	607-77	775-4385		
CONTACT EMAIL ADDRESS: busterfiacco@	@fenixparts.co	om				
	OWNER	INFORMATION				
OWNER NAME: Gary's U-Pull It	OWNER F	PHONE NUMBER: -1900		ER FAX N 775-438	NUMBER: 85	
OWNER ADDRESS: 230 Colesvílle Rd	OWNER O Binghamto			STATE: NY	ZIP CODE: 13904	
OWNER CONTACT:		CONTACT EMAIL ADDR				
Sebastian Fiacco	Busterfi	acco@fenixparts	.com			
	OPERATO	RINFORMATION				
OPERATOR NAME: Same as owner				public		
	PRE	FERENCES				
Preferred address to receive correspondence Other (provide):	e: 🗹 Facility Id	ocation address		wner addre:	55	
Preferred email address: Precility Contact		wner Contact				
Preferred individual to receive corresponden Other (provide):	ice: 🗹 Facili	ity Contact 🔲 Own	ner Contact			
Did you operate in 2020 Ves; Comple	ete this form.	Conservation of				

No; Complete and submit Sections 1 and 12.

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES		SSED
Provide the number of ELVs received from January 1 to December 31:	6448	
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	6448	
Provide the number of ELVs stored at the facility as of December 31:	1545	
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	1545	
 Provide the approximate area used for the storage of vehicles (acres): 	15	acres
• Provide the names of scrap metal processors to which you sold or sent dec	commissioned ELVs:	
1) Weitsman Shredding LLC		
2)		
2)		
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	s (elvs) proce NA	SSED
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: • Provide the number of ELVs crushed from January 1 to December 3:	NA	SSED
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	NA	SSED
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	NA	SSED
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1) 2)	NA	SSED
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1) 2) 3)	NA	SSED
2) 3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1) 2) 3) 4) 5)	NA	SSED
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1) 2) 3) 4)	NA	SSED

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e.</u> v/s or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

	Fluid Volume				Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)		
Refrigerant (pounds)		250	1347		Certified Refrigerant Services, Inc		
Used Oil** (gallons)	4200	1800	13577		Hazelton Oil & Environmental		
Diesel Fuel (gallons)							
Gasoline (gallons)	19666.4	750					
Engine Coolant/ Antifreeze (gallons)		1000	8195		Hazelton Oil & Environmental Sold on Register		
Window Washing Fluid (gallons)		75	1091		Sold on Register		
Other (specify)							

 Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

** Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Received	Stored On Site Sent Off Site		Destination		
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit (</u> or state if other than New York)	To Scrap Metal Processor	
Ferrous Scrap Metal	1193.37		1193.37	Weitsman Shredding	i∕Yes	No
Aluminum Scrap Metal	41.2		41.2		⊡Yes	No
Lead Weights					□Yes	No
Non – Ferrous Scrap Metal	3.34		3.34		⊡Yes	□No
Other (specify):					□Yes	No
					□Yes	□No

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS).

H&TS 393 (Number)

ABS	Included in H&TS
(Numbe	r)

Indicate permitted facility or permitted transporter accepting mercury containing devices:

	SECTION 6 - AI	R BAGS COLLECTED	
Provide the number of air bags recov	vered.		
Number of Air Bags Removed:	64	Number of Air Bags Deployed:	NA
Indicate permitted facility or permitte Rebuilders Automotive Supply	ed transporter accep	ting air bags:	
1650 Flat River Rd			
Coventy, RI 02816			
Reprinted (12/20			

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.

Number of Lead-Acid Batteries collected from ELVs:

285372 lbs

5.9NT

Indicate permitted facility or permitted transporter accepting lead-acid batteries:

Interstate Batteries
Rebuilders Automotive Supply
Sold on Register

Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disposal, if hazardous.

Number of waste tires stored on-site:	150	as of December 31
Number of used tires available for sale on-site:	130	as of December 31
Number of used tires sold:	2054	during operating year

SECTION 8 - WASTE TIRES COLLECTED

Number of waste tires shipped off-site for recycling, disposal, other:

Indicate name of facility(ies) accepting waste tires:

SECTION 9 – SELF INSPECTIONS						
Number of self-inspections conducted for the year:	9					
Are self-inspection records up-to-date with inspector name, what was inspected, time and date of inspection? ⊡Yes □No						
At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills? ☑Yes ☐No						
SECTION 10 - PROBLEMS						
Were any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures)?						
Yes No If yes, attach additional sheets identifying each problem and the m	ethods for resolution of the problem					
SECTION 11 – CHANGES						
Were there any changes from approved reports, plans, specifications, and permit c	onditions?					
Yes No If yes, attach additional sheets identifying changes with a justificat	ion for each change.					

during operating year

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?				45:55555556655525000000000000000000000000
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		\checkmark		
3. Have you recorded the date of receipt for all end-of-life vehicles received?		\checkmark		
4. Are the end-of-life vehicle records available on-site?		\checkmark		
 Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? 		\checkmark		
6. Have all observed leaks been remedied or contained?		\checkmark		
7. Does your facility have a written Contingency Plan?		\checkmark		
8. Are facility personnel trained to implement the Contingency Plan?		\checkmark		
9. Does your Contingency Plan include actions to be taken in the event of the following	ng?			
9a. Fire.		\checkmark		
9b. Spill or release of vehicle waste fluids.		\checkmark		
9c. Unauthorized material received at facility.		\checkmark		
 Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 				
11. Are all vehicle residues prevented from migrating from or running off your property?		\checkmark		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?		\checkmark		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		\checkmark		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		\checkmark		
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		\checkmark		
15a. Are the access controls working (i.e. controlling access)?		\checkmark		
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		\checkmark		
 Are you doing the following with your concrete (or equivalent surface) pad that is urdraining, crushing, etc.? 	sed for	vehicle	dismai	ntling, fluid
17a. Cleaning daily.		\checkmark		
17b. Cleaning spills as they occur.		\checkmark		
17c. Collecting and properly disposing of absorbent materials.		\checkmark		

Date of Return to

	and the second se	计可用的 化基金合合物 网络拉尔合	and the second second second second	A PERSONAL PROPERTY AND ADDRESS OF THE	
SASSING REPORT OF THE PROPERTY	HAVE A CONTRACTOR OF A CONTRACT	and the second second second	and the second second second second	ALC: N PROPERTY AND ADDRESS OF THE	
REAL PROPERTY AND INCOMENTAL	Managem	Table Bill and a start	THE TAY OF MARKED	7-14 2113 2080	And States of Long Long Long Long Long Long Long Long
Martin Color	A	A SALAR STREET, SA	and the second se	And Add and House	HER MER MAN

NA Yes No Compliance

18.	18. Have the following wastes been drained, removed, deployed, collected and/or stored following best management practices, prior to vehicle crushing or shredding?						
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).						
	18b. Lead acid batteries.		\checkmark				
	18c. Mercury switches or other mercury containing devices, if any.		1				
	18d. Refrigerants, if any.		\checkmark				
	18e. Air bags.	1					
	18f. PCB capacitors, if any.	\checkmark					
19.	Are fluids stored separately & in containers that are compatible with their contents?		\checkmark				
20.	Are fluids stored in closed containers?		1				
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		\checkmark				
22.	Are containers clearly and legibly labeled to describe their contents?		\checkmark				
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		\checkmark				
24.	Are lead-acid batteries stored upright and off the ground?		\checkmark				
25.	Are lead-acid batteries covered to protect them from precipitation?		\checkmark				
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		\checkmark				
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		\checkmark				
	27a. Are provisions in place to absorb any acid leakage?		1				
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		$\overline{\checkmark}$				
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	\checkmark					
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		\checkmark				
31.	If sent off-site, is used oil transported via a permitted hauler?		1				
32.	32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answer 32a., 32b., 32c:						
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		\checkmark				
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		\checkmark				
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		\checkmark				

				Date of Return to			
Waste Management Compliance Checklist	NA	Yes	No	Compliance			
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?							
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?							
35. Are sludges properly recycled or disposed?		\checkmark					
36. Are used oil filters properly drained, crushed or dismantled?	\checkmark						
37. Are drained oil filters properly recycled or disposed?	$\overline{\mathbf{V}}$						
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 							
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?							
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?							
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?							
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?			NA pounds				
				gallons			

Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)

COMMENTS? (Attach additional sheets if necessary)

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation **Division of Materials Management** Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260 Fax 518-402-9041 Email address: SWMFannualreport@dec.nv.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Subastian Fiacco

2-23-2021

Sebastian Fiacco

Name (Print or Type)

General Manager

Title (Print or Type)

busterfiacco@fenixparts.com

Email (Print or Type)

230 Colesville Rd

Address

Binghamton

City

NY, 13904

State and Zip

(<u>607</u>)775_1900 Phone Number

ATTACHMENTS YES VO