VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2021. This

annual report is for the year of operation from January 01, 2020 to December 31, 2020

SECTION 1 - FACILITY INFORMATION

| | FACILITY | INFORMATION | | | | |
|--|-----------------------|--|--------------|--------------------|----------|--|
| BOB'S USED CARS | | | | | | |
| FACILITY LOCATION ADDRESS: | FACILITY | STATE: | ZIP CODE: | | | |
| 2270 WILLIAMS RD | ADD | SON | ny | 14801 | | |
| FACILITY TOWN: | FACILITY | COUNTY: | ITY PHON | ONE NUMBER: | | |
| ROTHBONE | STE | DEN | -542 | 0410 | | |
| FACILITY NYS PLANNING UNIT: (A list of NYS Planning Units can be found at the end of this report). NYSDEC REGION: | | | | | | |
| FACILITY TYPE: Vehicle Dismantler | _ | Vehicle Repair Shop Vehicle Crusher | NYS DEC | ACTIVIT | Y CODE: | |
| FACILITY CONTACT: ROBERT OR MATT HAMICTON | □ public □ private | CONTACT PHONE NUMBER: 607 542-04 | | ACT FAX NUMBER: | | |
| CONTACT EMAIL ADDRESS: | | | | | | |
| | OWNER | INFORMATION | | | | |
| OWNER NAME: ROBERT HAMILTON | | OWNER PHONE NUMBER: OWNER FAX NUM | | | | |
| OWNER ADDRESS: 940 NEWDYCK RD | OWNER O | ITY: | STATE: | ZIP CODE: 14871 | | |
| OWNER CONTACT: | OWNER C | CONTACT EMAIL ADDI | | | 770 | |
| SAME | | NA | | | | |
| and the same of th | | R INFORMATION | | | | |
| OPERATOR NAME: same as owner | | | | | | |
| | PRE | FERENCES | | - | | |
| Preferred address to receive corresponded Other (provide): | ence: 🛛 Facility lo | ocation address | _ Ow | vner address | | |
| Preferred email address: Facility Conta | act 🔲 O | wner Contact | | | | |
| Preferred individual to receive correspond Other (provide): | dence: 🏻 Facili | ty Contact Ow | rner Contact | | | |
| Did you operate in 2020 Yes; Con | nplete this form. | PARTIALLY DUE TO | COULD | | RECEIVED | |
| ☐ No; Complete and submit Sections 1 and 12. MAR 01 2021 | | | | | | |

| Provide the number of ELVs received from January 1 to December 31: | _6_ |
|---|------------------|
| Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: | 14 |
| Provide the number of ELVs stored at the facility as of December 31: | 242 |
| Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: | 256 |
| Provide the approximate area used for the storage of vehicles (acres): | |
| 1) BEN WETTSMAN = HORNZU NY. 2) 3) | |
| | |
| | (ELVs) PROCESSED |
| Provide the number of ELVs crushed from January 1 to December 3: | 0 |
| | 0 |
| Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV 1) | s: |
| Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV 1) | s: |
| Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV 1) 2) | s: |
| Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV 1) | s: |
| Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELV 1) 2) 3) | s: |
| Provide the names of each facility where you crushed decommissioned ELV 1) 2) 3) 4) | s: |

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

| | ou a youlne | Fluid | Destination Name & Address | | |
|---|--|----------------------------------|-------------------------------|--------------------|---|
| Waste Fluid Recovered | Used on-site (oil heater, etc.) | Stored on-site at year-end | Sold/ Recycled off-site | Disposed off-site* | (Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.) |
| Refrigerant (pounds) | | FILING CYL | | | |
| Used Oil** (gallons) | 10 | | | | |
| Diesel Fuel (gallons) | 0 | | | | |
| Gasoline (gallons) | 55 | | | | |
| Engine Coolant/ Antifreeze (gallons) | 30 | Johnston | INVE VINIE | ijи - I I = I | |
| Window Washing Fluid (gallons) | 3 | | | | |
| Other (specify) | RE C | SE EUL | REY THI | ug Possi | 812 |
| | | | / | | |

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period. Destination Stored On Site Sent Off Site Received **Material Types** (tons) (tons) (tons) To Scrap NYS Planning Unit (or state if Metal other than New York) Processor DON'T RECIEVE FROM GINERS

ONLY FROM CARS PURCHASEDO Ferrous Scrap Yes ☐ No Metal Aluminum Yes No Scrap Metal Yes □ No Lead Weights Non - Ferrous Yes **□**No Scrap Metal Other (specify): Yes ■No

No Yes SECTION 5 - MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS (Number) ABS (Number) Indicate permitted facility or permitted transporter accepting mercury containing devices: WETTSMAN = HORNELL SECTION 6 - AIR BAGS COLLECTED Provide the number of air bags recovered. Number of Air Bags Removed: Number of Air Bags Deployed: Indicate permitted facility or permitted transporter accepting air bags: WETTSMANS

Reprinted (12/20

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

| Provide the number of lead-a | cid batteries recovered | and their disp | osition. | ,, | | |
|--|----------------------------|--|------------------|--------------------|-----------------------------|--|
| Number of Lead-Acid Batterie | es collected from ELVs: | | | 7 | | |
| ndicate permitted facility or p | | - | | | | |
| REUSED d | USED FOR | CORES | FOR NE | W BATTERYS | ARCHASED | |
| Any materials disposed must | undergo a hazardous | waste determi | nation and pro | oper handling, st | orage and disposal, if | |
| nazardous. | OF OTION O | WASTE T | DE0 0011 | FOTED | | |
| | SECTION 8 - | WASIEII | KES COLL | ECTED | | |
| Number of waste tires stored | on-site: | | | 230 | as of December 31 | |
| Number of used tires availab | e for sale on-site: | | | 0 | as of December 31 | |
| Number of used tires sold: | | | | 0 | during operating year | |
| Number of waste tires shippe | ed off-site for recycling, | disposal, othe | r: | | during operating year | |
| ndicate name of facility(ies) | accepting waste tires: | | | | | |
| | | | | | | |
| Number of self-inspection | | A STATE OF THE STA | NSPECTIO | NS | | |
| Are self-inspection record | | | nat was inspec | cted, time and da | ate of inspection? | |
| At a minimum, are fluid st ∠Yes ☐No | orage areas, vehicles, | vehicle storag | e areas inspe | cted for leaks/sp | pills? | |
| | SECT | ION 10 - P | ROBLEMS | | | |
| Were any problems encou facility procedures)? | intered during the repo | rting period (e | .g., specific od | currences which | n have led to changes in | |
| Yes No If yes, at | tach additional sheets in | dentifying eac | h problem and | the methods fo | r resolution of the problem | |
| | SEC1 | TION 11 - C | HANGES | N.M | | |
| Were there any changes | from approved reports, | plans, specifi | cations, and p | ermit conditions | ? | |
| Yes No If yes, at | tach additional sheets i | identifying cha | inges with a ju | stification for ea | ach change. | |



SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

| | Waste Management Compliance Checklist | NA | Yes | No | Date of Return to |
|----------|---|---------|-------------|-------|-------------------|
| 1. MO | If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage? | | | | |
| 2. | Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways? | | V, | | |
| 3. | Have you recorded the date of receipt for all end-of-life vehicles received? | | $ abla_{j}$ | | |
| 4. | Are the end-of-life vehicle records available on-site? | | V | | |
| 5. | Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? | | V | | |
| 6. | Have all observed leaks been remedied or contained? | | V | | |
| 7. | Does your facility have a written Contingency Plan? | | U | | (c) (d) |
| 8. | Are facility personnel trained to implement the Contingency Plan? | | V | | |
| 9. | Does your Contingency Plan include actions to be taken in the event of the following | ng? | | , | |
| | 9a. Fire. | | V) | | |
| | 9b. Spill or release of vehicle waste fluids. | | V, | | |
| | 9c. Unauthorized material received at facility. | | V | | |
| 10. | Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? | | U | | |
| 11. | Are all vehicle residues prevented from migrating from or running off your property? | | 4 | | |
| 12. | Is dust controlled to prevent interference with facility operations or from leaving facility site? | | D | | ^ |
| 13. | Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? | | V | | |
| 14. | Are waste fluids kept from being discharged onto the ground or into surface waters? | | V | | |
| 15. | Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? | | V | | |
| | 15a. Are the access controls working (i.e. controlling access)? | | V | | |
| 16. | Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? | | | | |
| 17. | Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.? | sed for | vehicle | disma | ntling, fluid |
| | 17a. Cleaning daily. | | V, | | |
| | 17b. Cleaning spills as they occur. | | V. | | |
| | 17c. Collecting and properly disposing of absorbent materials. | | V | | |

Reprinted (12/20)

| | Waste Management Compliance Checklist | NA | Yes | No | Compliance |
|--|---|-----------|-----------|--|------------------------------|
| 18. | Plave the following wastes been drained, removed, deployed, collected and/or stor practices, prior to vehicle crushing or shredding? | ed follow | wing be | st manaç | gement |
| | 18a. Fluids (including engine oil, transmission fluid, transaxie fluid, front and rear axie fluid, brake fluid, power steering fluid, coolant, and fuel). | | | | esobplició A AS notalidad |
| | 18b, Lead acid batteries. | | V | | |
| Ne miles | 18c. Mercury switches or other mercury containing devices, if any. | | V, | | And details |
| | 19d. Roriigerants, if any. | | V. | | h-neil and |
| | 18e, Air bags. | | 1 | | ar allegation and the con- |
| | 18f. PCB capacitors, if any. | | | anne de la constante de la con | |
| 19. | Are fluids stored apparately & Th Containers that are compatible with their contents? | | V | | operft spec |
| 20. | Are fluids stored in closed containers? | | V | | |
| 21. | Are containers which contain waste fluids in good condition and not visibly leaking? | | V | | Catalana a |
| 22. | Are containers clearly and legibly labeled to describe their contents? | | | | 4.2 |
| 23, | Are containers stored on a bermed pad constructed of concrete or equivalent material? | | | - | |
| 24. | Are lead-acid batteries stored upright and off the ground? | | V | | |
| 25. | Are lead-acid batteries covered to protect them from precipitation? | | | | |
| 26. | Are all lead-acid batteries sent for recycling within one-year of receipt? | | | | |
| 27. | Are leaking lead-sold batteries, if any are encountered, stored in leak-proof containers separated from intact batteries? | | V | | Marian Parantal Company |
| | 27a. Are provisions in place to absorb any acid leakage? | | 1 | | erary |
| 28. | Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling? | | | | e de la constante |
| 79. | Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal? | | | | |
| 30. | Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code? | | ~ | | |
| 31. | If sent off-site, is used oil transported via a permitted hauler? | | V | | |
| 32, | If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ans | wor 32: | a., 32b., | 32c: | |
| | 32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less? | V | | | |
| The state of the s | 32b. Do on-site space heaters burn only used oil that is generated on site or received from household do-it-yourself generators? | P | | | |
| | 32c. Are combustion gases from used oil space heaters vented to the outside ambient air? | V | | | |



| | | | | | Date of Return to |
|---------|--|----|-----|----|-------------------|
| | Waste Management Compliance Checklist | NA | Yes | No | Compliance |
| | aste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, lvents, gasoline, or degreasers? | | V | | |
| | sludges from sumps and oil/water separators stored in covered, closed and eled containers? | | D | | 1 |
| 35. Are | sludges properly recycled or disposed? | | V | | |
| 36. Are | used oil filters properly drained, crushed or dismantled? | | V | | |
| 37. Are | drained oil filters properly recycled or disposed? | | V | | |
| for | our facility does not require an SPDES Multi-Sector General Permit (MSGP) Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires SPDES MSGP answer 38a, 38b, 38c: | | | | |
| 38a | a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility? | U | | | |
| 381 | b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date? | Ø | | | |
| 380 | . Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year? | V | | | |
| non-veh | ur facility does not handle cleaning solvents, degreasers, battery acids or icle wastes write NA. If these materials are handled at your facility, what is imum amount of this material that your facility generates in any calendar | | - | NA | pounds |
| (Attac | tu have any other Environmental Conservation Law or regulatory violations? The additional sheets as necessary.) | | | | |
| сом | MENTS? (Attach additional sheets if necessary) | | | | |

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041
Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

ATTACHMENTS: YES NO