VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2021. This

annual report is for the year of operation from January 01, 2020 to December 31, 2020

SECTION 1 - FACILITY INFORMATION

	FACILITY	INFORMATION				
FACILITY NAME:						
Metal Recovery LL	C.				,	
FACILITY LOCATION ADDRESS:	FACILITY	CITY:		STATE:	ZIP CODE:	
1680 Flat Street	1680 Flat Street Penn Yan NY 14527					
FACILITY TOWN:						
T/Benton Yates 315-536-6194						
FACILITY NYS PLANNING UNIT: (A list of NYS Planning Units can be found at the end of this report). Yates County NYSDEC REGION #: 8						
FACILITY TYPE: XVehicle Dismantler	⋈ Motor	Vehicle Repair Shop	NYS DEC	CACTIVIT	Y CODE:	
DMV I.D. #7102607	_ Mobile	Vehicle Crusher	distribution and the second			
FACILITY CONTACT:	public	CONTACT PHONE		ONTACT	FAX NUMBER:	
Ross Newcomb	x private	NUMBER: 315-729-576	60		315-536-5996	
CONTACT EMAIL ADDRESS: JASPERLI	LC@ROADRUN	NER.COM				
	OWNER	INFORMATION	· · · · · · · · · · · · · · · · · · ·			
OWNER NAME:	OWNER P	HONE NUMBER:	OWNE	ER FAX N	JMBER:	
Ross Newcomb		315-729-5760		315-536-5		
OWNER ADDRESS: P.O. Box 441	Dann Van					
OWNER CONTACT: OWNER CONTACT EMAIL ADDRESS:						
Katie Jensen - Admin katie@metalrecoveryllc.com						
OPERATOR INFORMATION						
OPERATOR NAME: same as owner public private						
PREFERENCES						
Preferred address to receive correspondence: 🔀 Facility location address 🔲 Owner address						
Preferred email address: X Facility Contact Owner Contact						
Preferred individual to receive correspondence: Facility Contact Other (provide): katie@metalrecoveryllc.com X Owner Contact						
Did you operate in 2020 X Yes; Complet		Sections 1 and 12.				

Provide the number of ELVs received from January 1 to December 31:	_15
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	250
Provide the number of ELVs stored at the facility as of December 31:	15
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	300
Provide the approximate area used for the storage of vehicles (acres):	1,5 acres
 Provide the names of scrap metal processors to which you sold or sent de 	commissioned ELVs:
1) _ \/A	
2)	
3)	
3)	
	S (FI Vs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	S (ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	S (ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	<u>Ø</u>
• Provide the names of each facility where you crushed decommissioned EL	<u>Ø</u>
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL1)	<u>Ø</u>
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL1)	<u>Ø</u>
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	<u>Ø</u>
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	<u>Ø</u>
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	<u>Ø</u>
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL1) 2) 3)	<u>Ø</u>

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

			Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	65	0			
Used Oil** (gallons)	2500	2500			
Diesel Fuel (gallons)	350	2400			
Gasoline (gallons)	80	0			
Engine Coolant/ Antifreeze (gallons)	170	200	0	YES	S.P.S SYRACUSE
Window Washing Fluid (gallons)	0				
Other (specify)					

^{*} Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period. Destination Received Stored On Site Sent Off Site **Material Types** (tons) (tons) (tons) To Scrap NYS Planning Unit (or state if Metal other than New York) Processor Ferrous Scrap 200 550 () Yes No Metal Aluminum 11.5 0 No Yes Scrap Metal NONE NONE Lead Weights Yes No Non - Ferrous NONE NONE No Yes Scrap Metal No Other (specify): Yes Yes No **SECTION 5 - MERCURY SWITCHES COLLECTED** Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS ___ ABS (Number) (Number) Indicate permitted facility or permitted transporter accepting mercury containing devices: **SECTION 6 – AIR BAGS COLLECTED** Provide the number of air bags recovered. Number of Air Bags Removed: Number of Air Bags Deployed: Indicate permitted facility or permitted transporter accepting air bags:

Reprinted (12/20

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.		
Number of Lead-Acid Batteries collected from ELVs:	30	
Indicate permitted facility or permitted transporter accepting lead-acid batters 20 - B&B RECYCLING PENN YAN N		
Any materials disposed must undergo a hazardous waste determination and hazardous.	d proper handling, st	orage and disposal, if
SECTION 8 – WASTE TIRES CO	LLECTED	
Number of waste tires stored on-site:	300	as of December 31
Number of used tires available for sale on-site:		as of December 31
Number of used tires sold:	0	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:		during operating year
Indicate name of facility(ies) accepting waste tires:		
SECTION 9 – SELF INSPECT	TIONS	
Number of self-inspections conducted for the year:		12
Are self-inspection records up-to-date with inspector name, what was insured Yes \(\subseteq No \)	spected, time and da	ate of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas in Yes No	spected for leaks/sp	pills?
SECTION 10 - PROBLEM	vis	
Were any problems encountered during the reporting period (e.g., specififacility procedures)?	c occurrences which	n have led to changes in
Yes No If yes, attach additional sheets identifying each problem	and the methods fo	r resolution of the problem
SECTION 11 – CHANGE	S	
Were there any changes from approved reports, plans, specifications, are	nd permit conditions	?
Yes No If yes, attach additional sheets identifying changes with	a justification for ea	ach change.

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

			Jan	Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	V			
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		V		
3. Have you recorded the date of receipt for all end-of-life vehicles received?		$\sqrt{}$		
4. Are the end-of-life vehicle records available on-site?				
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		V		
6. Have all observed leaks been remedied or contained?		$\sqrt{}$		
7. Does your facility have a written Contingency Plan?		V		
8. Are facility personnel trained to implement the Contingency Plan?		V		
9. Does your Contingency Plan include actions to be taken in the event of the following	ng?			
9a. Fire.				
9b. Spill or release of vehicle waste fluids.		V		
9c. Unauthorized material received at facility.		V		
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?				
11. Are all vehicle residues prevented from migrating from or running off your property?		1		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?		V		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		1		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		V		
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		V		
15a. Are the access controls working (i.e. controlling access)?		V	333	
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?			St water Pirit This	
17. Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	sed for	vehicle	dismaı	ntling, fluid
17a. Cleaning daily.		V		
17b. Cleaning spills as they occur.		V		
17c. Collecting and properly disposing of absorbent materials.		V		

Reprinted (12/20)

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	ed follov	ving bes	st mana	agement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		1		
	18b. Lead acid batteries.				
	18c. Mercury switches or other mercury containing devices, if any.	V			
	18d. Refrigerants, if any.		/		
	18e. Air bags.	V			
	18f. PCB capacitors, if any.	V			
19.	Are fluids stored separately & in containers that are compatible with their contents?		V		
20.	Are fluids stored in closed containers?		1		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		J		
22.	Are containers clearly and legibly labeled to describe their contents?				
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?				
24.	Are lead-acid batteries stored upright and off the ground?		V		
25.	Are lead-acid batteries covered to protect them from precipitation?				
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		V		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		V		
	27a. Are provisions in place to absorb any acid leakage?		V		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?	V			
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	V			
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?				
31.	If sent off-site, is used oil transported via a permitted hauler?	V			
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a.	, 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		/		
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?			V	
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?				

				Date of Return
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?				
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?				
35. Are sludges properly recycled or disposed?	V			
36. Are used oil filters properly drained, crushed or dismantled?		V		
37. Are drained oil filters properly recycled or disposed?		V		
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?				
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		i/		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		V		
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		_	ALU	pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.) None				
COMMENTS? (Attach additional sheets if necessary) ON-SITE INSPECTION CONDUCTED ON 07/31/2020 BY YASIL	n GUF	nay.	Α,	
ENVIROMENTAL MANAGEMENT - REGION 8				

Reprinted (12/20

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

03(2) of the Environmental Conservation Law an	d section 210.45 of the Penal Law.
Signature	03 /27 /2021 Date
ROSS G NEW COMB Name (Print or Type)	OWNER/OPERATOR Title (Print or Type)
JASPERILLO @ ROAD RUNNER.	
Email (Pri	nt or Type)
1680 FUAT ST Address	PENN YAN City
Address	Oity
NEW YORK 14527	(315)729 - 5760
State and Zip	Phone Number

ATTACHMENTS: YES NO

* This page for reference only. Please do not return with submittal. *

Division of Materials Management New York State Department of Environmental Conservation Albany, New York 12233-7260

Forms for all solid waste management facilities can be found at http://www.dec.ny.gov/chemical/52706.html and a brief description of each type of facility can be found at http://www.dec.ny.gov/chemical/8495.html.

VEHICLE DISMANTLING FACILITIES, MOTOR VEHICLE REPAIR SHOPS AND MOBILE VEHICLE CRUSHERS

Annual Report

Submit the Annual Report no later than March 1, 2021.

Reporting of the information indicated on this Vehicle Dismantling, Motor Vehicle Repair Shop and Mobile Vehicle Crusher Annual Report form is required pursuant to 6 NYCRR 360-12.1(c) and 360.19(k)(12). Failure to provide the required information requested is a violation of Environmental Conservation Law. Timely submission of a properly completed form to the Department's Regional Office that has jurisdiction over your facility and to the Department's Central Office is required to meet the Annual Report requirements of 6 NYCRR Part 360.

Reporting of the information indicated on this Mandatory Annual Report including Self-Certification for Vehicle Dismantling Facilities fulfills the reporting requirements pursuant to 6 NYCRR 360-12.1(c).

Entries on the report forms should be either typewritten or neatly printed in black ink. Attach additional sheets if space on the pages is insufficient or supplementary information is required or appropriate.