

DMV# 700257<u>1</u> WE BUY ALL JUNK CARS!

BUFFALO AUTO WRECKING

Used Car Sales & Used Auto Parts

229 HERTEL AVENUE - BUFFALO, NY 14207 www.BuffaloAutoWreckinginc.com

Tony Adornetto GENERAL MANAGER PHONE: (716) 873-3699 FAX: (716) 877-2952

BuffAutoWrecking@aol.com

WEITERAL MANAGE

289 HERTEL AVENUE

effalo AU

BUFFALO, NEW YORK 14207

N T S HA 2002521 (714) A . .

FAX TRANSMISSION COVER SHEET

PATE	?7-2/
	v. Y.S. DEC
ATTN:	IVISION OF MATERIALS MENT
	1-518-402-9041
FROM:	OLN AdoRNESTO - PRESIDENT
Sugue Curi	NOVAL DEC REPORT
NUMBER OF PAG	ES INCLUDING COVER SHEET:

IF YOU HAVE ANY PROBLEMS WITH THIS FAX, PLEASE CALL 7:6-871-3690

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2021. This

annual report is for the year of operation from January 01, 2020 to December 31, 2020

SECTION 1 - FACILITY INFORMATION

		FACILITY INFORMATION:	
FACILITY NAME:			
BUFFALO AV	TO WRE	CKING , INC.	
FACILITY LOCATION ADDRES	\$: F	FACILITY CITY:	STATE: ZIP CODE:
229 HERTEL A	VE.	BUFFACO	NY 14207
FACILITY TOWN:	F	FACILITY COUNTY:	FACILITY PHONE NUMBER:
		ERTE	716-873-3699
		Planning Units can be found at the end of N.A.	REGION #:
FACILITY TYPE: XVehicle Di		Motor Vehicle Repair Shop	NYS DEC ACTIVITY CODE:
DMV I.D. # 7002 57		Mobile Vehicle Crusher	N.A.
FACILITY CONTACT:	PROBLEM SHOW CO. SECURED STREET	public CONTACT PHONE	
John AdoRNETTO	Parts	- NUIMADED	
CONTACT EMAIL ADDRESS:		716-228-1834	716-877-2952
CONTACT EMAIL ADDRESS:	Maria Ma		
OWNER NAME:	1	OWNER INFORMATION OWNER PHONE NUMBER:	OWNER FAX NUMBER:
		716-688-1562	
JOHN AdORNET OWNER ADDRESS:	VO	OWNER CITY:	STATE: ZIP CODE:
127 FOXHUNT CA	ne I	EASO AMHERSO	WY 14051
OWNER CONTACT:		OWNER CONTACT EMAIL ADD	
John AdoRNETT		BUFFAUTO WALCEING	O. AoL , Com
		PERATORINEORMATION	
OPERATOR NAME: 100	ame as owner		public
	STANDANIA SALAMAN AND AND AND AND AND AND AND AND AND A	and the state of t	private
		PREFERENÇES	
Preferred address to receive co. Other (provide):	respondence:	X Facility location address	Owner address
Preferred email address: 🔯 F	acility Contact	Owner Contact	
Preferred individual to receive of Other (provide):	orrespondence:	Facility Contact Ov	vner Contact
Dld you operate in 2020	Yes; Complete t	this form.	
	No; Complete a	and submit Sections 1 and 12.	
Reprinted (12/20			

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES (ELVs) PROCESSED
Provide the number of ELVs received from January 1 to December 31:	1688
Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31:	1587
• Provide the number of ELVs stored at the facility as of December 31:	633
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	650
Provide the approximate area used for the storage of vehicles (acres):	
Provide the names of scrap metal processors to which you sold or sent deco	mmissioned ELVs:
1) CENTURY ENTERPRISES (MILLIFON -ohio)	
2) Buffalo Shaedding	
3)	
• Provide the number of ELVs crushed from January 1 to December 3:	(ELVS) PROCESSED
Provide the names of each facility where you crushed decommissioned ELV	's:
1)	
2)	
3)	
4)	
5)	
6)	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Volume		Destination Name & Address
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	R-34-A 8-LBS				RE-USED ON SITE
Used Oil** (gallons)	3300		3224		WOCO DISTAI BUTION, CCC. 2440 Shevidan OK TONO. NY 14150
Diesel Fuel (gallons)	75				RE-USED ON SITE
Gasoline (gallons)	500		6542		THE ENVIRONMENTAL SERVICE TROUP, INC. NYD 986903 904 NOCO DISTALBUTION, LLC.
Engine Coolant/ Antifreeze (gallons)	35	50		900	AUGO DISTALBUTION, LC. 2440 SHEALLAN OL. TONN, MY 14150
Window Washing Fluid (gallons)	16				RE-USED ON SITE
Other (specify)					

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

Constitutions Constitution					Destination		
Aluminium Scrap Metal Off Stat ALGE	Material Types	Received (tons)	Stored On Site	(tons)	other than New York)	Me	tal
Audinition Scrap Motal Lead Weights Non - Ferrous Scrap Metal Other (specify): Description of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (Number) Indicate permitted facility or permitted transporter accepting mercury containing devices: F. D. A. Description of the number of air bags recovered. Including but not limited to hood & trunk lighting switches (Number) Indicate permitted facility or permitted transporter accepting mercury containing devices: F. D. A. Description of Air Bags Collected Provide the number of air bags recovered. Number of Air Bags Removed: Number of Air Bags Removed: Indicate permitted facility or permitted transporter accepting air bags: Central Factorises (nituation accepting air bags: Central Factorises (nituation accepting air bags:				2672 N.T.	BUFFALA SHAR ASING, LLC, CENTRAY ENTENTAILES (OLIO)	Yes	□No
Non-Ferrous Scrap Metal Scrap		Shaeddok		35.76 v-r.	METACICO - BURGACO	⊠ Yes	□No
Non-Ferrous Scrap Metal Selectarity Other (specify): Other (specify): Other (specify): Other (specify): Description of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS	Lead Weights		1			Yes	No
SECTION 5 – MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS		PURCHASE		1.9 N.T.	MATALICO - BUFFALO	¥aYes	No
SECTION 5 - MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS	Other (specify):					Yes	□No
Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS						Yes	□No
DETROIT MICHIGAN 48211 SECTION 6 - AIR BAGS COLLECTED Provide the number of air bags recovered. ALL AIR BAGS OFF ALL SLAUGH VERM Number of Air Bags Removed: Number of Air Bags Deployed: 1587 Indicate permitted facility or permitted transporter accepting air bags: CENTURY ENTERINISES (MILLIANN TRONTMENT) OHIO	(na i 3) and andic	H&TS_	81				
DETROIT MICHIGAN 48211 SECTION 6 - AIR BAGS COLLECTED Provide the number of air bags recovered. ALL AIR BAGS OFF ALL SLAUGH VERM Number of Air Bags Removed: Number of Air Bags Deployed: 1587 Indicate permitted facility or permitted transporter accepting air bags: CENTURY ENTERINISES (MILLIANN TRONTMENT) OHIO	Indicate permitted	d facility or perm	tted transporter acc	epting mercury o	containing devices:		
SECTION 6 - AIR BAGS COLLECTED Provide the number of air bags recovered. ALL AIR BAGS OFF ALL SLALIBED VERIL Number of Air Bags Removed: Number of Air Bags Deployed: Indicate permitted facility or permitted transporter accepting air bags: CENTURY ENTERINISES (MILLIANN ERON + METAL) OHIO	2	000 0	AST FERM	<u> </u>			
Provide the number of air bags recovered. ALL AIR BAGS OFF ALC SLALIBED VERM Number of Air Bags Removed: Number of Air Bags Deployed: 1587 Indicate permitted facility or permitted transporter accepting air bags: CENTURY ENTERINISES (NILLEMON ERON + METAL) OHIO			/		. Addition		
Number of Air Bags Removed: Number of Air Bags Deployed: Number of Air Bags Deployed: Number of Air Bags Deployed: // // Indicate permitted facility or permitted transporter accepting air bags: **CENTURY** ENTERINISES** (MILLIANN TANN TANN + METRIC) OHIO **TORY** OF TANNISES** (MILLIANN TANN TANN + METRIC) OHIO			SECTION 6	- AIR BAGS	COLLECTED		•
Indicate permitted facility or permitted transporter accepting air bags: CENTURY ENTERINISES (MILLIANN IND THE FAL) OHIO	*		ecovered.	A	CL AIR BAGS OFF ACC SI	. R. 1. 1864	VERIC
CENTURY ENTERPRISES (MILLERON IRON + METAL) OHIO	Number of Air Ba	ags Removed:		Nu	mber of Air Bags Deployed:	138	
	-		_	•	_		
						······································	

Reprinted (12/20

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid patteries recovered and their disposition.	_	
Number of Lead-Acid Batteries collected from ELVs:	1125	
ndicate permitted facility or permitted transporter accepting lead-acid batter	ries:	
METACICO - BUFFACO		
127 FILL MORE AUE.	<u>, , , , , , , , , , , , , , , , , , , </u>	
127 FILL MORE AUE. BUFFALO, N.Y. 142/	0	
Any materials disposed must undergo a hazardous waste determination an hazardous.	d proper handling, sto	orage and disposal, if
SECTION 8 - WASTE TIRES CO	DLLECTED	
Number of waste tires stored on-site:	180	as of December 31
Number of used tires available for sale on-site:	155	as of December 31
Number of used tires sold:	2540	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	4212	during operating year
Indicate name of facility(ies) accepting waste tires:		
CENTURY ENTERPRISES	- (MILL INON	·>
BuffAGO - Shaedding	711	
	. , , , , , , , , , , , , , , , , , , ,	
SECTION 9 - SELF INSPEC	CTIONS	10
Number of self-inspections conducted for the year:		/2-
Are self-inspection records up-to-date with inspector name, what was in	nspected, time and da	ite of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas i	inspected for leaks/sp	ills?
Dres No	-	
SECTION 10 - PROBLE	MS	<u> </u>
Were any problems encountered during the reporting period (e.g., specifacility procedures)?	ific occurrences which	have led to changes in
Yes No If yes, attach additional sheets identifying each probler	m and the methods for	resolution of the problem
SECTION 11 - CHANG	ES	0
Were there any changes from approved reports, plans, specifications, a	and permit conditions	?
Yes No If yes, attach additional sheets identifying changes wit	th a justification for ea	ch change.
·		

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

Waste Management Compliance Checklist	NA	Yes	No	Date of Return to Compliance
If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores	X	1		
MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage? 2. Is a system in place to control vegetation and prevent it from encroaching onto				
fire access lanes or driveways? 3. Have you recorded the date of receipt for all end-of-life vehicles received?		X		
4. Are the end-of-life vehicle records available on-site?		X		
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		M		
6. Have all observed leaks been remedied or contained?		X		
7. Does your facility have a written Contingency Plan?		X.		
8. Are facility personnel trained to implement the Contingency Plan?				
9. Does your Contingency Plan include actions to be taken in the event of the following	ng?	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		
9a. Fire.		X		
9b. Spill or release of vehicle waste fluids.				
9c. Unauthorized material received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC				
Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your	M			
property? 12. Is dust controlled to prevent interference with facility operations or from leaving				
facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with		X		
facility operations?		X		
 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers 				
(not vehicles)?		X		
15a. Are the access controls working (i.e. controlling access)?				
Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?				
.17. Are you doing the following with your concrete (or equivalent surface) pad that is under the draining, crushing, etc.?	rsed for	venicle	disme	nuing, nuid)
17a. Cleaning daily.				
17b. Cleaning spills as they occur.		X		
17c. Collecting and properly disposing of absorbent materials.		X		

Reprinted (12/20)

					Date of Retu	ırn to
Waste Management Con	npliance Checklist	NA	Yes	No	Complian	ce
18. Have the following wastes been drained, repractices, prior to vehicle crushing or shree		red follow	ing bes	t mana	gement	
18a. Fluids (including engine oil, transmiss axle fluid, brake fluid, power steering			X		·	
18b. Lead acid batteries.			X	0000000		
18c. Mercury switches or other mercury co	ntaining devices, if any.		X		· · · · · · · · · · · · · · · · · · ·	
18d. Refrigerants, if any			X			
18e. Air bags.			X			
18f. PCB capacitors, if any.		$ \mathbf{x} $				
19. Are fluids stored separately & in container contents?	s that are compatible with their		X			
20. Are fluids stored in closed containers?			X			
21. Are containers which contain waste fluids leaking?	in good condition and not visibly		X			
22. Are containers clearly and legibly labeled	to describe their contents?		X			
23. Are containers stored on a bermed pad co material?	nstructed of concrete or equivalent		区			
24. Are lead-acid batteries stored upright and	off the ground?		X			
25. Are lead-acid batteries covered to protect precipitation?	them from		X			
26. Are all lead-acid batteries sent for recyclin	g within one-year of receipt?		X			
27. Are <u>leaking</u> lead-acid batteries if any are containers separated from intact batteries	encountered, stored in leak-proof s?		X			
27a. Are provisions in place to absorb a	any acid leakage?		X			
28. Are mercury switches and other mercury of appropriate, labeled containers and then			Ø			
29. Are PCB capacitors, if any are encountere appropriate, labeled containers for recycle		×				
30. Is used oil stored in accordance with local the NYS Uniform Fire Prevention & Build	building codes, local fire codes, and ing Code?		X			
31. If sent off-site, is used oil transported via a	permitted hauler?		X			
32 If you do not burn used oil ons te check N	A for 32a., 32b., 32c. If you do, then an	swer 32a	, 32b.,	32c/		
32a. Is used oil burned in a used oil space capacity of 0.5 million BTU's per he			X			
32b. Do on-site space heaters burn only received from household do-it-you			X			
32c. Are combustion gases from used oil ambient air?	space heaters vented to the outside		Ø			,

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		\boxtimes		(C)
34. Are studges from sumps and oil water separators stored in covered, closed and labeled containers?	X			
35. Are sludges properly recycled or disposed?		X	Les tons	
36. Are used oil filters properly drained, crushed or dismantled?		X		
37. Are drained oil filters properly recycled or disposed?		X		
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?	X			
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?	区			
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	X			
the maximum amount of this material that your facility generates in any calendar month? Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)		_		gallons
NO				
				· .
COMMENTS? (Attach additional sheets if necessary)				
	<u></u>			
Reprinted (12/20				

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation Division of Materials Management Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260

Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

John	Admutts-	/- 21 - 2/ Date
	ignature	Date
John Ad Name	(Print or Type)	Title (Print or Type)
Buff Au	TO WALCKING @ AUL Email (Print or	· Type)
229	<i>Heagel Ark,</i> Address	BVFFBLO City
<u> </u>	Address	City
NEW YORK	14207	(7/6) 8 23 - 3699 Phone Number
	state and ZIP	Phone Number
4		
ATTACHMENTS: Y	s No	
∍d (12/20		