VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2021. This

annual report is for the year of operation from January 01, 2020 to December 31, 2020

SECTION 1 - FACILITY INFORMATION

	FACILITY	INFORMATION				
FACILITY NAME:						
M&M U-PULL-IT, INC.						
FACILITY LOCATION ADDRESS:	FACILITY		STATE			
2150 WILLIAM ST	BUFF	ALO	NY	14206		
FACILITY TOWN: FACILITY COUNTY: FACILITY PHONE NUMBER:						
SLOAN ERIE 716-896-1775						
FACILITY NYS PLANNING UNIT: (A list of NY Northeast Southtowns Solid Waste Management Board (ts can be found at the end of t	this repor	t). N	YSDEC REGION #: 9	
FACILITY TYPE: Vehicle Dismantler DMV I.D. # 7087875	_	Vehicle Repair Shop New Yehicle Crusher	IYS DEC	CACTIV	ITY CODE:	
FACILITY CONTACT: MARTIN MARKS	public private	CONTACT PHONE NUMBER: 716-896-1775	1 2 3	ONTAC	T FAX NUMBER:	
CONTACT EMAIL ADDRESS: MARTIN@MA	RKSAUTOP	ARTS.COM				
	OWNER	INFORMATION				
OWNER NAME: MARTIN MARKS	OWNER P 716-896-	HONE NUMBER: 1775	NON		NUMBER:	
OWNER ADDRESS: PO BOX 147	OWNER C	ITY:		STATE NY	: ZIP CODE: 14240	
OWNER CONTACT: OWNER CONTACT EMAIL ADDRESS: MARTIN MARKS MARTIN@MARKSAUTOPARTS.COM						
	OPERATO	RINFORMATION				
OPERATOR NAME: same as owner			_	_public ✓privat		
	PREI	ERENCES				
Preferred address to receive correspondence Other (provide):	e: Facility lo	cation address	✓ Ov	wner addre	ess	
Preferred email address: Facility Contact Other (provide):	✓ 01	vner Contact				
Preferred individual to receive correspondent Other (provide):	ce: Facili	y Contact	er Contact			
Did you operate in 2020 Yes; Complet	te this form.					
☐ No; Complete	e and submit	Sections 1 and 12.				

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES	
• Provide the number of ELVs received from January 1 to December 31:	4994
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	4003
Provide the number of ELVs stored at the facility as of December 31:	991
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	1020
Provide the approximate area used for the storage of vehicles (acres):	10acres
• Provide the names of scrap metal processors to which you sold or sent dec	commissioned ELVs:
MILLIRON & METAL	
3)	
3)	S (ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	·
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: • Provide the number of ELVs crushed from January 1 to December 3:	·
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	·
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	·
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE: • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	·
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	·

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Addres		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)					SEE ATTACHEMENT A
Used Oil** (gallons)					SEE ATTACHEMENT A
Diesel Fuel (gallons)					SEE ATTACHEMENT A
Gasoline (gallons)					SEE ATTACHEMENT A
Engine Coolant/ Antifreeze (gallons)					SEE ATTACHEMENT A
Window Washing Fluid (gallons)					SEE ATTACHEMENT A
Other (specify)					SEE ATTACHEMENT A

^{*} Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

Destination

Material Types	Received (tons)	Stored On Site (tons)	Sent Off Site (tons)	NYS <u>Planning Unit</u> (or state if other than New York)	To Scrap Metal Processor	
Ferrous Scrap Metal		7406.9	9993.14	Northeast Southtowns Solid Waste Manag	✓Yes	□No
Aluminum Scrap Metal					□Yes	□No
Lead Weights					□Yes	□No
Non – Ferrous Scrap Metal					□Yes	□No
Other (specify):					□Yes	□No
					□Yes	□No
Provide the number (H&TS) and antilock	r of mercury-cor k brake assemb	ntaining devices <u>rec</u> lies (ABS).		HES COLLECTED ng but not limited to hood & trunk lig	ghting sw	itches
(H&TS) and antilock	of mercury-cor k brake assemb H&TS <u>29</u> (Number) acility or permit	ntaining devices <u>red</u> plies (ABS). 26 ted transporter acce	covered. Includir	ng but not limited to hood & trunk lig ABS 1 (Number)	ghting sw	itches
(H&TS) and antilock	of mercury-cor k brake assemb H&TS <u>29</u> (Number) acility or permit	ntaining devices <u>red</u> plies (ABS). 26 ted transporter acce	covered. Includir	ng but not limited to hood & trunk lig ABS 1 (Number)	yhting sw	itches
(H&TS) and antilock ndicate permitted for ELVS MERCUF	r of mercury-cork brake assemb H&TS <u>29</u> (Number) acility or permitt	ntaining devices recolles (ABS). 96 ted transporter accelled PROGRAM	covered. Including the second	ng but not limited to hood & trunk lig ABS 1 1 (Number) ontaining devices:	ghting sw	itches
(H&TS) and antilock	r of mercury-cork brake assemble H&TS 29 (Number) acility or permitted RY SWITCH	ntaining devices recolles (ABS). 96 ted transporter accelled PROGRAM	epting mercury co	ng but not limited to hood & trunk lig ABS 1 1 (Number) ontaining devices:	ghting sw	itches

Reprinted (12/20

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.	_	
Number of Lead-Acid Batteries collected from ELVs:	0	
Indicate permitted facility or permitted transporter accepting lead-acid batte SEE ATTACHEMENT A	ries:	
Any materials disposed must undergo a hazardous waste determination an hazardous.	d proper handling, st	torage and disposal, if
SECTION 8 – WASTE TIRES CO	DLLECTED	
Number of waste tires stored on-site:	287	as of December 31
Number of used tires available for sale on-site:	163	as of December 31
Number of used tires sold:	5951	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	11874	during operating year
Indicate name of facility(ies) accepting waste tires:		
WNY TIRE LLC		
SECTION 9 - SELF INSPEC	TIONS	
Number of self-inspections conducted for the year:		4
Are self-inspection records up-to-date with inspector name, what was in ☑Yes ☐No	nspected, time and d	ate of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas in ☑Yes ☐No	nspected for leaks/s	pills?
SECTION 10 - PROBLE	MS	
Were any problems encountered during the reporting period (e.g., specifically procedures)?	fic occurrences whic	h have led to changes in
☐Yes ☑No If yes, attach additional sheets identifying each problem	n and the methods fo	or resolution of the problem
SECTION 11 - CHANG	ES	
Were there any changes from approved reports, plans, specifications, a	and permit conditions	;?
Yes No If yes, attach additional sheets identifying changes with	h a justification for ea	ach change.

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2018:

Waste Management Compliance Checklist	NA	Yes	No	Date of Return to Compliance
If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	V			
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		V		
3. Have you recorded the date of receipt for all end-of-life vehicles received?		V		
4. Are the end-of-life vehicle records available on-site?		V		
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids an unauthorized wastes?	d	V		
6. Have all observed leaks been remedied or contained?		V		
7. Does your facility have a written Contingency Plan?		$\overline{\mathbf{V}}$		
8. Are facility personnel trained to implement the Contingency Plan?		<		
9. Does your Contingency Plan include actions to be taken in the event of the following	llowing?			
9a. Fire.		V		
9b. Spill or release of vehicle waste fluids.		V		
9c. Unauthorized material received at facility.		V		
Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		1		
11. Are all vehicle residues prevented from migrating from or running off your property?		1		
12. Is dust controlled to prevent interference with facility operations or from leavin facility site?	g	7		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference wifacility operations?	ith 🔲	7		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		V		
15. Is access to your facility controlled by: fences, gates, sign and/or natural barri (not vehicles)?	ers	V		
15a. Are the access controls working (i.e. controlling access)?		V		
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete of equivalent material?	or 🔲	V		
17. Are you doing the following with your concrete (or equivalent surface) pad that draining, crushing, etc.?	t is used for	vehicle	disma	ntling, fluid
17a. Cleaning daily.		V	Ÿ	
17b. Cleaning spills as they occur.		V		
17c. Collecting and properly disposing of absorbent materials.		1		

Reprinted (12/20)

				1
				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
18. Have the following wastes been drained, removed, deployed, collected and/or stor practices, prior to vehicle crushing or shredding?	red follow	ing bes	st mana	gement
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		✓		
18b. Lead acid batteries.		1		
18c. Mercury switches or other mercury containing devices, if any.		1		
18d. Refrigerants, if any.		✓		
18e. Air bags.		\		
18f. PCB capacitors, if any.	V			
19. Are fluids stored separately & in containers that are compatible with their contents?		\checkmark		
20. Are fluids stored in closed containers?		1		
21. Are containers which contain waste fluids in good condition and not visibly leaking?		V		
22. Are containers clearly and legibly labeled to describe their contents?		>		
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?		\		
24. Are lead-acid batteries stored upright and off the ground?		1		
25. Are lead-acid batteries covered to protect them from precipitation?		V		
26. Are all lead-acid batteries sent for recycling within one-year of receipt?		>		
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		\		
27a. Are provisions in place to absorb any acid leakage?		1		
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		V		
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		V		
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		V		
31. If sent off-site, is used oil transported via a permitted hauler?		1		
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ans	swer 32a	., 32b.,	32c:	
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	✓			
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	V			
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?	V			

NA	Yes	No	Compliance
	V		
	V		
	1		
	1		
V			
V			
V			
	_	8.	pounds gallons

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

2) of the Environmental Conservation Law a	nd section 210.45 of the Penal Law.
Mut The	2/24/2021
Signature	Date
MARTIN MARKS	PRESIDENT
Name (Print or Type)	Title (Print or Type)
MARTIN@MARKSAL	JTOPARTS.COM
Email (P	rint or Type)
2150 WILLIAM ST	BUFFALO
Address	City
NY, 14206	⁷¹⁶ 896 1775
State and Zip	Phone Number

ATTACHMENTS: VES NO	ATTACHMENTS:	✓	YES		NO
---------------------	--------------	---	-----	--	----

Attachment A

- Dismantling of ELV's is performed at facilities 1 & 2
- Dismantling of ELV's is performed at facilities 1 & 2 for facility 3
- ELV's fluids are drained at facilities 1 & 2 for facility 4
- · Light dismantling (ie. Dry parts), is performed at facility 3
- · All crushing is performed at facility 4
- · Final check for mercury switches performed at facility 4
- Disposal of mercury switches is done thru facility 1, 2, 3, & 4
- All ELV's for facility 3 are purchased by facility 4

