

# VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2022

This annual report is for the year of operation from January 01, 2021 to December 31, 2021

SECTIO	N 1 - FACILITY INFORMATION	N Waterials MG			
18	FACILITY INFORMATION	ON Steinstein so noisivia			
FACILITY NAME:		1 40/52 4 0 874			
FAST CITY SUTO U	RECKARS INC.	000			
FACILITY LOCATION ADDRESS:	FACILITY CITY:	STATE: ZIP CODE:			
100 W 11 TH ST	HUNTINGTON STATI	ON MY 11746			
FACILITY TOWN:	FACILITY COUNTY:	FACILITY PHONE NUMBER:			
	SUFFOLK	63/673-2966			
FACILITY NYS PLANNING UNIT: (A list of NYS	Planning Units can be found at the end of t				
HUNTINGVON		REGION #:			
FACILITY TYPE: Vehicle Dismantler	☐ Motor Vehicle Repair Shop N	IYS DEC ACTIVITY CODE:			
DMV I.D. #_ 700 3331	☐ Mobile Vehicle Crusher	5 a J 2 le			
	public CONTACT PHONE	CONTACT FAX NUMBER:			
GEORGE VALENTINO	private NUMBER:	6 631673 2964			
CONTACT EMAIL ADDRESS:	100,010-70				
and the second and the second and the second	OWNER INFORMATION				
OWNER NAME:	OWNER PHONE NUMBER:	OWNER FAX NUMBER:			
GEORGE VALENTINO	631 678 6581				
OWNER ADDRESS:	OWNER CITY:	STATE: ZIP CODE:			
19 ORIOLE WAY	DIX HILLS	NY 11746			
OWNER CONTACT:	OWNER CONTACT EMAIL ADDRE				
6 KONGE		ECKIRS (a) GMBIL. COM			
	OPERATOR INFORMATION				
OPERATOR NAME: Same as owner		⊠public □private			
	PREFERENCES				
Preferred address to receive correspondence:  Other (provide):	Facility location address	Owner address			
Preferred email address: Facility Contact Other (provide):	Owner Contact				
Preferred individual to receive correspondence: Facility Contact					
Did you operate in 2021? Yes; Complete this form.  No; Complete and submit Sections 1 and 13					

Provide the number of ELVs received from January 1 to December 31:	_40
Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31:	_40
Provide the number of ELVs stored at the facility as of December 31:	35
Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31:	35
Provide the approximate area used for the storage of vehicles (acres):	
Provide the names of scrap metal processors to which you sold or sent de	commissioned ELVs:
SIM METAL	
6 hR SHOW	
)	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	S (ELVs) PROCESSED
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3:	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE  Provide the number of ELVs crushed from January 1 to December 3:  Provide the names of each facility where you crushed decommissioned El	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE  Provide the number of ELVs crushed from January 1 to December 3:  Provide the names of each facility where you crushed decommissioned El	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE  Provide the number of ELVs crushed from January 1 to December 3:  Provide the names of each facility where you crushed decommissioned El	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE  Provide the number of ELVs crushed from January 1 to December 3:  Provide the names of each facility where you crushed decommissioned El	
Provide the number of ELVs crushed from January 1 to December 3:  Provide the names of each facility where you crushed decommissioned El	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE  Provide the number of ELVs crushed from January 1 to December 3:  Provide the names of each facility where you crushed decommissioned El  (1)  (2)  (3)	

### **SECTION 3 - WASTE FLUIDS RECOVERED**

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e.  $\sqrt{s}$  or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Volume		Destination Name & Addres			
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)			
Refrigerant (pounds)	2	Z	Z					
Used Oil** (gallons)	0	2 55 Shim	JA 55 ORUM	J5 GAL Drun	WASTEOIC SOLUTION 109 THREKY ST WEST BABYLOD			
Diesel Fuel (gallons)	0	0	O	٥				
Gasoline (gallons)	Ø	0	U	0				
Engine Coolant/ Antifreeze (gallons)		155 Drum		1-55 Daum				
Window Washing Fluid (gallons)								
Other (specify)		V						

<sup>\*</sup> Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

<sup>\*\*</sup> Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

### **SECTION 4 - SCRAP METAL**

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

Itons   Iton	Mataulal Tours	Received	Stored On Site	Sent Off Site	Destination			
Metal  Aluminum Scrap Metal  Lead Weights  Non - Ferrous Scrap Metal  Other (specify):  SECTION 5 - MERCURY SWITCHES COLLECTED  Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switche H&TS) and antilock brake assemblies (ABS).  H&TS ABS	Material Types	rial Lynes I		The state of the s		Me	Metal	
Scrap Metal	• 1					Yes	□No	
Non – Ferrous Scrap Metal  Other (specify):  SECTION 5 – MERCURY SWITCHES COLLECTED  Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switche H&TS) and antilock brake assemblies (ABS).  H&TS	1					□Yes	□No	
Section 5 – Mercury switches collected  Trovide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switche + 4xTS) and antilock brake assemblies (ABS).  H&TS	Lead Weights					Yes	□No	
SECTION 5 – MERCURY SWITCHES COLLECTED  Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switche H&TS) and antilock brake assemblies (ABS).  H&TS						□Yes	□No	
SECTION 5 – MERCURY SWITCHES COLLECTED  Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switche H&TS) and antilock brake assemblies (ABS).  H&TS	Other (specify):					☐Yes	□No	
Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switche H&TS) and antilock brake assemblies (ABS).  H&TS						□Yes	□No	
Provide the number of air bags <u>recovered</u> .  Number of Air Bags Removed: Number of Air Bags Deployed:	ndicate permitted (	facility or permitte	ed transporter acce	epting mercury co				
Provide the number of air bags <u>recovered</u> .  Number of Air Bags Removed: Number of Air Bags Deployed:								
Number of Air Bags Removed: Number of Air Bags Deployed:	,		SECTION 6 -	AIR BAGS C	COLLECTED			
	Provide the numbe	r of air bags <u>rec</u>	overed.					
ndicate permitted facility or permitted transporter accepting air bags:	Number of Air Bag	s Removed:		_ Num	ber of Air Bags Deployed:			
	ndicate permitted	facility or permit	ted transporter ac	cepting air bags	:			
	<del></del>							

Reprinted (12/21)

#### SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid	batteries <u>recovered</u> and the	eir disposition.		
Number of Lead-Acid Batteries c	30_			
Indicate permitted facility or perm	itted transporter accepting	lead-acid batteries: BOHHMIR	NY	
Any materials disposed must unchazardous.	lergo a hazardous waste d	etermination and prope	er handling, sto	rage and disposal, if
	SECTION 8 - WAS	TE TIRES COLLEC	CTED	
Number of waste tires stored on-	site:		40-50	as of December 31
Number of used tires available for	r sale on-site:		40-50	as of December 31
Number of used tires sold:			40	during operating year
Number of waste tires shipped of	f-site for recycling, disposa	al, other:		during operating year
Indicate name of facility(ies) acce	epting waste tires:			
	· ·	ELF INSPECTION	S	
Number of self-inspections co  Are self-inspection records up  ☐ Yes ☐ No		me, what was inspecte	d, time and dat	e of inspection?
At a minimum, are fluid storag  ∭Yes ☐No	e areas, vehicles, vehicle	storage areas inspecte	ed for leaks/spil	ls?
	SECTION 10	) - PROBLEMS		
Were any problems encounter facility procedures)?	ed during the reporting per	riod (e.g., specific occu	rrences which t	nave led to changes in
Yes No If yes, attach	additional sheets identifyir	ng each problem and th	ne methods for	resolution of the problem
	SECTION 1	1 – CHANGES		
Were there any changes from	approved reports, plans, s	specifications, and per	mit conditions?	
Yes No If yes, attach	additional sheets identifyi	ng changes with a just	ification for eac	h change.
,				

⇒eprinted (12/21)

### **SECTION 12 - COMPLIANCE CERTIFICATION**

#### As of December 31, 2021:

	Waste Management Compliance Checklist	NA	Yes	No	Date of Return to Compliance
1. MC	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores PRE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	X			
2.	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		X		
3.	Have you recorded the date of receipt for all end-of-life vehicles received?				
4.	Are the end-of-life vehicle records available on-site?		$\square$		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?				
6.	Have all observed leaks been remedied or contained?				
7.	Does your facility have a written Contingency Plan?		X		
8.	Are facility personnel trained to implement the Contingency Plan?		X		
9.	Does your Contingency Plan include actions to be taken in the event of the follow	ing?	7		
	9a. Fire.		X		
	9b. Spill or release of vehicle waste fluids.		X		
	9c. Unauthorized material received at facility.		X		
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		X		
11.	Are all vehicle residues prevented from migrating from or running off your property?		X		
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?		X		·
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		X		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?		Х		
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		X		
	15a. Are the access controls working (i.e. controlling access)?		X		
16.	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		Y		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is draining, crushing, etc.?	used for	vehicle	dismar	ntling, fluid
	17a. Cleaning daily.		X		
	17b. Cleaning spills as they occur.		X		
	17c. Collecting and properly disposing of absorbent materials.		X		

Reprinted (12/21)

***************************************	and the second of the second o				Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or stor practices, prior to vehicle crushing or shredding?	ed follov	ving be	st mana	agement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).				
	18b. Lead acid batteries.		X		
	18c. Mercury switches or other mercury containing devices, if any.		4		
	18d. Refrigerants, if any.		X		
	18e. Air bags.		X		
	18f. PCB capacitors, if any.		X		
19.	Are fluids stored separately & in containers that are compatible with their contents?		図		
20.	Are fluids stored in closed containers?		X		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		X		
22.	Are containers clearly and legibly labeled to describe their contents?				
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		X		
24.	Are lead-acid batteries stored upright and off the ground?		X		
25.	Are lead-acid batteries covered to protect them from precipitation?		X		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		W		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		У		
	27a. Are provisions in place to absorb any acid leakage?		X		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		D.		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		Ø		
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		K		
31.	If sent off-site, is used oil transported via a permitted hauler?		Y		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a	, 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?			X	
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		X		
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?			X	

			Date of Return to
NA	Yes	No	Compliance
	X		
	X		
	X		
	X		
	X		
	7		
	X		
	Ø		
	区		
	_		pounds gallons
	NA	NA Yes	NA Yes No

#### SECTION 13 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

(2) of the Environmental Conservation Law	and section 210.45 of the Penal Law.
Signature	
ChORGE VALGIOTINO Name (Print or Type)	PRES Title (Print or Type)
FATCING BUTO WILCH	Print or Type)
19 ORIOCE WAY Address	DIX HILLS 104.
10 9. 11746 State and Zip	(BL) 678- 6581 Phone Number

ATTACHMENTS: YES NO

\* This page for reference only. Please do not return with submittal. \*

## Division of Materials Management New York State Department of Environmental Conservation Albany, New York 12233-7260

Forms for all solid waste management facilities can be found at <a href="http://www.dec.ny.gov/chemical/52706.html">http://www.dec.ny.gov/chemical/52706.html</a> and a brief description of each type of facility can be found at <a href="http://www.dec.ny.gov/chemical/8495.html">http://www.dec.ny.gov/chemical/8495.html</a>.

## VEHICLE DISMANTLING FACILITIES, MOTOR VEHICLE REPAIR SHOPS AND MOBILE VEHICLE CRUSHERS Annual Report

#### Submit the Annual Report no later than March 1, 2022.

Reporting of the information indicated on this Vehicle Dismantling, Motor Vehicle Repair Shop and Mobile Vehicle Crusher Annual Report form is required pursuant to 6 NYCRR 360-12.1(c) and 360.19(k)(12). Failure to provide the required information requested is a violation of Environmental Conservation Law. Timely submission of a properly completed form to the Department's Regional Office that has jurisdiction over your facility and to the Department's Central Office is required to meet the Annual Report requirements of 6 NYCRR Part 360.

Reporting of the information indicated on this Mandatory Annual Report including Self-Certification for Vehicle Dismantling Facilities fulfills the reporting requirements pursuant to 6 NYCRR 360-12.1(c).

Entries on the report forms should be either typewritten or neatly printed in black ink. Attach additional sheets if space on the pages is insufficient or supplementary information is required or appropriate.