

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2022

This annual report is for the year of operation from <u>January 01, 2021</u> to <u>December 31, 2021</u>

SECTION 1 - FACILITY INFORMATION

THE REPORT OF THE PROPERTY OF	FACILITY IN		1,121,129,196,196,196 1,121,121,121,121,121,121,121,121,121,1	il plychaatha Lite oosage	
FACILITY NAME:		RECEIVEL NYS DEC)		
Mustan Auto Parts INC					
FACILITY LOCATION ADDRESS:	FACILITY CIT	MAR 07 20	22	STATE	: ZIP CODE:
127- 54 Willets Pt Blvd	Corona	DIVISION O	II.	NY	11368
FACILITY TOWN:	FACILITY CO	UNTY:	FACIL		ONE NUMBER:
Flushing	Queens	3	718	8440028	
FACILITY NYS PLANNING UNIT: (A list of NYS New York City	S Planning Units c	an be found at the end of	this repor		IYSDEC REGION #: 2
FACILITY TYPE: Vehicle Dismantler	☑ Motor Vel	hicle Repair Shop	NYS DEC	ACTIV	ITY CODE:
DMV I.D. #7128586	☐ Mobile Ve	ehicle Crusher	ave a service		
FACILITY CONTACT:		ONTACT PHONE	С	ONTAC	T FAX NUMBER:
Mohammad,Wahdat	private N	UMBER: 8-844-0028			
CONTACT EMAIL ADDRESS:	L.				
	OWNER INF	ORMATION			
OWNER NAME:		NE NUMBER:	OWNE	R FAX	NUMBER:
Mohammad,Wahdat	718-844-3	392			
OWNER ADDRESS: 127-54 Willets Pt Blvd	OWNER CITY Corona	/ :		STATE NY	: ZIP CODE: 11368
OWNER CONTACT:		ITACT EMAIL ADDR			
	IMustandus	seaparts(wama)	1.60111		
	Mustangus OPERATOR II	sedparts@gmai	1.60111		senera di esceptione en ances
OPERATOR NAME: same as owner]publid	
OPERATOR NAME: same as owner		NEORMATION :		_public	
OPERATOR NAME: same as owner Preferred address to receive correspondence. Other (provide):		NEORMATION :			
Preferred address to receive correspondence		NEORMATION SENCES on address		☑ privat	
Preferred address to receive correspondence. Other (provide): Preferred email address: Facility Contact	PRESE	RENCES on address		☑ privat	
Preferred address to receive correspondence. Other (provide): Preferred email address: Facility Contact Other (provide): Preferred individual to receive correspondence Other (provide):	PRESE	RENCES on address		☑ privat	
Preferred address to receive correspondence. Other (provide): Preferred email address: Facility Contact Other (provide): Preferred individual to receive correspondence	PRESE	RENCES on address		☑ privat	

Provide the number of ELVs received from January 1 to December 31:	65
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	27
Provide the number of ELVs stored at the facility as of December 31:	70
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	70
 Provide the approximate area used for the storage of vehicles (acres): 	1,000 acres
Provide the names of scrap metal processors to which you sold or sent de-	commissioned ELVs:
1)	
0)	
21	
3)	
3)SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	S (ELVs) PROCESSEI
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)			13LBS		
Used Oil** (gallons)				110Gallons	
Diesel Fuel (gallons)					
Gasoline (gallons)	100 Gallons				
Engine Coolant/ Antifreeze (gallons)				60Gallons	
Window Washing Fluid (gallons)	11Gallons				
Other (specify)					

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period. **Destination** Received Stored On Site Sent Off Site **Material Types** (tons) (tons) (tons) To Scrap NYS Planning Unit (or state if Metal other than New York) **Processor** 18 Tons Ferrous Scrap Garshow Recycling Yes □No Metal 350Lbs Aluminum □No ✓ Yes Alpha Recycling Scrap Metal Lead Weights ✓ Yes □No Garshow Recycling Non - Ferrous ☐Yes □No Scrap Metal Other (specify): Yes □No ☐Yes □No **SECTION 5 - MERCURY SWITCHES COLLECTED** Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS 9 (Number) ABS (Number) Indicate permitted facility or permitted transporter accepting mercury containing devices: SECTION 6 - AIR BAGS COLLECTED Provide the number of air bags recovered. 25 50 Number of Air Bags Removed: Number of Air Bags Deployed: Indicate permitted facility or permitted transporter accepting air bags:

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.		
Number of Lead-Acid Batteries collected from ELVs:	35	
Indicate permitted facility or permitted transporter accepting lead-acid batte	ries:	
Any materials disposed must undergo a hazardous waste determination an hazardous.	d proper handling,	storage and disposal, if
SECTION 8 – WASTE TIRES CO	DLLECTED	
Number of waste tires stored on-site:	55	as of December 31
Number of used tires available for sale on-site:	45	as of December 31
Number of used tires sold:	38	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	200	during operating year
Indicate name of facility(ies) accepting waste tires:		
SECTION 9 - SELF INSPEC	TIONS	···
Number of self-inspections conducted for the year:		45
Are self-inspection records up-to-date with inspector name, what was in ☐ Yes ☑ No	spected, time and	date of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas in ☐Yes ☑No	nspected for leaks	/spills?
SECTION 10 - PROBLE	MS	
Were any problems encountered during the reporting period (e.g., specificality procedures)?	fic occurrences wh	ich have led to changes in
☐Yes ☑No If yes, attach additional sheets identifying each problem	n and the methods	for resolution of the problem
SECTION 11 – CHANG	ES	
Were there any changes from approved reports, plans, specifications, a	and permit conditio	ns?
☐ Yes ☑ No If yes, attach additional sheets identifying changes wit	h a justification for	each change.

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2021:

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?		V		
2. Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?	V			, , , , , , , , , , , , , , , , , , , ,
3. Have you recorded the date of receipt for all end-of-life vehicles received?		~		
4. Are the end-of-life vehicle records available on-site?		~		
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		1		
6. Have all observed leaks been remedied or contained?		\		
7. Does your facility have a written Contingency Plan?		\ <u>\</u>		
8. Are facility personnel trained to implement the Contingency Plan?		V		
9. Does your Contingency Plan include actions to be taken in the event of the following	ng?			
9a. Fire.		N		
9b. Spill or release of vehicle waste fluids.		~		
9c. Unauthorized material received at facility.		5		
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		<		
11. Are all vehicle residues prevented from migrating from or running off your property?		~		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?		V		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		~		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		~		
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		V		
15a. Are the access controls working (i.e. controlling access)?		~		_
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		~		
17. Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	ised for	vehicle	dismar	ntling, fluid
17a. Cleaning daily.		V		
17b. Cleaning spills as they occur.		V		
, 17c. Collecting and properly disposing of absorbent materials.		~		

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	ed follow	ving bes	st mana	gement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		4		
	18b. Lead acid batteries.		7		
	18c. Mercury switches or other mercury containing devices, if any.		7		
	18d. Refrigerants, if any.		V		
	18e. Air bags.		~		
	18f. PCB capacitors, if any.		2		
19.	Are fluids stored separately & in containers that are compatible with their contents?		~		
20.	Are fluids stored in closed containers?		V		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		\		
22.	Are containers clearly and legibly labeled to describe their contents?		<		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		L		
24.	Are lead-acid batteries stored upright and off the ground?		٧		
25.	Are lead-acid batteries covered to protect them from precipitation?		~		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		>		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		S		
	27a. Are provisions in place to absorb any acid leakage?		٧		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		4		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		V		
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		\		
31.	If sent off-site, is used oil transported via a permitted hauler?		V		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a.	, 32b.,	32c:	-
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?			১	-
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?			V	
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?			~	

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		V		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	V			
35. Are sludges properly recycled or disposed?		7		
36. Are used oil filters properly drained, crushed or dismantled?		V		
37. Are drained oil filters properly recycled or disposed?		7		
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?		٧		
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		٧		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		~		
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?			I/A I/A	pounds gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.) No				
COMMENTS? (Attach additional sheets if necessary)				

SECTION 13 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

	Feb 28,2021
Signature	Date
Mohammad,Wahdat	President
Name (Print or Type)	Title (Print or Type)
Mustangusedpats@g	gmail.com
Email (Print or Type)
127-54 Willets Pt Blvd	Corona
Address	City
NY/11368	718 844 0028
State and Zip	Phone Number

ATTACHMENTS: YES NO

* This page for reference only. Please do not return with submittal. *

Division of Materials Management New York State Department of Environmental Conservation Albany, New York 12233-7260

Forms for all solid waste management facilities can be found at http://www.dec.ny.gov/chemical/52706.html and a brief description of each type of facility can be found at http://www.dec.ny.gov/chemical/8495.html.

VEHICLE DISMANTLING FACILITIES, MOTOR VEHICLE REPAIR SHOPS AND MOBILE VEHICLE CRUSHERS Annual Report

Submit the Annual Report no later than March 1, 2022.

Reporting of the information indicated on this Vehicle Dismantling, Motor Vehicle Repair Shop and Mobile Vehicle Crusher Annual Report form is required pursuant to 6 NYCRR 360-12.1(c) and 360.19(k)(12). Failure to provide the required information requested is a violation of Environmental Conservation Law. Timely submission of a properly completed form to the Department's Regional Office that has jurisdiction over your facility and to the Department's Central Office is required to meet the Annual Report requirements of 6 NYCRR Part 360.

Reporting of the information indicated on this Mandatory Annual Report including Self-Certification for Vehicle Dismantling Facilities fulfills the reporting requirements pursuant to 6 NYCRR 360-12.1(c).

Entries on the report forms should be either typewritten or neatly printed in black ink. Attach additional sheets if space on the pages is insufficient or supplementary information is required or appropriate.