

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP

AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2022

This annual report is for the year of operation from January 01, 2021 to December 31, 2021

SECTION 1 - FACILITY INFORMATION

	FACILITY	INFORMATION		化过度		
FACILITY NAME:						
Brookfield Resource Manager	nent, Ind)				
FACILITY LOCATION ADDRESS:	FACILITY	CITY:	ZIP CODE:			
100 Lamont Street	Elmsford NY 10523					
FACILITY TOWN:	FACILITY COUNTY: FACILITY PHONE NUMBE					
Elmsford Westchester 914-592-5250					5250	
FACILITY NYS PLANNING UNIT: (A list of NY Westchester County	S Planning Uni	ts can be found at the end of t	his repo		sdec gion #: 3	
FACILITY TYPE: Vehicle Dismantler	Motor	Vehicle Repair Shop N	YS DE	C ACTIVIT	Y CODE:	
DMV I.D. #7002774		Vehicle Crusher 60	0 J 04	No. 2 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -		
FACILITY CONTACT:	D public	CONTACT PHONE	(CONTACT	FAX NUMBER:	
John Costello	🔽 private	NUMBER: 914-592-5250	9	914-592-5337		
CONTACT EMAIL ADDRESS: john.costello@	brookfieldco	b.com				
	OWNER	INFORMATION				
OWNER NAME: Brookfield Resource Management, Inc.	OWNER P 914-592	OWNER FAX NUMBER: 914-592-5337				
OWNER ADDRESS:				ZIP CODE:		
100 Lamont Street	Elmsford			NY	10523	
OWNER CONTACT:		CONTACT EMAIL ADDRE		~		
John Costello		stello@brookfieldc		<u>n</u>		
	OPERATO	R INFORMATION				
OPERATOR NAME: Same as owner				☐public ☑private		
	PRE	FERENCES				
Preferred address to receive correspondence	: 🔽 Facility lo	cation address		wner address	5	
Preferred email address: Facility Contact	D٥	wner Contact	_			
Preferred individual to receive correspondence	e: 🗹 Facili	ty Contact 🔲 Owne	r Contaci			
Did you operate in 2021? Yes; Complet	e this form					

No; Complete and submit Sections 1 and 13

 Provide the number of ELVs received from January 1 to December 31: 	7,450
Denite the surplus of EDV/s emphasized and/or remained from the facility	
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	5,936
 Provide the number of ELVs stored at the facility as of December 31: 	274
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	400
at any one time nom sandary i to becember 51.	
 Provide the approximate area used for the storage of vehicles (acres): 	1acres
Provide the names of scrap metal processors to which you sold or sent de Descap	commissioned ELVs:
₂₎ NH Kelman	
Upstate Shreddind	
³⁾ Upstate Shredding	
3) Upstate Shredding SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	S (ELVs) PROCESSE
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL 1) 2)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1) 2) 3)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	

Reprinted (12/21)

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e.</u> \sqrt{s} or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address			
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)	
Refrigerant (pounds)			950			
Used Oil** (gallons)	3,675	250	32,760			
Diesel Fuel (gallons)	8,875	650	26,575			
Gasoline (gallons)	49,250	6,506				
Engine Coolant/ Antifreeze (gallons)			7,366			
Window Washing Fluid (gallons)						
Other (specify)						

* Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

** Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

				Destination				
Material Types	flaterial Types Received (tons) Stored On Site (tons) (tons) (tons)		NYS <u>Planning Unit (</u> or state if other than New York)	To Scrap Metal Processor				
Ferrous Scrap Metal	37,377.34	832.08	38,037.00	New Jersey	□Yes	□No		
Aluminum Scrap Metal	1,364.86	602.31	2,815.79		□Yes	⊡No		
Lead Weights		0.72			□Yes	□No		
Non – Ferrous Scrap Metal	5,096.09	761.93	3,109.47	New Jersey	□Yes	₽No		
Other (specify):					□Yes	□No		
					□Yes	⊡No		

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing devices <u>recovered</u>. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS).

H&TS 103 (Number)

ABS	0
(Numbe	r)

Indicate permitted facility or permitted transporter accepting mercury containing devices:

:	SECTION 6 – AI	R BAGS COLLECTED	
Provide the number of air bags <u>recov</u>	ered.		
Number of Air Bags Removed:	0	Number of Air Bags Deployed:	0
Indicate permitted facility or permitte	d transporter accep	ting air bags:	

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.

Number of Lead-Acid Batteries collected from ELVs:

398

Indicate permitted facility or permitted transporter accepting lead-acid batteries:

Intera Material 7247 National Drive Hanover, MD 21076

Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disposal, if hazardous.

SECTION 8 – WASTE TIRES COLLECTED

28 500	uring operating year uring operating year
	u

SECTION 9 – SELF INSPECTIONS	50					
Number of self-inspections conducted for the year:	52					
Are self-inspection records up-to-date with inspector name, what was inspected, time and date of inspection? ☐ Yes ☐ No						
At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills? ☑ Yes □No						
SECTION 10 - PROBLEMS	·····					
Were any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures)?						
Yes Vo If yes, attach additional sheets identifying each problem and the mo	ethods for resolution of the problem					
SECTION 11 – CHANGES						
Were there any changes from approved reports, plans, specifications, and permit co	onditions?					
Yes No If yes, attach additional sheets identifying changes with a justification for each change.						

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2021:

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	\checkmark			
2.	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		\checkmark		
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		\checkmark		
4.	Are the end-of-life vehicle records available on-site?		\checkmark		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		\checkmark		
6.	Have all observed leaks been remedied or contained?		\checkmark		
7.	Does your facility have a written Contingency Plan?		\checkmark		
8.	Are facility personnel trained to implement the Contingency Plan?		\checkmark		
9.	Does your Contingency Plan include actions to be taken in the event of the following	ng?			
	9a. Fire.		\checkmark		
	9b. Spill or release of vehicle waste fluids.		\checkmark		
	9c. Unauthorized material received at facility.			\checkmark	
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		\checkmark		
11.	Are all vehicle residues prevented from migrating from or running off your property?		\checkmark		
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?		\checkmark		
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		\checkmark		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?		$\overline{\mathbf{V}}$		
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		\checkmark		
	15a. Are the access controls working (i.e. controlling access)?		$\overline{\mathbf{A}}$		
16.	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		$\overline{\mathbf{V}}$		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	sed for	vehicle	disma	ntling, fluid
	17a. Cleaning daily.		\checkmark		
	17b. Cleaning spills as they occur.		\checkmark		
	17c. Collecting and properly disposing of absorbent materials.		\checkmark		

				Date of Return to
Waste Management Compliance Checklist	, NA	Yes	No	Compliance
 Have the following wastes been drained, removed, deployed, collected and/or sto practices, prior to vehicle crushing or shredding? 	red follow	ving bes	st mana	gement
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		\checkmark		
18b. Lead acid batteries.		\checkmark		
18c. Mercury switches or other mercury containing devices, if any.		\checkmark		
18d. Refrigerants, if any.		1		
18e. Air bags.		\checkmark		
18f. PCB capacitors, if any.		1		
19. Are fluids stored separately & in containers that are compatible with their contents?		\checkmark		
20. Are fluids stored in closed containers?		V		
21. Are containers which contain waste fluids in good condition and not visibly leaking?		\checkmark		
22. Are containers clearly and legibly labeled to describe their contents?		\checkmark		
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?		\checkmark		
24. Are lead-acid batteries stored upright and off the ground?		\checkmark		
25. Are lead-acid batteries covered to protect them from precipitation?		\checkmark		
26. Are all lead-acid batteries sent for recycling within one-year of receipt?		\checkmark		
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		\checkmark		
27a. Are provisions in place to absorb any acid leakage?		1		
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		\checkmark		
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		\checkmark		
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		\checkmark		
31. If sent off-site, is used oil transported via a permitted hauler?		\checkmark		
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then and	swer 32a.	, 32b.,	32c:	
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		\checkmark		
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		\checkmark		
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		\checkmark		

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		\checkmark		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?		\checkmark		
35. Are sludges properly recycled or disposed?		1		
36. Are used oil filters properly drained, crushed or dismantled?		\checkmark		
37. Are drained oil filters properly recycled or disposed?		$\overline{\mathbf{V}}$		
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?	$\overline{\mathbf{V}}$			
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?	\checkmark			
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	\checkmark			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		÷	N/A	pounds gallons

Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)

N/A

COMMENTS?	(Attach additional sheets if necessary)
N/A	

SECTION 13 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation Division of Materials Management Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260 Fax 518-402-9041 Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Signature **Thomas J Malone** President Name (Print or Type) Title (Print or Type) tom.malone@brookfieldco.com Email (Print or Type) 100 Lamont Street Elmsford Address City 914,592,5250 Phone Number NY 10523 State and Zip