

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2022

This annual report is for the year of operation from January 01, 2021 to December 31, 2021

SECTION 1 - FACILITY INFORMATION FACILITY INFORMATION FACILITY NAME: FACILITY LOCATION ADDRESS: ZIP CODE: ANNING UNIT: (A list of NYS Planning Units can be found at the end of this report). NYSDEC REGION #: Motor Vehicle Repair Shop NYS DEC ACTIVITY CODE: Mobile Vehicle Crusher **DMV I.D. # FACILITY CONTACT:** public CONTACT PHONE CONTACT FAX NUMBER: NUMBER: - private **CONTACT EMAIL ADDRESS:** OWNER INFORMATION OWNER FAX NUMBER: OWNER NAME: 518-399 STATE: ZIP CODE: OWNER ADDRESS OWNER CONTACT EMAIL ADDRESS: **OPERATOR INFORMATION** □ public **OPERATOR NAME:** same as owner private PREFERENCES Preferred address to receive correspondence: 🔲 Facility location address Owner address Other (provide): Preferred email address: Other (provide): Facility Contact Owner Contact Preferred individual to receive correspondence: Other (provide): Did you operate in 2021? Yes; Complete this form. No; Complete and submit Sections 1 and 12.

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLE	• • • • • • • • • • • • • • • • • • • •
 Provide the number of ELVs received from January 1 to December 31; 	984
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	534
Provide the number of ELVs stored at the facility as of December 31:	1450
Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31:	1700
Provide the approximate area used for the storage of vehicles (acres):	145 acres
Provide the names of scrap metal processors to which you sold or sent de	commissioned ELVs:
1) Union Scrap processing	
2) Ben Wetzman	
V.I cxp	
Kelman Surep	S (ELVs) PROCESSED
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	\$ (ELVs) PROCESSED
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3:	NA
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	N/A
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	N/A
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	N/A
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELVs.	N/A
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL	N/A
12 1 = 10	N/A

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

	Fluid Volume				Destination Name & Address
Waste Fluid Recovered	Used on∗site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	40	10	0	15	Bay 7 Sheps Al: Auto
Used Oil** (gallons)	J)	200	800		sheldon oil
Diesel Fuel (gallons)	100	0	U		
Gasoline (gallons)	900	40			Used at Lake Auto parts
Engine Coolant/ Antifreeze (gallons)		250	500		Sheldon oil sed at Lakeantipots
Window Washing Fluid (gallons)	20	10	100		used at Lakewayests
Other (specify)					
		-			

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting

Material Types	Received	Stored On Site	Sent Off Site (tons)	Destination					
	(tons)	(tons)		NYS <u>Planning Unit (or state if</u> other than New York)	Me	icrap etal essor			
Ferrous Scrap Metai	13-20	0		Ben wetzman	ØYes	∏No			
Aluminum Scrap Metal	40	0		Kelmans	Yes	□No			
Lead Weights			yes	Kelmons on Rus	⊠Yes	□No			
Non – Ferrous Scrap Metal)	Kelmins a Riss	es	□No			
Other (specify):					∐Yes	□No			
					∐Yes	□No			

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing dev (H&TS) and antilock brake assemblies (ABS).	vices <u>recovered</u>	<u>1</u> . Including but not limited to	hood & trur	nk lighting switches
H&TS(Number)		ABS (Number)		
Indicate permitted facility or permitted transpor	rter accepting n	nercury containing devices:		
SECTION	ON 6 – AIR I	BAGS COLLECTED		1
Provide the number of air bags recovered.	11/1			11/4
Number of Air Bags Removed: /	V/24	Number of Air Bags De	ployed:	14/1/
Indicate permitted facility or permitted transp	orter accepting	gairbags:	- R-	112
det frojed	<u> </u>	Union surap	<u> Den</u>	Ver2man

Provide the number of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of the purpose of load poid between a variety of load poid betwee	
Provide the number of lead-acid batteries recovered and their disposition.	
Number of Lead-Acid Batteries collected from ELVs:	
Indicate permitted facility or permitted transporter accepting lead-acid batteries:	
main care	
	•
Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disp hazardous.	oosal, if
SECTION 8 - WASTE TIRES COLLECTED	
Number of waste tires stored on-site:	cember 31
North and discount of the control of	cember 31
Number of used tires sold: 300 during ope	
Number of waste tires shipped off-site for recycling, disposal, other: /750 during ope	
Indicate name of facility(ies) accepting waste tires:	
world wide tire	
	<u>.</u>
	
SECTION 9 – SELF INSPECTIONS	<u>_</u>
Number of self-inspections conducted for the year:	
Are self-inspection records up-to-date with inspector name, what was inspected, time and date of inspectio	– n2
☐Yes Mo	• • •
At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills? Yes No	
SECTION 10 - PROBLEMS	
Were any problems encountered during the reporting period (e.g., specific occurrences which have led to ch facility procedures)?	anges in
Yes No If yes, attach additional sheets identifying each problem and the methods for resolution of t	he problem
SECTION 11 - CHANGES	
Were there any changes from approved reports, plans, specifications, and permit conditions?	
Yes No If yes, attach additional sheets identifying changes with a justification for each change.	

6831 F.VV6/VV4

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2021:

\					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. MOF	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores LETHAN 1,000 tires, do you have a PART 360 permit for tire storage?	V			
	s a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?	V			
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		図		
4.	Are the end-of-life vehicle records available on-site?		凹		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		N		
6.	Have all observed leaks been remedied or contained?				
7.	Does your facility have a written Contingency Plan?		回		
8.	Are facility personnel trained to implement the Contingency Plan?				
9.	Does your Contingency Plan include actions to be taken in the event of the following	ng?	, ,		
	ea. Fire.				
	9b. Spill or release of vehicle waste fluids.				-
	9c. Unauthorized material received at facility.				
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?				
11.	Are all vehicle residues prevented from migrating from or running off your property?				
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?				
	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?				
l	Are waste fluids kept from being discharged onto the ground or into surface waters?				
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		Image: second content of the content of		
	15a. Are the access controls working (i.e. controlling access)?		V		
ĺ	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		1		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is underlying, crushing, etc.?	ised for	vehicle	disma	ntling, fluid
	17a. Cleaning daily.				
	17b. Cleaning spills as they occur.	- hidde to	M		
	17c. Collecting and properly disposing of absorbent materials.				

Reprinted (12/21)

					Date of Return to
(/ 	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	ed follow	ing bes	st mana	gement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).				
	18b. Lead acid batteries.	4	0		
	18c. Mercury switches or other mercury containing devices, if any.		L/		
	18d. Refrigerants, if any.		8		
	18e. Air bags.				_
	18f. PCB capacitors, if any.	N			
19.	Are fluids stored separately & in containers that are compatible with their contents?				
20.	Are fluids stored in closed containers?		2		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?				
22.	Are containers clearly and legibly labeled to describe their contents?			Щ	
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?				
24.	Are lead-acid batteries stored upright and off the ground?				
25.	Are lead-acid batteries covered to protect them from precipitation?				
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?				N
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?				
	27a. Are provisions in place to absorb any acid leakage?		K		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		Ø		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?				
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?				
•	If sent off-site, is used oil transported via a permitted hauler?				
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ans	wer 32a	., 32b.,	32¢:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?				
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?				
	32c. Are combustion gases from used oil space heaters vented to the outside				

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?	Access to the control of the control	ď		embluma or a set to " agree at 1190 mg a con-
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?				
35. Are sludges properly recycled or disposed?				
36. Are used oil filters properly drained, crushed or dismantled?				
37. Are drained oil filters properly recycled or disposed?		V		
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c. 			·	
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?				
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		回	, 🔲	
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?			口	
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?			UM V A	pounds
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
COMMENTS? (Attach additional sheets if necessary)				

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Phil He trans
President

Name (Print or Type)

Phil Q a (east a Parts. carrent)

Email (Print or Type)

498-503 Scharber Ad

Address

Resident

Title (Print or Type)

Ballston (else / City)

ATTACHMENTS: YES NO