

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2022

This annual report is for the year of operation from January 01, 2021 to December 31, 2021

SECTION 1 - FACILITY INFORMATION

	FACILITY INFORMATION				
FACILITY NAME:					
U. Pull U. Save Acuto	Parts Inc.				
FACILITY LOCATION ADDRESS:	FACILITY CITY:		STATE;	ZIP CODE:	
7030 Myers Rd	E. Syracuse		NY	13057	
FACILITY TOWN:	FACILITY COUNTY:	FACIL	ITY PHO	NE NUMBER:	
manlius	manlius Dnondaga 315-656.7533				
FACILITY NYS PLANNING UNIT: (A list of NYS	S Planning Units can be found at the end o	of this report	1	SDEC 7	
Thoasosi			KE	GION #: /	
FACILITY TYPE: Vehicle Dismantler	Motor Vehicle Repair Shop	NYS DEC	ACTIVIT	Y CODE:	
DMVI.D. # 1100 805	Mobile Vehicle Crusher	50	215		
FACILITY CONTACT:	public CONTACT PHONE	C	ONTACT	FAX NUMBER:	
Dan Abold	Reprivate NUMBER: 315-656-753	3	315.6	56-7544	
CONTACT EMAIL ADDRESS: dan-	abold 6 @yahoo.co		the designation of the second	if the first shaken when we were an experience of the first shaken shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken we want to be a second of the first shaken with the first shaken we want to be a second of the first shaken with the first shaken we want to be a second of the first shaken with the first shaken we want to be a second of the first shaken with the first shaken we want to be a second of the first shaken with the first shaken we want to be a second of the first shaken which we want to be a second of the first shaken with the first shaken with the first shaken we want to be a second of the first shaken with the first shaken will be a second of the first shaken with the first shaken with the first shaken will be a second of the first shaken with the first shaken w	
	OWNER INFORMATION				
OWNER NAME:	OWNER PHONE NUMBER:	OWNE	R FAX N	UMBER:	
u. Pall u. sowe Autob	15-656.7533	315	5-65	2-7544	
OWNER ADDRESS:	OWNER CITY:		STATE:	ZIP CODE:	
7030 Myers Ral	E-Syracuse		NY	13057	
OWNER CONTACT:	OWNER CONTACT EMAIL ADDR		_		
Dan Abold	dan_abold6@ya	noo. Cer	rez		
	OPERATOR INFORMATION				
OPERATOR NAME: Same as owner		5	∏public ∏private		
	PREFERENCES			Andrews	
Preferred address to receive correspondence:	Facility location address	□ on	mer addres:	9	
Preferred email address: Facility Contact Other (provide):	Owner Contact	eta 1965 (Yzi <mark>kulla ilikki</mark> kasarana era era eta bai e 1966)	- Andrew Control of the Control of t	RECEIVED	
Preferred individual to receive correspondence Other (provide):	9: Facility Contact Ow	ner Contact		NYS DEC	
				FEB 23 2022	
Did you operate in 2021? Yes; Complete	e this form.		L	DIVISION OF MATERIALS MANAGEMENT	
□ Na; Complete	and submit Sections 1 and 12.				

Provide the number of ELVs received from January 1 to December 31:	4986
Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31:	2800
Provide the number of ELVs stored at the facility as of December 31:	1600
Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31:	/600
Provide the approximate area used for the storage of vehicles (acres):	acres
Provide the names of scrap metal processors to which you sold or sent dec	commissioned ELVs:
1) Century Enterprise	
o upstate Shreading	
metalico Boffelo	
ection 28 Mobile Crushers - END-OF-LIFE VEHICLES	S (ELVs) PROCESSED
metalico Buffalo	S (ELVs) PROCESSED
ECTION 28 MOBILE CRUSHERS - END-OF-LIFE VEHICLES	N/A
ECTION 28 MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3:	N/A
ECTION 28 MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELVs	N/A
ECTION 28 MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELVs.	N/A
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELVs.	N/A
ECTION 28 MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELVs.	N/A
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned ELVs.	N/A

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)		8006	વા	0	A/C Alfa Cantor Benton Refrigeration
Used Oil** (gallons)	Some	150 Galby	7000	٥	Benton Retrigention Sheldon oil Recovery Solvents 1 Petrolumn Sen
Diesel Fuel (gallons)	a1)	Sogallon	none	0	
Gasoline (gallons)	911	75-100	200 64/1045	0	Solvents & Petrolumn Sheldon oil Recovery Solvents & Petrolumn Se
Engine Coolant/ Antifreeze (gallons)	0	140 (mallon)	Sixo	0	Solvents & Petrolumn Se
Window Washing Fluid (gallons)	0	2.5	800	0	Solvents & Petrolvium
Other (specify)					
таким в видере прои об выпованей в в об обходительной раздей раздельную выпований в обходительной в обходитель			and and the state of		

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal,
if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 -- SCRAP METAL

		C	8 .0#5p	Destination		
Material Types	Received (tons)	Stored On Site (tons)	Sent Off Site (lons)	NYS <u>Planning Unit (</u> or state If other than New York)	To Scrap Metal Processor	
Ferrous Scrap Metal	cniz no seem	٥			[∏Yəs	□ _N
Aluminum Scrap Metal	Just what we produce	O	S	metalico syracuse opstate shreading motalico syracuse	ĽÝes	□No
Lead Weights	Just what we produce	Ó	100 pouls	motalico syrucise	☑Yes	□Nc
Non – Ferrous Scrap Metal	0	0			□Yes	□Nc
Other (specify);		reference of the second			₽Yes	□No
					□Yes	
	SEC ⁻	TION 5 - MERC	CURY SWITC	HES COLLECTED	Птв	
	er of mercury-cont ck brake assembli	taining devices <u>rec</u> ies (ABS).	_	ng but not limited to hood & trunk :		
	er of mercury-cont	taining devices <u>rec</u> ies (ABS).	_			
(H&TS) and antilo	er of mercury-cont ck brake assembli H&TS (Number)	taining devices recies (ABS).	overed. Includir	ng but not limited to hood & trunk in ABS		
(H&TS) and antilo	er of mercury-cont ck brake assembli H&TS (Number)	taining devices receives (ABS). SOO ed transporter acce	overed. Includir	ng but not limited to hood & trunk in ABS		
(H&TS) and antilo	er of mercury-cont ck brake assembli H&TS (Number) Ifacility or permitte リンントレーム	taining devices receives (ABS). SOO ed transporter acce	overed. Includir	ng but not limited to hood & trunk in ABS		
(H&TS) and antilo	er of mercury-cont ck brake assembli H&TS (Number) Ifacility or permitte リンントレーム	taining devices receives (ABS). SOO ed transporter acce	epting mercury o	ABS <u>LSO</u> (Number) ontaining devices: LCV ES		
H&TS) and antilo	er of mercury-contick brake assembling H&TS (Number) I facility or permitter I facility or per	taining devices recies (ABS). 300 ed transporter acces Met Co SECTION 6 -	epting mercury of	ABS	ighting sw	itches
Provide the numb	er of mercury-cont ck brake assembli H&TS (Number) Ifacility or permitte ハンントルトロ くっての	taining devices receives (ABS). Sed transporter acces Medico	epting mercury of	ABS		itches

Inted (12/21)

SECTION 7 -- LEAD-ACID BATTERIES COLLECTED

2000					
anglesenghyskythologen ganglesengh samharatha till gest fillsport han e en an distribution han	unnen haftigelijk dan de kommen fritt in				
	a gagagagagagagagaga kara sa sa sa sagai na sa				
oer handling, stor	age and disposal, if				
CTED					
Roll off con	Hainer The December 31				
400	as of December 31				
<u> 3500 - 400</u> 0	during operating year				
6000	during operating year				
en e	i se sagan di dianggan kana se sengan di sengan di sengan di sengan di di dianggan di sebagai se di di di di d				
We care wast Removal					
NS	18 m m m m m m m m m m m m m m m m m m m				
710 V	realises ace an address realism and adversary and consistent in finite source variety.				
Are self-inspection records up-to-date with inspector name, what was inspected, time and date of inspection? Yes \[\int \text{No} \]					
At/a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills? [/]Yes No					
SECTION 10 - PROBLEMS					
Were any problems encountered during the reporting pariod (e.g., specific occurrences which have led to changes in facility procedures)?					
the methods for r	esolution of the problem				
л _е циализмення в в теремення в в не в положение в ^а т					
mit conditions?					
stification for each	h change.				
	You You You You You You You You				

rinted (12/21)

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2021:

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	X			
	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		区		
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		X		
4.	Are the end-of-life vehicle records available on-site?		区		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		区		
6.	Have all observed leaks been remedied or contained?		X		
7.	Does your facility have a written Contingency Plan?		X		
8.	Are facility personnel trained to implement the Contingency Plan?		区		
9.	Does your Contingency Plan include actions to be taken in the event of the follow	ng?			
	9a. Fire.		図		
	9b. Spill or release of vehicle waste fluids.				
	9c. Unauthorized material received at facility.		区		
	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		区		
	Are all vehicle residues prevented from migrating from or running off your property?		区		
	Is dust controlled to prevent interference with facility operations or from leaving facility site?		区		
	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		区		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?		囚		
15.	is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		囚		
	15a. Are the access controls working (i.e. controlling access)?		区		
ì,	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		X		
*	Are you doing the following with your concrete (or equivalent surface) pad that is underlying, crushing, etc.?	ised for	vehicle	dismar	ntling, fluid
	17a, Cleaning daily.		K		
	17b. Cleaning spills as they occur.		X		
	7c. Collecting and properly disposing of absorbent materials.		図		

winted (12/21)

	Date	of	Retu	um t
--	------	----	------	------

	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or ston practices, prior to vehicle crushing or shredding?	ed follov	ving bes	t mana	gement
	18a. Fluids (including engine oil, transmission fluid, transexte fluid, front and rear axte fluid, brake fluid, power steering fluid, coolant, and fuel).				
	18b. Lead acid batteries.		X		
	18c. Mercury switches or other mercury containing devices, if any.		X		
	18d. Refrigerants, if any.		X		
	18e. Air bags.		X		
	18f. PCB capacitors, if any.		X		
19.	Are fluids stored separately & in containers that are compatible with their contents?		区		
20.	Are fluids stored in closed containers?		X		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		区		
22.	Are containers clearly and legibly labeled to describe their contents?		X		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		X		
24.	Are lead-acid batteries stored upright and off the ground?		X		
25.	Are lead-acid batteries covered to protect them from precipitation?		区		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		\boxtimes		
27,	Are <u>leaking</u> lead-acid betteries, if any are encountered, stored in leak-proof containers separated from inlact batteries?		囚		
	27a. Are provisions in place to absorb any acid leakage?		X		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		囚		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		K		Bereite de la conflició de de la comunició de la procesa por la desperá de la comunició de la comunició de la c
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		区		
31.	If sent off-site, is used oil transported via a permitted hauter?		X		
12.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ansi	wer 32a	., 32b.,	32c:	
	32a, is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?				ikusirin kilikikusi salapan kupatukan kalan kupapun pingun palpunkun papun kupatukan kiliki kusi.
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?				
•	32c. Are combustion gases from used oil space heaters vented to the outside amblent air?		囚		

			Date of Return t
NA	Yes	No	Compliance
	囚		
	X		
	Х		
	X		
	\square		
	X		
	(Salahyun	<u>n a</u>	pounds gellons
error not the section of the section			

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, tax or mall to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFennuaireport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Nam Olalel	2/16/22
Signature	Date
Daniel AbolD	Dres.
Name (Print or Type)	'Title (Print of Type)
Dan - Abold at	YaHoo
Email (Prin	t or Type)
Address	City
	(
State and Zip	Phone Number

ATTACHMENTS: YES NO