

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2022

HECEIVED									
SECTION 1 – FACILITY INFORMATION NYS DEC									
FACILITY INFORMATION JAN 1 8 2022									
FACILITY NAME: NORTHSIDE SALVAGE YARD INC.									
FACILITY LOCATION ADDRESS:	FACILITY CITY:		STATE:	ZIP CODE:					
954 LINDEN AVENUE	EAST ROCHESTE	ER	NY	14445					
FACILITY TOWN:	FACILITY COUNTY:	FACIL	ITY PHON	E NUMBER:					
EAST ROCHESTER MONROE 585-381-9667									
FACILITY NYS PLANNING UNIT: (A list of NYS Planning Units can be found at the end of this report). Monroe County NYSDEC REGION #:									
FACILITY TYPE: Vehicle Dismantler DMV I.D. # 5280659 Mobile Vehicle Crusher Mobile Vehicle Crusher DMV I.D. # 5280659									
FACILITY CONTACT: JOHN SEBASTIAN	public CONTACT PHONE NUMBER: 585-381-9667			FAX NUMBER: 1-3074					
CONTACT EMAIL ADDRESS: JPS1@RO	CHESTER.RR.COM								
	OWNER INFORMATION								
OWNER NAME: JOHN SEBASTIAN	OWNER PHONE NUMBER: 585-381-9667		381-30						
OWNER ADDRESS: 954 LINDEN AVENUE	OWNER CITY: EAST ROCHESTER		STATE: NY	ZIP CODE: 14445					
OWNER CONTACT: OWNER CONTACT EMAIL ADDRESS: JOHN SEBASTIAN JPS1@ROCHESTER.RR.COM									
OPERATOR INFORMATION									
OPERATOR NAME: same as owner public private									
PREFERENCES									
Preferred address to receive correspondence: Facility location address									
Preferred email address:									
Preferred individual to receive correspondenc	e: Facility Contact Own	er Contact							
Did you operate in 2021? Yes: Complet	e this form.	- <u> </u>							
Did you operate in 2021? Yes; Complete this form. No; Complete and submit Sections 1 and 12.									

6)	5)	4)	3)	2)	1)	 Provide the names of each facility where you crushed decommissioned ELVs: 	 Provide the number of ELVs crushed from January 1 to December 3: 	SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES (ELVs) PROCESSED	3)	2)	• Provide the names of scrap metal processors to which you sold or sent decommissioned ELVs: 1) UNION PROCESSING	 Provide the approximate area used for the storage of vehicles (acres): 	 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	 Provide the number of ELVs stored at the facility as of December 31: 	 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31:
							N/A	ELVs) PROCESSED			nmissioned ELVs:	0.5	175	110	7635
								110							

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. $\sqrt[4]{s}$ or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Volume		Destination Name & Address
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	13	6	0	0	REUSED ON-SITE
Used Oil** (gallons)	0	275	1195	0	NOCO BUFFALO
Diesel Fuel (gallons)	395	0	0	0	REUSED ON-SITE
Gasoline (gallons)	1550	175	0	0	REUSED ON-SITE
Engine Coolant/ Antifreeze (gallons)	480	100	5050	0	NOCO BUFFALO
Window Washing Fluid (gallons)	560	55	0	0	REUSED ON-SITE
Other (specify)					

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

	Danaivad	Stored On Site	Sent Off Site	Destination		
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit</u> (or state if other than New York)	To S Me Proce	To Scrap Metai Processor
Ferrous Scrap Metal	NOT A SCRAP YAR				□Yes	□ No
Aluminum Scrap Metal					□Yes	□ No
Lead Weights					□Yes	□ No
Non – Ferrous Scrap Metal					∐Yes	□ No
Other (specify):					□Yes	□ No
rovide the numb 1&TS) and antilo	Provide the number of mercury-containing develock) and antilock brake assemblies (ABS). H&TS 495 (Number)	aining devices <u>rec</u> es (ABS).	CURY SWITC	SECTION 5 - MERCURY SWITCHES COLLECTED	□Yes	ᇢ
dicate permitted	Indicate permitted facility or permitted transporter accepting mercury containing devices THE NATIONAL VEHICLE MERCURY SWITCH RECOVERY	d transporter acce	OURY SWITC	SECTION 5 – MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS 495 (Number) ABS 0 (Number)	☐Yes	tches
		E MERCURY	CURY SWITC	SECTION 5 – MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lig (H&TS) and antilock brake assemblies (ABS). H&TS 495 (Number) Indicate permitted facility or permitted transporter accepting mercury containing devices: THE NATIONAL VEHICLE MERCURY SWITCH RECOVERY PROGRAM	hting swi	tches
rovide the numb		SECTION 6 – AIR BAGS COLLECTED	pting mercury of SWITCH I	HES COLLECTED 19 but not limited to hood & trunk lig ABS (Number) ontaining devices: RECOVERY PROGRAM COLLECTED	hting swi	tches
Number of Air Bags Removed:	SEC Provide the number of air bags recovered Number of Air Bags Removed:	SECTION 6 -	CURY SWITC Overed. Including or SWITCH I AIR BAGS O	ITCHES COLLECTED luding but not limited to hood & trunk lig ABS 0 (Number) ITY containing devices: H RECOVERY PROGRAM IS COLLECTED Number of Air Bags Deployed:	hting swi	tches

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.		
Number of Lead-Acid Batteries collected from ELVs:	6090	
Indicate permitted facility or permitted transporter accepting lead-acid batter RSR NORTH AMERICA CORP.	ies:	
Any materials disposed must undergo a hazardous waste determination and hazardous.	d proper handling, st	torage and disposal, if
SECTION 8 - WASTE TIRES CO		
Number of waste tires stored on-site:	320	as of December 31
Number of used tires available for sale on-site:	150	as of December 31
Number of used tires sold:	3200	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	3100	during operating year
Indicate name of facility(ies) accepting waste tires: SENECA MEADOWS LANDFILL		
SECTION 9 - SELF INSPEC	TIONS	40
Number of self-inspections conducted for the year:		12
Are self-inspection records up-to-date with inspector name, what was in ☑ Yes ☐ No	spected, time and d	ate of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas in Yes No	nspected for leaks/s	pills?
SECTION 10 - PROBLE	MS	
Were any problems encountered during the reporting period (e.g., specif facility procedures)?	ic occurrences whic	h have led to changes in
Yes No If yes, attach additional sheets identifying each problem	n and the methods for	or resolution of the problem
SECTION 11 - CHANGI	ES	
Were there any changes from approved reports, plans, specifications, a	ind permit conditions	s?
Yes No If yes, attach additional sheets identifying changes with	n a justification for e	ach change.

		<u></u>		17b. Cleaning spills as they occur.
		区		17a. Cleaning daily.
ismantling, fluid		vehicle	sed for	17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle d draining, crushing, etc.?
		V		16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?
		<u> </u>		15a. Are the access controls working (i.e. controlling access)?
		S		 Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?
				14. Are waste fluids kept from being discharged onto the ground or into surface waters?
		区		13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?
		✓		12. Is dust controlled to prevent interference with facility operations or from leaving facility site?
		▼		11. Are all vehicle residues prevented from migrating from or running off your property?
				10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?
		V		9c. Unauthorized material received at facility.
		国		9b. Spill or release of vehicle waste fluids.
		 The state of the state</td <td></td> <td>9a. Fire.</td>		9a. Fire.
			g?	9. Does your Contingency Plan include actions to be taken in the event of the following?
		V		8. Are facility personnel trained to implement the Contingency Plan?
		 The state of the state</td <td></td> <td>7. Does your facility have a written Contingency Plan?</td>		7. Does your facility have a written Contingency Plan?
		√		6. Have all observed leaks been remedied or contained?
		乜		5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?
		区		4. Are the end-of-life vehicle records available on-site?
		<u></u>		3. Have you recorded the date of receipt for all end-of-life vehicles received?
			$\overline{\mathbf{V}}$	is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?
			$\overline{\mathbf{V}}$	 If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?
Compliance	No	Yes	NA	Waste Management Compliance Checklist
Date of Return to				

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or stored practices, prior to vehicle crushing or shredding?	d follow	ing bes	t mana	gement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		7		
	18b. Lead acid batteries.		1		
	18c. Mercury switches or other mercury containing devices, if any.		1		
	18d. Refrigerants, if any.		1		
	18e. Air bags.		1		
	18f. PCB capacitors, if any.	1			
19.	Are fluids stored separately & in containers that are compatible with their contents?		V		
20.	Are fluids stored in closed containers?		1		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		V		
22.	Are containers clearly and legibly labeled to describe their contents?		V		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		V		
24.	Are lead-acid batteries stored upright and off the ground?		1		
25.	Are lead-acid batteries covered to protect them from precipitation?		V		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		V		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		V		
	27a. Are provisions in place to absorb any acid leakage?		1		
28.	. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		V		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	V			
30.	. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		V		
31.	. If sent off-site, is used oil transported via a permitted hauler?		1		
32	. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a	., 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	V			
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?				
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?	V			

SECTION 12 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

JOHN SEBASTIAN

Name (Print or Type)

PRESIDENT

Title (Print or Type)

PRESIDENT

Title (Print or Type)

PRESIDENT

Title (Print or Type)

Sample (Print or Type)

PRESIDENT

Title (Print or Type)

ATTACHMENTS: YES NO

Division of Materials Management New York State Department of Environmental Conservation Albany, New York 12233-7260

brief description of each type of facility can be found at http://www.dec.ny.gov/chemical/8495.html. Forms for all solid waste management facilities can be found at http://www.dec.ny.gov/chemical/52706.html and a

VEHICLE DISMANTLING FACILITIES, MOTOR VEHICLE REPAIR SHOPS AND MOBILE VEHICLE CRUSHERS

Annual Report

Submit the Annual Report no later than March 1, 2022.

the Department's Regional Office that has jurisdiction over your facility and to the Department's Central Office is required to meet the Annual Report requirements of 6 NYCRR Part 360. Crusher Annual Report form is required pursuant to 6 NYCRR 360-12.1(c) and 360.19(k)(12). Failure to provide the required information requested is a violation of Environmental Conservation Law. Timely submission of a properly completed form to Reporting of the information indicated on this Vehicle Dismantling, Motor Vehicle Repair Shop and Mobile Vehicle

Reporting of the information indicated on this Mandatory Annual Report including Self-Certification for Vehicle Dismantling Facilities fulfills the reporting requirements pursuant to 6 NYCRR 360-12.1(c).

on the pages is insufficient or supplementary information is required or appropriate. Entries on the report forms should be either typewritten or neatly printed in black ink. Attach additional sheets if space