

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1,

This annual report is for the year of operation from January 01, 2021 to December 31, 2021

SECTION 1 - FACILITY INFORMATION

FACILITY INFORMATION								
FACILITY NAME:								
TOWNLINE AUTO PARTS								
FACILITY LOCATION ADDRESS:	FACILITY CITY: STATE: ZIP CODE:							
2877 TOWNLINE ROAD	JAMESTOWN NY 14701							
FACILITY TOWN:	FACILITY COUNTY: FACILITY PHONE NUMBER:							
ELLERY	CHAUTAUQUA 716-484-2353							
FACILITY NYS PLANNING UNIT: (A list of NYS Planning Units can be found at the end of this report). NYSDEC REGION #: 8								
FACILITY TYPE: Vehicle Dismantler	☑ Motor	Vehicle Repair Shop N	YS DE	C ACTIVIT	Y CODE:			
DMV I.D. #_5070207	Mìobile	Vehicle Crusher						
FACILITY CONTACT:	 public	CONTACT PHONE		CONTACT	FAX NUMBER:			
S. BRUCE MACEY	private	NUMBER: 716-484-2353	7	7 16-484	-0360			
CONTACT EMAIL ADDRESS: MMACEY@ST	TNY.RR.CO	VI						
	OWNER	INFORMATION						
OWNER NAME:	1	HONE NUMBER:	OWN	ER FAX NU	JMBER:			
S. BRUCE MACEY	716-665-			1				
OWNER ADDRESS: 213 W. FALCONER T	FALCONE			STATE:	ZIP CODE : 14733			
OWNER CONTACT:		ONTACT EMAIL ADDRE	SS:	1				
S. BRUCE MACEY	mmace	@stny.rr.com						
	OPERATO	RINFORMATION						
OPERATOR NAME: same as owner				 ✓public				
	DDE	ERENCES		private				
Preferred address to receive correspondence:			Пс	wner address				
Other (provide):	1 201119 10	odro, i dan odo	۰					
Preferred email address: Facility Contact Owner Contact Other (provide):								
Preferred individual to receive correspondence: Facility Contact Owner Contact Other (provide):								
Did you appear in 20042 Vac Comment	a this farm				A Principal Control of the Control o			
Did you operate in 2021? Yes; Complete					ע			
No; Complete and submit Sections 1 and 13								

Figure 1 de the growth an of F1 Me are signed from the property of the Parish and	90
 Provide the number of ELVs received from January 1 to December 31: 	A
Provide the number of ELVs crushed and/or removed from the facility	101
from January 1 to December 31:	**************************************
 Provide the number of ELVs stored at the facility as of December 31: 	120
Provide the highest number of ELVs stored at the facility	221
at any one time from January 1 to December 31:	
 Provide the approximate area used for the storage of vehicles (acres): 	5 acres
2)	
2)	
3)	
	S (ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL1)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1) 2)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL1) 2)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1) 2) 3)	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. v's or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address			
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)	
Refrigerant (pounds)	5	2			SELF	
Used Oil** (gallons)	1900	1860	A CONTRACTOR OF THE PROPERTY O		SELF	
Diesel Fuel (gallons)	500	90				
Gasoline (gallons)	350	40			2) SELF	
Engine Coolant/ Antifreeze (gallons)	200	50			SELF	
Window Washing Fluid (gallons)	2	0			SELF	
Other (specify)						
				;		

^{*} Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Managirand	Chanad On Cina	Destination		า				
Material Types	Received (tons)	Stored On Site (tons)	(tons)	NYS <u>Planning Unit</u> (or state if other than New York)	To Scrap Metal Processor				
Ferrous Scrap Metal	160	250	170		☑Yes	□No			
Aluminum Scrap Metal					□Yes	□No			
Lead Weights					□Yes	□No			
Non – Ferrous Scrap Metal	a company and a state of the st				□Yes	□No			
Other (specify):		V(1) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,		□Yes	□No			
The second secon	:				□Yes	□No			
	er of mercury-con ick brake assembl H&TS <u>0</u> (Number)		<u>covered</u> . Includii	ng but not limited to hood & trunk lig ABS <u>0</u> (Number)	ghting sw	itches			
Indicate permitted	I facility or permitte	ed transporter acco	epting mercury c	ontaining devices:		***************************************			
			- AIR BAGS (COLLECTED					
Provide the numb Number of Air Ba Indicate permitted	gs Removed:	overed. O tted transporter ac		nber of Air Bags Deployed: s:	100				
	by .				7,00 to 17 17 17 17 17 17 17 17 17 17 17 17 17				

Reprinted (12/21)

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.							
Number of Lead-Acid Batteries collected from ELVs:	50	MA.					
Indicate permitted facility or permitted transporter accepting lead-acid batteries WEITSMAN - JAMESTOWN	S.						
Any materials disposed must undergo a hazardous waste determination and phazardous.	oroper handling,	storage and disposal, if					
SECTION 8 – WASTE TIRES COL							
Number of waste tires stored on-site:	25	as of December 31					
Number of used tires available for sale on-site:	50	as of December 31					
Number of used tires sold:	60	during operating year					
Number of waste tires shipped off-site for recycling, disposal, other:	250	_ during operating year					
Indicate name of facility(ies) accepting waste tires:							
GIT-R-DONE BUFFALO NY							
SECTION 9 – SELF INSPECT	IONS	12					
Number of self-inspections conducted for the year:		- Andrew Control of the Control of t					
Are self-inspection records up-to-date with inspector name, what was insp Yes No	ected, time and	date of inspection?					
At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspection.	pected for leaks/	'spills?					
SECTION 10 - PROBLEM	S						
Were any problems encountered during the reporting period (e.g., specific facility procedures)?	occurrences wh	ich have led to changes in					
Yes No If yes, attach additional sheets identifying each problem a	and the methods	for resolution of the problem					
SECTION 11 – CHANGES	3						
Were there any changes from approved reports, plans, specifications, and	d permit condition	ns?					
Yes No If yes, attach additional sheets identifying changes with a	Yes No If yes, attach additional sheets identifying changes with a justification for each change.						

Reprinted (12/21)

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2021:

									Date	T RE	norda Sala
		Waste Management Compilance Opecialist			Ye		Hi			ajala S	TI ST
	1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	\[\strice{1}{2}\]]]			
	2.	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?			√						
	3.	Have you recorded the date of receipt for all end-of-life vehicles received?			✓						
	4.	Are the end-of-life vehicle records available on-site?			✓] []			
	5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?			V						
	6.	Have all observed leaks been remedied or contained?]	✓]			
	7.	Does your facility have a written Contingency Plan?			√						
gency	8.	Are facility personnel trained to implement the Contingency Plan?			✓]			.yGr
	9. Does your Contingency Plan include actions to be taken in the event of the following?										
		9a. Fire.			✓						
		9b. Spill or release of vehicle waste fluids.			√]			
		9c. Unauthorized material received at facility.			✓]			
;	10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?			√		,				
	11.	Are all vehicle residues prevented from migrating from or running off your property?			~						
	12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?			V					120,000	
	13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?			V				Minimum - 971978		
	14.	Are waste fluids kept from being discharged onto the ground or into surface waters?			V	7					
	15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?			√						
		15a. Are the access controls working (i.e. controlling access)?			V	7					
	16.	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?	TĒ		V				2002-04-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-	?Kutuanuutatata	**************************************
	17.	Are you doing the following with your concrete (or equivalent surface) pad that is udraining, crushing, etc.?	used	for v	vehi	cle	dism	nar	ıtling, fl	uid	
		17a. Cleaning daily.			✓						
		17b. Cleaning spills as they occur.			✓						V
		17c. Collecting and properly disposing of absorbent materials.	Partie v		~				newspersperspers and access con-		New York Control of the Control of t

Reprinted (12/21)

and the same of th		***************************************		*******************	
					sassanningade
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	d follov	ving be	st mana	agement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		✓	Jones Company	
	18b, Lead acid batteries.		✓		
	18c. Mercury switches or other mercury containing devices, if any.		1		
	18d. Refrigerants, if any.		√		AMERICAN CONTRACTOR OF THE CON
	18e. Air bags.		1		
	18f. PCB capacitors, if any.		√		
19.	Are fluids stored separately & in containers that are compatible with their contents?		V		
20.	Are fluids stored in closed containers?		✓		
21,	Are containers which contain waste fluids in good condition and not visibly leaking?		✓		
22.	Are containers clearly and legibly labeled to describe their contents?		✓		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		✓		
24.	Are lead-acid batteries stored upright and off the ground?		✓		
25.	Are lead-acid batteries covered to protect them from precipitation?		✓		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		✓		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		✓		
	27a. Are provisions in place to absorb any acid leakage?		V		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		✓		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		✓		
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		✓		
31.	If sent off-site, is used oil transported via a permitted hauler?		✓		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a	., 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		✓		
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		V		
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		V		nem

33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?				
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	(MANUFACTURE OF THE PROPERTY OF	The second se
35. Are sludges properly recycled or disposed?	✓			Section (Michael Commences
36. Are used oil filters properly drained, crushed or dismantled?	✓		Sier-Malifolinia Califolinia (1939 MANA) (Califolinia (1939) (P. 1944) (Sierce Califolinia (1939) (P. 1944) (P. 1944) (Sierce Califolinia (1939) (P. 1944) (P. 194	
37. Are drained oil filters properly recycled or disposed?	✓			
38. If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?	V			
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?	$\overline{\mathbf{A}}$	[]		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been. e. submitted within the previous year?	\checkmark			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		N/A N/A	pounds gallons	
non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar			•	

SECTION 13 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

1 Bruce Macy Signature	2/26/22
Signature	Date
S. BRUCE MACEY	OWNER ted w
Name (Print or Type)	Title (Print or Type)
mmacey@stny.rr.com	
Email (Pri	nt or Type)
2877 TOWNLINE RD	JAMESTOWN
Address	City
NY 14701	⁷¹⁶ 484 2353
State and Zip	Phone Number

ATTACHMENTS: YES NO