From Druker And SALES 607 243-8433

Memo: I marked these on the 1st of March but havent received any confirmation. Precised as I'm faxing too. I've had issued with bexing so marked but will try this too. Cost year I got confirmation I howard as of yet.

O. D. eyelin



VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2022

This annual report is for the year of operation from <u>January 01, 2021</u> to <u>December 31, 2021</u>

SECTION 1 - FACILITY INFORMATION

and the state of t	FACILITYANFORMATION							
FACILITY NAME:								
Druker Auto	o Sales							
FACILITY LOCATION ADDRESS:	FACILITY CITY: STATE: ZIP CODE:							
1282 Glenn R.D.	Durdee Ny 14837							
FACILITY TOWN:	FACILITY COUNTY: FACILITY PHONE NUMBER:							
Tyrone	Schuyler 607 243 8433							
FACILITY NYS PLANNING UNIT: (A list of NYS	VS Planning Units can be found at the end of this report). NYSDEC REGION #:							
FACILITY TYPE: Vehicle Dismantler	Motor Vehicle Repair Shop NYS DEC ACTIVITY CODE:							
DMV.D.# 7059632	Mobile Vehicle Crusher							
FACILITY CONTACT:	- Papublic CONTACT PHONE CONTACT FAX NUMBER:							
Robert Druker Jr	private NUMBER:							
CONTACT EMAIL ADDRESS:								
	WITZ STATE OF THE STANDARD STA							
OWNER NAME:	OWNER PHONE NUMBER: OWNER FAX NUMBER:							
Kobert Druker Jr	607 243 8433							
OWNER ADDRESS: 1316 Glem Rel	OWNER CITY: STATE: ZIP CODE:							
OWNER CONTACT: OWNER CONTACT EMAIL ADDRESS:								
Rosert Druber - Ir	drukerautosales Egman com							
	GREKATOR: WEGRMATICN:							
OPERATOR NAME:	6 Z public							
	☐ private PREFERENCES							
Preferred address to receive correspondence:								
Other (provide):								
Preferred email address: Facility Contact :	Owner Contact							
Preferred individual to receive correspondence:								
Did you operate in 2021? 🔯 Yes; Complete	ke this form.							
	and submit Sections 1 and 13.							
	。							

Provide the number of ELVs received from January 1 to December 31:	346
Provide the number of ELVs crushed and/or removed from the facility	4
from January 1 to December 31:	161
Provide the number of ELVs stored at the facility as of December 31:	<u>1950</u>
Provide the highest number of ELVs stored at the facility	,
at any one time from January 1 to December 31:	1800
Sec.	
 Provide the approximate area used for the storage of vehicles (acres): 	acres
	, , , , , , , , , , , , , , , , , , , ,
 Provide the names of scrap metal processors to which you sold or sent defection. 	ecommissioned ELVs:
1) Westzmen of Owego	
2) Lu. Iberts of BATH	•
3)	
3)	
	/2×4-4×4
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLI	
.coou to modite oi/odilei/a . #(46-4) .eli e 4 filidei	:S (ELVs) PROCESSED
	:S (ELVs) PROCESSED
-	=S (ELVs) PROCESSED
Provide the number of ELVs crushed from January 1 to December 3:	
-	
Provide the number of ELVs crushed from January 1 to December 3:	
 Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned E 	
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned E	
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned E	
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned E	
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned E 1) 2)	
Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned E 1) 2)	
 Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned E 	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. \(\frac{1}{2}\)'s or \(X\)'s) are not acceptable. Report only fluids generated from dismantling operations (not general car repair etc.)

		Fluid	Destination Name & Address				
Waste Fluid Recovered	Used on-site (oil heater, etc,)	Stored on-site at year-end	on-site at Recycled		(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)		
Refrigerant (pounds)	X 45 prush		X				
Used Oil** (gallons)	300 gal		X		Crystal Clean 585-458 4560		
Diesel Fuel (gallons)	50 mile		•	· :			
Gasoline (gallons)	375 9d						
Engine Coolant/ Antifreeze (gallons)	150 asje		:				
Window Washing Fluid (gallons)	ngello ors	k					
Other (specify)							
			7.	· ·			

^{*} Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	D	Ot-und On Site	C (195 Cite)	Destination		
Material Types	(tolis) NYS <u>Planning Unit (or sta</u>		NYS <u>Planning Unit (</u> or state if other than New York)	To Scrap Metal Processor		
Ferrous Scrap Metal	Shel 39 ton			B. Weitman owego	™ ∳es	□No
Aluminum Scrap Metal	5 frm	<u></u>		M. Wedgina augo	17 Yes	□No
Lead Weights	leo.		,	B. Wedzna ovegs	Yes	□No
Non – Ferrous Scrap Metal	Copper End			Gwedyn onego	Yes	□No
Other (specify):					∐Yes	□No
**************************************		2)	45		□Yes	□No

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing de (H&TS) and antilock brake assemblies (ABS).		nurt & bood at betimit ton tud g	k tighting switches
H&TS		AB\$/ (Number)	
Indicate permitted facility or permitted transpo	orter accepting mercury co	ntaining devices:	
	Aug		
	·	1.	
SECTI	ION 6 – AIR BAGS C	OLLECTED	•
Provide the number of air bags recovered.			
Number of Air Bags Removed:	7Numi	ber of Air Bags Deployed;	
Indicate permitted facility or permitted transp	porter accepting air bags:		

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition. Number of Lead-Acid Batteries collected from ELVs: Indicate permitted facility or permitted transporter accepting lead-acid batteries: Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disposal, if hazardous. SECTION 8 - WASTE TIRES COLLECTED Number of waste tires stored on-site: as of December 31 Number of used tires available for sale on-site: as of December 31 Number of used tires sold: during operating year Number of waste tires shipped off-site for recycling, disposal, other: during operating year Indicate name of facility(ies) accepting waste tires: SECTION 9 - SELF INSPECTIONS Number of self-inspections conducted for the year: Are self-inspection records up-to-date with inspector name, what was inspected, time and date of inspection? ☑ Yes ☐ No A% a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills? es 🗌 No SECTION 10 - PROBLEMS Were any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures)? □Yes ☑Ño If yes, attach additional sheets identifying each problem and the methods for resolution of the problem SECTION 11 - CHANGES Were there any changes from approved reports, plans, specifications, and permit conditions? ☐ Yes IXI No If yes, attach additional sheets identifying changes with a justification for each change.

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2021:

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?				
 Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways? 		Ø		
3. Have you recorded the date of receipt for all end-of-life vehicles received?				
Are the end-of-life vehicle records available on-site?				
 Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? 		X		
6. Have all observed leaks been remedied or contained?		\square		
7. Does your facility have a written Contingency Plan?				
Are facility personnel trained to implement the Contingency Plan?				
9. Does your Contidgency Plan notitile autions to be taken in the event of the following	092		0.00 (0.00) 0.00 (0.00) 0.00 (0.00) 0.00 (0.00)	Company of the compan
9a. Fire.				
9b. Spill or release of vehicle waste fluids.		V		
9c. Unauthorized material received at facility.				
Are spills of waste fluids, if any occur, reported to the NYSOEC Spills Hotline within two hours of detection?		X		
11. Are all vehicle residues prevented from migrating from or running off your property?		X		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?				
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		X		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		K		
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?				
15a. Are the access controls working (i.e. controlling access)?				
Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		M		
17 Are you doing the following with your consists (of equivalent surface) pad that is to a gratering crossing ere 2.	ised for	vehicle	dista	
17a. Cleaning daily.		V		
17b. Cleaning spills as they occur.				
17c. Collecting and properly disposing of absorbent materials.				,

			Treatment of the Avenue	1888 1998 21 1988 11	
(100 m) - 100 m)					Date of Return to
	Waste Management Compliance Checklist	ΝÁ	Yes	No	Compliance
18.	Have the following wastes been drained, removed deployed, collected and/or store practices, after to vehicle crushing or strued ding?	a fallov	ving be		
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		M		
***************************************	18b, Lead acid batteries.		N		
***************************************	18c. Mercury switches or other mercury containing devices, if any		N.		
•••••	18d. Refrigerants, if any.		V		·
******	18e, Air bags.		1		
***************************************	18f. PCB capacitors, if any.		$\sqrt{\chi}$		
19.	Are fluids stored separately & in containers that are compatible with their contents?		口		
20.	Are fluids stored in closed containers?		1.7		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		Ŕ		
2 2.	Are containers clearly and legibly labeled to describe their contents?		K		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?	Lucia			
24.	Are lead-acid batteries stored upright and off the ground?		A.		
25,	Are lead-acid batteries covered to protect them from precipitation?		K		
	Are all lead-acid batteries sent for recycling within one-year of receipt?				,
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		Z		
**********	27a. Are provisions in place to absorb any acid feakage?		k		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		N.		
29,	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?		7		
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?				
	If sent off-site, is used oil transported via a permitted hauler?		Ø		
32.	Tryotedo not burn used of onsite chark NA for 32a.; 32b.; 32c. It you do, then show		n de ar jirila da ang aya kasaci ang ayan kasaci ang ayan kasaci		
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?				the state of the s
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?				

Reprinted (12/21)

ambient air?

32c. Are combustion gases from used oil space heaters vented to the outside

- 1 kg 1 kg 3 %

機構的特殊的

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreesers?		Q		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?			· ·	ta saya santa ya ka
35. Are studges property recycled or disposed?		V		
36. Are used oil filters properly drained, crushed or dismantled?				
37. Are drained oil filters properly recycled or disposed?		ΙŽ		***************************************
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c. 			×	
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?			M	·
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?			Ø	
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?			Z	
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		<i>Y</i> =	A P	gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
		•		
COMMENTS? (Attach additional sheets if necessary)				
* .				·
				•

SECTION 13 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date end submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannuaireport@dec.ny.gov

certify, under penalty of law, that the data	and other informa	ation identified in this	report have been prepared	under my
direction and supervision in compliance with	a system designe	d to ensure that qualif	led personnel properly and	accurately
gather and evaluate this information. I am av	vare that any false	statement I make in	such report is punishable r	oursuant to
section 71-2703(2) of the Environmental Cons	ervation Law and	section 210.45 of the I	Penal Law.	PER DEGINE TO
Signature		$\frac{2}{\sqrt{2}}$	2	<u>.</u>
		·		

Name (Print or Type)

Title (Print or Type)

Chruster and sales & Gmail con
Email (Printer Type)

12826 lem Rel Dundel
Address City

NY 14837 (40) 243 8433
State and Zip. Phone Number

ATTACHMENTS YES NO