

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2023

This annual report is for the year of operation from January 01, 2022 to December 31, 2022

SECTIO	N 1 – FA	CILITY INFORMATIO	N	RE(CEIVED	
	FACET	SEE PRATOR				
FACILITY NAME:				JA	N 1 9 2023	
South East Auto Recycle, Inc.						
FACILITY LOCATION ADDRESS:	FACILITY	FACILITY CITY:			MENZIR QODETY	
1492 Route 22	Wingdal	е		NY	12594	
FACILITY TOWN:	FACILITY	COUNTY:	FACI	LITY PHO	ONE NUMBER:	
Wingdale	Dutches	S	845-	832-94	148	
FACILITY NYS PLANNING UNIT: (A list of NYS	S Planning Uni	its can be found at the end of	this repo	1	IYSDEC REGION#: 3	
FACILITY TYPE: Vehicle Dismantler	Motor	Vehicle Repair Shop	IYS DE	C ACTIV	ITY CODE:	
DMV I.D. #7038059	Mobile	Vehicle Crusher				
FACILITY CONTACT:	public	CONTACT PHONE		CONTAC	T FAX NUMBER:	
Jorge Merchan Jr.	private	NUMBER: 845-656-7957	8	45-832-3103		
CONTACT EMAIL ADDRESS:JLPJ@OPTON	NLINE.NET					
	OWNER	NECRNATION	V/40	* 		
OWNER NAME:	OWNER P	PHONE NUMBER:	1 -		NUMBER:	
Jorge Merchan		· <u>-</u>	845-8	32-310		
OWNER ADDRESS: 974 Route 22	OWNER C	SITY:		STATE NY	: ZIP CODE : 12564	
OWNER CONTACT:	OWNER C	ONTACT EMAIL ADDRE	ESS:	<u> </u>		
	OPERATO	RINFORMATION		: .		
OPERATOR NAME: same as owner				∐public ∐private		
	PRE	FERENCES	de de servicio		or Tropics	
Preferred address to receive correspondence: Facility location address Other (provide): Owner address						
Preferred email address: Facility Contact Owner Contact						
Preferred individual to receive correspondence: Facility Contact Owner Contact Other (provide):						
Did you operate in 2022? Yes; Complete this form.						
☐ No; Complete	and submit s	Sections 1 and 13				

Provide the number of ELVs received from January 1 to December 31:	720
Provide the number of ELVs received from Sandary 1 to December 31.	
Provide the number of ELVs crushed and/or removed from the facility	615
from January 1 to December 31:	160
Provide the number of ELVs stored at the facility as of December 31:	
Provide the highest number of ELVs stored at the facility	250
at any one time from January 1 to December 31:	
	7
Provide the approximate area used for the storage of vehicles (acres):	acres
Provide the names of scrap metal processors to which you sold or sent deco	ommissioned ELVs:
Renselear Iron and Steel	
-1	
NATIONAL OF A North Annual Control of A Nort	
Weitsman of Albany	
Weitsman of Albany SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3:	(ELVs) PROCESSEI
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	N/A
• Provide the names of each facility where you crushed decommissioned ELVs	N/A
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV	N/A
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV	N/A
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1)	N/A
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1) 2) 3)	N/A
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3:	N/A
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1)	N/A

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address			
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)	
Refrigerant (pounds)	0	16	. 16	16	CUSTOMERS	
Used Oil** (gallons)	2640	600	5480	ALL	Enviro Waste Oil Recovery 279 Route 6, PO Box 747 Mahopac, NY 10541	
Diesel Fuel (gallons)	480	275	275	ALL	Enviro Waste Oil Recovery 279 Route 6, PO Box 747 Mahopac, NY 10541	
Gasoline (gallons)	0	600	600	ALL	Customers and Enviro Waste Oil 279 Route 6, PO Box 747 Mahopac, NY 10541	
Engine Coolant/ Antifreeze (gallons)	0	300	860	ALL	Customers and Enviro Waste Oil 279 Route 6, PO Box 747 Mahopac, NY 10541	
Window Washing Fluid (gallons)	0	0	0	0		
Other (specify) Power Steering Fluid	40	0	40	ALL	Enviro Waste Oil Recovery 279 Route 6, PO Box 747 Mahopac, NY 10541	
Brake Fluid	30	0	30	ALL	Enviro Waste Oil Recovery 279 Route 6, PO Box 747 Mahopac, NY 10541	

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting

period.

	Deschood	Stored On Site	Sent Off Site	Destination		
Material Types	Received (tons)	(tons)	(tons)	NYS <u>Planning Unit</u> (or state if other than New York)	To Scrap Metal Processo	
Ferrous Scrap Metal	9079	120	8959		☑Yes	□No
Aluminum Scrap Metal	196	20	176		Yes	□No
Lead Weights	3	0	3		☑Yes	□No
Non Ferrous Scrap Metal	337	0	337		☑Yes	□No
Other (specify):	•				□Yes	□No
					□Yes	□No

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing de (H&TS) and antilock brake assemblies (ABS		red. Including but not limited to hood & trunk	lighting switches
H&TS		ABS	
(Number)		(Number)	
Indicate permitted facility or permitted transp	orter acceptin	g mercury containing devices:	
SECT	ION 6 – All	R BAGS COLLECTED	
Provide the number of air bags recovered.			
Number of Air Bags Removed:	0	Number of Air Bags Deployed:	
Indicate permitted facility or permitted trans	porter accept	ting air bags:	

Reprinted (12/22)

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.	4260		
Number of Lead-Acid Batteries collected from ELVs:	4360		
Indicate permitted facility or permitted transporter accepting lead-acid batter R.S.R Corporation	ries:		
A.P. Global			
Any materials disposed must undergo a hazardous waste determination and hazardous.	d proper handling, s	torage and disposal, if	
SECTION 8 – WASTE TIRES CO			
Number of waste tires stored on-site:	900	as of December 31	
Number of used tires available for sale on-site:	_200	as of December 31	
Number of used tires sold:	620	during operating year	
Number of waste tires shipped off-site for recycling, disposal, other:	6124	during operating year	
Indicate name of facility(ies) accepting waste tires: Casings, Inc. P.O. Box 731 Catskill, NY 12414			
SECTION 9 – SELF INSPEC	TIONS		
Number of self-inspections conducted for the year:	(
Are self-inspection records up-to-date with inspector name, what was in ☐ Yes ☐ No	spected, time and di	ate or inspection?	
At a minimum, are fluid storage areas, vehicles, vehicle storage areas in Yes \(\backslash \) No	nspected for leaks/s	pills?	
SECTION 10 - PROBLE	MS		
Were any problems encountered during the reporting period (e.g., specif facility procedures)?	ic occurrences which	h have led to changes in	
Yes No If yes, attach additional sheets identifying each problem	and the methods fo	or resolution of the problem	
SECTION 11 – CHANGE	ES		
Were there any changes from approved reports, plans, specifications, a	nd permit conditions	; ?	
☐ Yes ☑ No If yes, attach additional sheets identifying changes with	na justification for ea	ach change.	

Reprinted (12/22)

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2021:

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	V			-
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		V		
Have you recorded the date of receipt for all end-of-life vehicles received?		~		
4. Are the end-of-life vehicle records available on-site?		~		
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		~		_
6. Have all observed leaks been remedied or contained?		~		
7. Does your facility have a written Contingency Plan?		N		_
8. Are facility personnel trained to implement the Contingency Plan?		~		
9. Does your Contingency Plan include actions to be taken in the event of the following	ng?	<u>.</u>		
9a. Fire.		2		
9b. Spill or release of vehicle waste fluids.		5		
9c. Unauthorized material received at facility.		V		
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		~		
11. Are all vehicle residues prevented from migrating from or running off your property?				
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?		~		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		~		
Are waste fluids kept from being discharged onto the ground or into surface waters?		~		- · · ·
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		V		
15a. Are the access controls working (i.e. controlling access)?		~		
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		~		
17. Are you doing the following with your concrete (or equivalent surface) pad that is used training, crushing, etc.?	sed for	vehicle	dismar	ntling, fluid
17a. Cleaning daily.		V		
17b. Cleaning spills as they occur.		V		
17c. Collecting and properly disposing of absorbent materials.		~		

Reprinted (12/22)

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	d follow	ing bes	st m an a	gement
	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		V		
	18b. Lead acid batteries.		~		
	18c. Mercury switches or other mercury containing devices, if any.		~		
	18d. Refrigerants, if any.		4		
	18e. Air bags.	~			:
	18f. PCB capacitors, if any.	٧			
19.	Are fluids stored separately & in containers that are compatible with their contents?		\		
20.	Are fluids stored in closed containers?		7		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		>		
22.	Are containers clearly and legibly labeled to describe their contents?		>		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		\		
24.	Are lead-acid batteries stored upright and off the ground?		١		
25.	Are lead-acid batteries covered to protect them from precipitation?		\		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		\		
27.	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		٧		
	27a. Are provisions in place to absorb any acid leakage?		٧		
28.	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		V		
29.	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	V			
30.	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		V		
31.	If sent off-site, is used oil transported via a permitted hauler?		٧		
32.	If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	/er 32a.	., 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		V		
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		V		
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		~		

			Date of Return to
NA	Yes	No	Compliance
	V		
N			
~			
	٧		
	7		
	V		
	V		
	N		
	_		pounds gallons

8

SECTION 13 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

(2) of the Environmental Conservation Law	vand section 210.45 of the Penai Law.
May Ila	02/11/2023
Signature	Date
Jorge Merchan	President
Name (Print or Type)	Title (Print or Type)
JLPJ@OPTONLINE.NET	
Email	(Print or Type)
1492 Route 22	Wingdale
Address	City
New York, 12594	845 832 9448
State and Zip	Phone Number

ATTACHMENTS: YES NO