

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2023

This annual report is for the year of operation from January 01, 2022 to December 31, 2022

This annual report is for the year of operation					
SECTION 1 - FACILITY INFORMATION					
	FACILITY	INFORMATION			
FACILITY NAME: CAHILLS GARAGE LLC					
FACILITY LOCATION ADDRESS:	FACILITY	CITY:		STATE:	ZIP CODE:
5446 STATE ROUTE 7	H009	SICK		NY	12089
FACILITY TOWN:	FACILITY COUNTY: FACILITY PHONE NUMBER: 518-892-9471				
HOOSICK	1	SELAER			SDEC
FACILITY NYS PLANNING UNIT: (A list of NYS Hoosick (Town) - ERCSWMA Inactive Member	S Planning Uni	ts can be found at the end of	f this repo		GION #:
FACILITY TYPE: Vehicle Dismantler DMV I.D. #7113947		Vollidio Hopail	NYS DE 5015	C ACTIVIT	Y CODE:
FACILITY CONTACT: CARRIE CAHILL	public private	CONTACT PHONE NUMBER: 518-892-9471		CONTACT	FAX NUMBER:
CONTACT EMAIL ADDRESS:		010-032-041-1			
CONTACT LIMITE / I.D.	OWNER	INFORMATION			
OWNER NAME: CARRIE CAHILL	OWNER P 5188929	HONE NUMBER: 9471	own NA	ER FAX NU	JMBER:
OWNER ADDRESS: 5456 STATE ROUTE 7	OWNER O			STATE: NY	ZIP CODE: 12089
OWNER CONTACT: EMAIL OWNER CONTACT EMAIL ADDRESS: CARRIECAHILL.CAHILLSGARAGE@GMAIL.COM					MAIL.COM
OPERATOR INFORMATION					
OPERATOR NAME: Same as owner				☑public ☑private	
PREFERENCES					
Preferred address to receive correspondence	: 🔽 Facility lo	cation address		Owner address	
Preferred email address: Facility Contact Other (provide):		wner Contact			
Preferred individual to receive correspondenc Other (provide):	⊖: ☑ Facili	ty Contact Own	ner Contact	!	
Did you operate in 2022? Yes; Complet	e this form.				
☐No; Complete	and submit	Sections 1 and 13			

SECTION SA ADELKELAIK SHOES- FIAD-OL-THE ATTROCTOR	` '
 Provide the number of ELVs received from January 1 to December 31: 	25
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	432
Provide the number of ELVs stored at the facility as of December 31:	45
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	400
Provide the approximate area used for the storage of vehicles (acres):	50 acres
Provide the names of scrap metal processors to which you sold or sent deco WALLMOMSAC METAL RECYCLING	ommissioned ELVs:
2)	
3)	
	(ELVs) PROCESSED
3)	(ELVs) PROCESSED
3)SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	<u> </u>
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3:	<u> </u>
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELVs 1)	<u> </u>
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELVs 1)	<u> </u>
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELVs 1)	<u> </u>
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELVs 1)	<u> </u>

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid Volume			Destination Name & Address
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	20	0	NA	NA	
Used Oil** (galions)	165	35	NA	NA	
Diesel Fuel (gallons)	0	0	NA	NA	
Gasoline (galions)	125	10	NA	NA	
Engine Coolant/ Antifreeze (gallons)	36	5	NA	NA	
Window Washing Fluid (gallons)	10	0	NA	NA	
Other (specify)					

^{*} Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period. Destination Sent Off Site Stored On Site Received **Material Types** To Scrap (tons) (tons) (tons) NYS Planning Unit (or state if Metal other than New York) Processor NA NA NA Ferrous Scrap No Yes Metal NA NA NA **Aluminum** Yes No Scrap Metal NA NA NA No Yes Lead Weights NA NA NA Non - Ferrous No Yes Scrap Metal No Yes Other (specify): Yes □No SECTION 5 - MERCURY SWITCHES COLLECTED Provide the number of mercury-containing devices recovered. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS). H&TS 0 ABS (Number) (Number) Indicate permitted facility or permitted transporter accepting mercury containing devices: SECTION 6 - AIR BAGS COLLECTED Provide the number of air bags recovered. Number of Air Bags Removed: 0 25 Number of Air Bags Deployed: Indicate permitted facility or permitted transporter accepting air bags:

Reprinted (12/22)

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries <u>recovered</u> and their disposition.			
Number of Lead-Acid Batteries collected from ELVs:	25		
Indicate permitted facility or permitted transporter accepting lead-acid batter WALLOMSAC METAL RECYCLING	ies:		
Any materials disposed must undergo a hazardous waste determination and hazardous.	l proper handling,	storage and disposal, if	
SECTION 8 - WASTE TIRES CO	LLECTED		
Number of waste tires stored on-site:	125	as of December 31	
Number of used tires available for sale on-site:	100	as of December 31	
Number of used tires sold:	113	during operating year	
Number of waste tires shipped off-site for recycling, disposal, other:	2004	_ during operating year	
Indicate name of facility(ies) accepting waste tires:			
SECTION 9 - SELF INSPECT	IONS		
Number of self-inspections conducted for the year:		6	
Are self-inspection records up-to-date with inspector name, what was ins	pected, time and d	ate of inspection?	
At a minimum, are fluid storage areas, vehicles, vehicle storage areas ins	spected for leaks/s _l	pills?	
SECTION 10 - PROBLEM	IS		
Were any problems encountered during the reporting period (e.g., specific facility procedures)?		n have led to changes in	
Yes No If yes, attach additional sheets identifying each problem a	and the methods fo	r resolution of the problem	
SECTION 11 - CHANGES	S		
Were there any changes from approved reports, plans, specifications, and	d permit conditions	?	
Yes No If yes, attach additional sheets identifying changes with a			

Waste Management Compliance Checklist	A Complete Complete) aE	16	Peripilia de
If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RETHAN 1,000 tires, do you have a PART 360 permit for tire storage?	V			
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		V		
Have you recorded the date of receipt for all end-of-life vehicles received?		~		
Are the end-of-life vehicle records available on-site?		V		
Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		V		
Have all observed leaks been remedied or contained?		~		
Does your facility have a written Contingency Plan?		V		
Are facility personnel trained to implement the Contingency Plan?		1		
Does your Contingency Plan include actions to be taken in the event of the followi	ng?			
9a. Fire.		V		
9b. Spill or release of vehicle waste fluids.		V	П	
9c. Unauthorized material received at facility.		V		
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		V	Ħ	
11. Are all vehicle residues prevented from migrating from or running off your property?		V		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?	m	V	H	
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?	Ħ	V		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		V	H	
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?			퓜	
15a. Are the access controls working (i.e. controlling access)?	Fd	[]		
equivalent materials		2	님	
17. Are you doing the following with your concrete (or equivalent surface) pad that is udraining, crushing, etc.?	used for	vehicle	disman	Ymg, fluid
17a. Cleaning daily.	7			
17b. Cleaning spills as they occur.				Name of the last o
17c. Collecting and properly disposing of absorbent materials.	-	~		
Reprinted (12/22)		V		

VA Yes

10

practices, prior to vehicle crushing or shredding?	ed follov	ving be	stman	agement	
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		V			
18b. Lead acid batteries.		V			
18c. Mercury switches or other mercury containing devices, if any.		V			
18d. Refrigerants, if any.		V			
18e. Air bags.		V			
18f. PCB capacitors, if any.	V				
19. Are fluids stored separately & in containers that are compatible with their contents?		V			
20. Are fluids stored in closed containers?		V			
21. Are containers which contain waste fluids in good condition and not visibly leaking?		>			
22. Are containers clearly and legibly labeled to describe their contents?		>			
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?		7			
24. Are lead-acid batteries stored upright and off the ground?		7			
25. Are lead-acid batteries covered to protect them from precipitation?		7			
26. Are all lead-acid batteries sent for recycling within one-year of receipt?		4			
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		~			
27a. Are provisions in place to absorb any acid leakage?		~			
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?	V				
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	V				
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		V			********************************
31. If sent off-site, is used oil transported via a permitted hauler?	30000000	V			
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ans	wer 32a.	, 32b.,	32c:		
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	V				
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	V				
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?	V		一	,	A ALCOHOL STATE AND STATE

A STANDARD TO BE THE COMMENT OF THE				
	0.000		<u> </u>	Date of Retu
Waste Management Compliance Checklist	N/	. Ye	s No	Complian
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?				
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	V			
35. Are sludges properly recycled or disposed?	V			
36. Are used oil filters properly drained, crushed or dismantled?		~		
37. Are drained oil filters properly recycled or disposed?		V		
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?		V		
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		V		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		V		
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		N	IA	_ pounds
		N	Α	_ gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)				
				
COMMENTS? (Attach additional sheets if necessary)				

SECTION 13 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

HOOSICK

City

direction and supervision in compliance with a system design	nation identified in this report have been prepared under my ned to ensure that qualified personnel properly and accurately se statement I make in such report is punishable pursuant to d section 210.45 of the Penal Law.
Carrie M. ahill	3/23/2023
Signature	Date
CARRIE CAHILL	MEMBER
Name (Print or Type)	Title (Print or Type)
CARRIECAHILL.CAHILLSGARA	
•	

ATTACHMENTS:	YE	s V _{NO}
	٠ السممسار	UNU

PO BOX

NY 12090

Address

State and Zip