

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2023

This annual report is for the year of operation from <u>January 01, 2022</u> to <u>December 31, 2022</u>

SECTION 1 – FACILITY INFORMATION				
FACILITY INFORMATION FACILITY NAME:				
Lake Auto Parts Inc				
FACILITY LOCATION ADDRESS:	FACILITY CITY:	STATE: ZIP CODE:		
4962503 Schauber Rd	Ballston Lake	NY 12019		
FACILITY TOWN:	FACILITY COUNTY:	FACILITY PHONE NUMBER:		
Clifton Park	Sarataga	518- 399 -9797		
FACILITY NYS PLANNING UNIT: (A Jist of NYS	S Planning Units can be found at the end of the	his report). NYSDEC REGION #: 5		
FACILITY TYPE: Vehicle Dismantler	Motor Vehicle Repair Shop N	YS DEC ACTIVITY CODE:		
DMV I.D.# 742 1789 7/2/782		TS DEC ACTIVITY CODE:		
FACILITY CONTACT:	public CONTACT PHONE	CONTACT FAX NUMBER:		
Phillip Heitmann	□ private NUMBER: 5/8-399-979	7 518-399-9876		
CONTACT EMAIL ADDRESS;		,		
	OWNER INFORMATION			
OWNER NAME:	OWNER PHONE NUMBER:	OWNER FAX NUMBER:		
Phillip Heitmann	518 399-9191	518-399-9797		
OWNER/ADDRESS:	OWNER CITY:	STATE: ZIP CODE:		
35 Blizzard Rd	Stilluater.	1707		
OWNER CONTACT:	OWNER CONTACT EMAIL ADDRE	~ <i>}</i> ~		
518-858-1302	Philologke guto Pac	ts.com		
	OPERATOR INFORMATION	HOME TO STATE A STATE OF THE ST		
OPERATOR NAME: Same as owner		☐public ☐private		
	PREFERENCES			
Preferred address to receive correspondence: Facility location address Other (provide): P.O. Bat 1040 Rell for Lake NY 12019				
Preferred email address: Facility Contact Source Owner Contact				
Preferred individual to receive correspondence: Facility Contact Other (provide):				
Did you operate in 2022? Yes; Complete this form.				
☐No; Complete	and submit Sections 1 and 13			

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLES	S (ELVs) PROCESSED
Provide the number of ELVs received from January 1 to December 31:	645
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	702
 Provide the number of ELVs stored at the facility as of December 31: 	1400
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31; 	1600
Provide the approximate area used for the storage of vehicles (acres):	14.5 acres
Provide the names of scrap metal processors to which you sold or sent dec	ommissioned ELVs:
1) Union Scrap Processing	
2) Ben Weitzmann	
Kelmon's 5 - 0	
3) Kelman's scrap	
	(ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3:	(ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES	NA
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3:	NA
• Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV	NA
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1)	NA
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1) 2)	NA
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1)	NA
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLES • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned ELV 1) 2)	NA

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

	Fluid Volume			Destination Name & Address	
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	30	0	0	20	Bay 7 Sheps
Used Oil** (gallons)	0	100	3000		Sheldon oil
Dieset Fuel (gallons)	60	0	0		Shellon o. I woil
Gasoline (gallons)	500	100	0	450	Lake Auto Parts
Engine Coolant/ Antifreeze (gallons)	0	200	109		Sheldon oil
Window Washing Fluid (gallons)	20	2.0	0	0	Lake Auto Park
Other (specify)					

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting

88-4	Material Types Received Stor		ed On Site Sent Off Site	Destination			
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit (</u> or state if other than New York)	M	To Scrap Metal Processor	
Ferrous Scrap Metal	150	30	150	Ben Weitzmann	₽Yes	□ N	
Aluminum Scrap Metal	30	less them	20 .	Kelmans	WYes	□N	
Lead Weights	0				☐Yes	□N	
Non – Ferrous Scrap Metal	0				∏Yes	□ N	
Other (specify):	\circ				□Yes	□N	
				· · ·	□Yes	□N	
H&TS) and antiloo	er of mercury-cor ck brake assemb H&TS (Number)	itaining devices <u>rec</u> lies (ABS).	: <u>overed</u> . Includir	HES COLLECTED Ig but not limited to hood & trunk ABS (Number) Intaining devices:	ighting sw	itches	
	VE	***************************************			!*V::**********************************	***************************************	

Reprinted (12/22)

SECTION 7 - LEAD-ACID BATTERIES	COLLECTED	-
Provide the number of lead-acid batteries recovered and their disposition.	L1	
Number of Lead-Acid Batteries collected from ELVs:	450	
Indicate permitted facility or permitted transporter accepting lead-acid batteries	:	
Any materials disposed must undergo a hazardous waste determination and pr hazardous.	oper handling, sto	orage and disposal, if
SECTION 8 - WASTE TIRES COLL	ECTED	
Number of waste tires stored on-site:	<u>500</u>	as of December 31
Number of used tires available for sale on-site:	80	as of December 31
Number of used tires sold:	150	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	/000	during operating year
Indicate name of facility(ies) accepting waste tires:	<u> </u>	during operating year
world with Ti	Ce	
333,70 33,40		
	*	
SECTION 9 - SELF INSPECTION	ONS	
Number of self-inspections conducted for the year:		12
Are self-inspection records up-to-date with inspector name, what was inspe	cted, time and da	te of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas insperienced and the storage areas insperienced areas.	ected for leaks/spi	lls?
SECTION 10 - PROBLEMS	W. T. C.	
Were any problems encountered during the reporting period (e.g., specific of facility procedures)?	ccurrences which	have led to changes in
Yes PNo If yes, attach additional sheets identifying each problem an	d the methods for	resolution of the problem

SECTION 11 - CHANGES

If yes, attach additional sheets identifying changes with a justification for each change.

Were there any changes from approved reports, plans, specifications, and permit conditions?

☐ Yes ☑ No

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2021:

		**************************************	-2		
					Date of Return to
	rement Compliance Checklist	NA NA	Yes	No	Compliance
If your facility stores LESS THE MORE THAN 1,000 tires, do you h	HAN 1,000 tires, check NA. If your facility stores have a PART 360 permit for tire storage?	1.7	1		
Is a system in place to control fire access lanes or drivewa	vegetation and prevent it from encroaching onto				
Have you recorded the date of	f receipt for all end-of-life vehicles received?		Ø		
4. Are the end-of-life vehicle rec			17		
Have all end-of-life vehicles b unauthorized wastes?	een inspected, upon arrival, for leaking fluids and		团		
6. Have all observed leaks been	remedied or contained?				
7. Does your facility have a writte	en Contingency Plan?		Ø,	$\overline{\Box}$	
8. Are facility personnel trained t	o implement the Contingency Plan?		回		
9. Does your Contingency Plan i	nclude actions to be taken in the event of the foll	owing?		,	<u>,</u>
9a. Fire.			回		
9b. Spill or release of vehicle	waste fluids.		U		
9c. Unauthorized material re					
 Are spills of waste fluids, if any Spills Hotline within two hour 	occur, reported to the NYSDEC s of detection?		和	П	<u> </u>
	nted from migrating from or running off your				
facility site?	terference with facility operations or from leaving				.,,
13. Are vectors (mosquitoes, rats, facility operations?	mice, etc.) controlled to prevent interference wit				
waters?	ng discharged onto the ground or into surface		Ø,		3.7.1.
15. Is access to your facility contro (not vehicles)?	olled by: fences, gates, sign and/or natural barrie	rs 🔲	Ø		
15a. Are the access controls v	vorking (i.e. controlling access)?		M		
equivalent material?	life vehicles on a pad constructed of concrete or		团		
Are you doing the following wird draining, crushing, etc.?	th your concrete (or equivalent surface) pad that	is used for v	ehicle	dismar	illing, fluid
17a. Cleaning daily.	AV SALE MA	MARGAGO DA	Ø		
17b. Cleaning spills as they oc	cur.				
17c. Collecting and properly di	sposing of absorbent materials.				

Reprinted (12/22)

용한 [8] 시민 아이지는 사이는 전 사는 경험을 통해했다. 인민의 (통護學) 전환 경험의	
	Date of Return to
Waste Management Compliance Checklist	NA Yes No Compliance
18. Have the following wastes been drained, removed, deployed, collected and/or practices, prior to vehicle crushing or shredding?	r stored following best management
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and re axle fluid, brake fluid, power steering fluid, coolant, and fuel).	ear D D
18b. Lead acid batteries.	
18c. Mercury switches or other mercury containing devices, if any.	
18d. Refrigerants, if any.	
18e. Air bags.	
18f. PCB capacitors, if any.	
19. Are fluids stored separately & in containers that are compatible with their contents?	
20. Are fluids stored in closed containers?	
21. Are containers which contain waste fluids in good condition and not visibly leaking?	
22. Are containers clearly and legibly labeled to describe their contents?	
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?	
24. Are lead-acid batteries stored upright and off the ground?	
25. Are lead-acid batteries covered to protect them from precipitation?	
26. Are all lead-acid batteries sent for recycling within one-year of receipt?	
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?	
27a. Are provisions in place to absorb any acid leakage?	
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and theπ sent for recycling?	
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?	
31. If sent off-site, is used oil transported via a permitted hauler?	
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then	answer 32a, 32b., 32c.
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?	

			Date of Return to
- NA	Yes	No	Compliance
	回	, 🔲	And the second s
	凶		
	0,		
	1		, , , , , , , , , , , , , , , , , , ,
			// !
		口	
		N/A	∬ pounds gallons
			-
		NA Yes	NA Yes No

SECTION 13 - SIGNATURE AND DATE BY OWNER OR OPERATOR

OWher or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Phillip W. Heitmann	Date
Philip Hetmann Name (Print or Type)	Pesiden
Phila/akeautos	or Type)
498-503 Schouber Rd Address	Ballston Lake
MY 12019 State and Zip	(<u>5)8</u>) 399 - 9797 Phone Number

ATTACHMENTS: YES NO