VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP



AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2023

This annual report is for the year of operation from January 01, 2022 to December 31, 2022

SECTI		CILITY INFORMATIC	<u>)N</u>			
	FACILITY	INFORMATION				
FACILITY NAME:						
Ray Lantz Garage Inc				T		
FACILITY LOCATION ADDRESS:	FACILITY CITY: STATE: ZIP CODE:					
230 Tiona Road	NY 13802					
FACILITY TOWN:	VN: FACILITY COUNTY: FACILITY PHONE NUMBER:					
Maine	Broome 607-862-3350				3350	
FACILITY NYS PLANNING UNIT: (A list of N Broome Co	YS Planning Un	ts can be found at the end of	this repo		SDEC GION #: 7	
FACILITY TYPE: Vehicle Dismantler		Vehicle Repair Shop	NYS DE		Y CODE:	
DMV I.D. #0-0073						
FACILITY CONTACT:	public	CONTACT PHONE NUMBER:			FAX NUMBER:	
Sherry Russell	private	607-862-3350		607-862	2-4579	
CONTACT EMAIL ADDRESS:						
	OWNER	INFORMATION				
OWNER NAME: Donald G Lantz	OWNER F 607-862	HONE NUMBER: -3350		IER FAX N 862-457		
OWNER ADDRESS: PO Box 74	OWNER O Maine	CITY:	I	STATE:	ZIP CODE: 13802	
OWNER CONTACT:	OWNER	ONTACT EMAIL ADDR	ESS:	<u> </u>	- I	
	OPERATO	R INFORMATION	- Angeleran			
OPERATOR NAME: Same as owner				public private		
	PRE	FERENCES				
Preferred address to receive correspondence	ce: 🔽 Facility Ic	ocation address		Owner address	S	
Preferred email address: Facility Contact	0	wner Contact				
Preferred individual to receive corresponder Other (provide):	nce: 🔽 Facili	ity Contact 🔲 Own	er Contac	ct	· · · · · · · · · · · · · · · · · · ·	
			na neu de la composition de la composit			
Did you operate in 2022? Yes; Comple	ete this form.					
	te and submit	Sections 1 and 13				

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLE	
 Provide the number of ELVs received from January 1 to December 31: 	121
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	116
Provide the number of ELVs stored at the facility as of December 31:	507
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	640
 Provide the approximate area used for the storage of vehicles (acres): 	40-50 _{acres}
• Provide the names of scrap metal processors to which you sold or sent d	ecommissioned ELVs:
2)	
3)	
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICL • Provide the number of ELVs crushed from January 1 to December 3:	ES (ELVs) PROCESSE
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICL	NA
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICL • Provide the number of ELVs crushed from January 1 to December 3:	NA
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLI • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned E	NA
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICL • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned E 1)	NA
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned E 1) 2)	NA
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned E 1)	NA

Reprinted (12/22)

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

	Fluid Volume			Destination Name & Address				
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)			
Refrigerant (pounds)								
Used Oil** (gallons)	216			· .	Used by Ray Lantz Garage Inc in vehicles/ clean burn furnace			
Diesel Fuel (gallons)	64				Used by Ray Lantz Garage Inc in vehicles/ clean burn furnace			
Gasoline (gallons)	332				Used by Ray Lantz Garage Inc in vehicles/ clean burn furnace			
Engine Coolant/ Antifreeze (gallons)		ţ	119		Customers - check list			
Window Washing Fluid (gallons)	3				Used by Ray Lantz Garage Inc			
Other (specify)								

* Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

** Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 – SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Received	Stored On Site	Sent Off Site	Destination			
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit (</u> or state if other than New York)	To Scrap Metal Processor		
Ferrous Scrap Metal			745.5	Tioga County	√Yes	□No	
Aluminum Scrap Metal			23.25	Onondaga County (except Skaneateles (T	√Yes	□No	
Lead Weights					□Yes	No	
Non – Ferrous Scrap Metal			45.5	Broome County	r∕Yes	□No	
Other (specify):		an a			□Yes	□No	
		ž	e		□Yes	□No	

SECTION 5 – MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing devices <u>recovered</u>. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS).

H&TS 0 (Number)

ABS	0
(Numbe	r)

Indicate permitted facility or permitted transporter accepting mercury containing devices:

0

SECT	ION 6 – AIR BAGS COLLECTED	
Provide the number of air bags recovered.		

Number of Air Bags Removed:

Number of Air Bags Deployed:

0

Indicate permitted facility or permitted transporter accepting air bags:

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.

Number of Lead-Acid Batteries collected from ELVs:

7	\mathbf{r}	
1	Ζ	

Indicate permitted facility or permitted transporter accepting lead-acid batteries:

Weitsman Recycling - Owego NY

Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disposal, if hazardous.

SECTION 8 – WASTE TIRES COLLECTED

Number of waste tires stored on-site:	120	as of December 31
Number of used tires available for sale on-site:	466	as of December 31
Number of used tires sold:	192	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	13.88 ton	during operating year
Indicate name of facility(ies) accepting waste tires:		
Seneca Meadows		

Number of self-inspections conducted for the year:

Are self-inspection records up-to-date with inspector name, what was inspected, time and date of inspection?

At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills? ✓ Yes □No

SECTION 10 – PROBLEMS

Were any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures)?

Yes No If yes, attach additional sheets identifying each problem and the methods for resolution of the problem

Were there any changes from approved reports, plans, specifications, and permit conditions?

Yes No If yes, attach additional sheets identifying changes with a justification for each change.

SECTION 12 – COMPLIANCE CERTIFICATION

As of December 31, 2021:

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
1. MO	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores RE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	\checkmark			
2.	Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		\checkmark		
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		\checkmark		
4.	Are the end-of-life vehicle records available on-site?		\checkmark		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		\checkmark		
6.	Have all observed leaks been remedied or contained?		\checkmark		
7.	Does your facility have a written Contingency Plan?		\checkmark		
8.	Are facility personnel trained to implement the Contingency Plan?		\checkmark		
9.	Does your Contingency Plan include actions to be taken in the event of the following	ıg?			
	9a. Fire.		1		
	9b. Spill or release of vehicle waste fluids.		\checkmark		
	9c. Unauthorized material received at facility.		\checkmark		
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		\checkmark		
11.	Are all vehicle residues prevented from migrating from or running off your property?		\checkmark		
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?		\checkmark		
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		\checkmark		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?		\checkmark		
15.	Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		\checkmark		
	15a. Are the access controls working (i.e. controlling access)?		\checkmark		
16.	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		\checkmark		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	ised for	r vehicle	e disma	ntling, fluid
	17a. Cleaning daily.		\checkmark		
	17b. Cleaning spills as they occur.		\checkmark		
	17c. Collecting and properly disposing of absorbent materials.		\checkmark		

Reprinted (12/22)

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
18.	Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	d follov	ving bes	st mana	igement
- -	18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		\checkmark		
	18b. Lead acid batteries.		\checkmark		
	18c. Mercury switches or other mercury containing devices, if any.	\checkmark			
-	18d. Refrigerants, if any.	\checkmark			
	18e. Air bags.		\checkmark		
	18f. PCB capacitors, if any.	\checkmark			
19.	Are fluids stored separately & in containers that are compatible with their contents?		$\mathbf{<}$		
20.	Are fluids stored in closed containers?		\checkmark		
21.	Are containers which contain waste fluids in good condition and not visibly leaking?		\checkmark		
22.	Are containers clearly and legibly labeled to describe their contents?		\checkmark		
23.	Are containers stored on a bermed pad constructed of concrete or equivalent material?		\checkmark		
24.	Are lead-acid batteries stored upright and off the ground?		\checkmark		
25.	Are lead-acid batteries covered to protect them from precipitation?		\checkmark		
26.	Are all lead-acid batteries sent for recycling within one-year of receipt?		\checkmark		
27	Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		\checkmark		
	27a. Are provisions in place to absorb any acid leakage?		\checkmark		
28	Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		\checkmark		
29	Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	\checkmark			
30	Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		\checkmark		
31	If sent off-site, is used oil transported via a permitted hauler?	\checkmark			
32	. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	ver 32a	., 32b.,	32c:	
	32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		\checkmark		
	32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		\checkmark		
	32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		\checkmark		

				Date of Return to	
Waste Management Compliance Checklist	NA	Yes	No	Compliance	
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		\checkmark			
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	\checkmark				
35. Are sludges properly recycled or disposed?	\checkmark				
36. Are used oil filters properly drained, crushed or dismantled?		\checkmark			
37. Are drained oil filters properly recycled or disposed?		\checkmark			
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 					
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?	\checkmark				
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?	\checkmark				
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	\checkmark				
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar		NA pounds			
month?		1	NA	gallons	

Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)

COMMENTS? (Attach additional sheets if necessary)

SECTION 13 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation Division of Materials Management Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260 Fax 518-402-9041 Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Donald G Lantz

Name (Print or Type)

2/28/2023

Date

Pres

Title (Print or Type)

Email (Print or Type)

PO Box 74

Address

NY 13802

State and Zip

Maine

City

₍ 607	862	3350	
Phone Number			

ATTACHMENTS: YES NO