MEW YORK STATE OF OFFORTWARY Conservation

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP

AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2023

This annual report is for the year of operation from January 01, 2022 to December 31, 2022

SECTIO	DN 1 - FAG	CILITY INFORMATIO	ON			
	FACILITY	INFORMATION				
FACILITY NAME: Menards Garage LLC						
ACILITY LOCATION ADDRESS: FACILITY CITY: STATE: ZIP CODE:						
285 Wackford Rd Oxford NY 13830						
FACILITY TOWN:	FACILITY	COUNTY:	FACI	LITY PHO	ONE NUMBER:	
Oxford Chenango 607-843-9392						
FACILITY NYS PLANNING UNIT: (A list of NY	'S Planning Uni	ts can be found at the end o	f this repo		IYSDEC 7	
FACILITY TYPE: Vehicle Dismantler	Motor	Vehicle Repair Shop	NYS DE	C ACTIV	ITY CODE:	
DMV I.D. #R4090069	Mobile	Vehicle Crusher				
FACILITY CONTACT:	public	CONTACT PHONE	(CONTAC	T FAX NUMBER:	
Corrine Menard	private	NUMBER: 607843-9392	6	607-8	43-9030	
CONTACT EMAIL ADDRESS:						
	OWNER	INFORMATION				
OWNER NAME: Daniel & Dale Menard	OWNER P 607-843	HONE NUMBER: -9392		ER FAX 843-9(NUMBER:)30	
OWNER ADDRESS: 271 & 235 Wackford Rd	OWNER O Oxford	ITY:		STATE	: ZIP CODE: 13830	
OWNER CONTACT:		ONTACT EMAIL ADDR		**************************************		
Daniel	1	sgarage@yahoo.c	com			
	OPERATO	R INFORMATION				
OPERATOR NAME: Same as owner				public		
	PRE	FERENCES				
Preferred address to receive correspondence Other (provide):	Facility lo	cation address		wner addre	955	
Preferred email address: Facility Contact	0	wner Contact				
Preferred individual to receive correspondence Other (provide):	:0: Facili	ly Contact 🔽 Own	ner Contact			
Did you operate in 2022? Ves; Complet	e this form.					
No; Complete	and submit	Sections 1 and 13				

Provide the number of ELVs received from January 1 to December 31:	22
Provide the number of ELVs received from January 1 to December 31.	
Provide the number of ELVs crushed and/or removed from the facility	19
from January 1 to December 31:	
Provide the number of ELVs stored at the facility as of December 31:	164
Provide the highest number of ELVs stored at the facility	174
at any one time from January 1 to December 31:	1/4
	9.6
Provide the approximate area used for the storage of vehicles (acres):	3.0 acres
Provide the names of scrap metal processors to which you sold or sent de	commissioned ELVs:
2)	
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3:	S (ELVs) PROCESSED
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3:	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned El	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned El	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned El	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned El)	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned El 1)	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned El 1)	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned El)	
ECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE Provide the number of ELVs crushed from January 1 to December 3: Provide the names of each facility where you crushed decommissioned EL)	

D 11 1/4000

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	2.8				
Used Oil** (gallons)	700				
Diesel Fuel (gallons)	0				
Gasoline (gallons)	51				
Engine Coolant/ Antifreeze (gallons)	25				
Window Washing Fluid (gallons)	4				
Other (specify)					

* Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

** Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Received	Stored On Site	Sent Off Site	Destination		
Materiai Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit (</u> or state if other than New York)	Me	icrap etal essor
Ferrous Scrap Metal	1				Yes	No
Aluminum Scrap Metal	3				Yes	No
Lead Weights	0				Yes	No
Non – Ferrous Scrap Metal	Otsego Crushers				⊡Yes	□ No
Other (specify):					Tes	No
					Yes	No

SECTION 5 – MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing devices <u>recovered</u>. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS).

H&TS _____ (Number) ABS _____

Indicate permitted facility or permitted transporter accepting mercury containing devices:

SECTION 6 – AIR BAGS COLLECTED

Provide the number of air bags recovered.

Number of Air Bags Removed:

Number of Air Bags Deployed:

Indicate permitted facility or permitted transporter accepting air bags:

Reprinted (12/22)

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.

Number of Lead-Acid Batteries collected from ELVs:

Indicate permitted facility or permitted transporter accepting lead-acid batteries:

Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disposal, if hazardous.

SECTION 8 – WASTE TIRES COLLECTED

Number of waste tires stored on-site:	110	as of December 31
Number of used tires available for sale on-site:	33	as of December 31
Number of used tires sold:	49	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	550	during operating year

Indicate name of facility(ies) accepting waste tires:

SECTION 9 – SELF INSPECTIONS Number of self-inspections conducted for the year:	15
Are self-inspection records up-to-date with inspector name, what was inspected, time Yes No	e and date of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for Yes No	leaks/spills?
SECTION 10 - PROBLEMS	-
Were any problems encountered during the reporting period (e.g., specific occurrence facility procedures)?	es which have led to changes in
Yes No If yes, attach additional sheets identifying each problem and the me	othods for resolution of the problem
SECTION 11 - CHANGES	
Were there any changes from approved reports, plans, specifications, and permit co	onditions?
Yes No If yes, attach additional sheets identifying changes with a justification	on for each change.

- · · · · · · · ·

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2021:

Date of Return to Waste Management Compliance Checklist NA Yes No Compliance 1. If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores If a system in place to control vegetation and prevent it from encroaching onto If a system in place to control vegetation and prevent it from encroaching onto If a system in place to control vegetation and prevent it from encroaching onto If a system in place to control vegetation and prevent it from encroaching onto If a system in place to control vegetation and prevent it from encroaching onto If a system in place to control vegetation and prevent it from encroaching onto If a system in place to control vegetation and prevent it from encroaching onto If a system in place to control vegetation and prevent it from encroaching onto If a system in place to control vegetation and prevent it from encroaching onto If a system of diverse diverse it is breaked? If a system a written Contingency Plan If a system a written Contingency Plan? If a set split prevent latify have a written Contingency Plan? If a set split or release of vehicle waste fluids. If a set all vehice material received at facility. If a set all vehice material received at facility. If a set all vehice residues prevented from migrating from or running off your property? If a dust controlled to prevent interference with facility operations or from leaving facility sit? If a vectors (mosquiloes, rats, mice, etc.) controlled to prevent interference with facility operations or from leaving facility sit? If a vectors (mosquiloes, rats, mice, etc.) controlled t					
 If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage? Is a system in place to control vegetation and prevent it from encreaching onto fire access lanes or driveways? Have you recorded the date of receipt for all end-of-life vehicles received? If a vegeta in the store of the store of the store of the vehicles received? If a vegeta in the store of the store of the vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? Have all end-of-life vehicles been remedied or contained? If a vegeta in the store of the store					Date of Return to
MORE THAN 1,000 tires, do you have a PART 360 permit for the storage? Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways? Have you recorded the date of receipt for all end-of-life vehicles received? If a secess lanes or driveways? Have all end-of-life vehicle records available on-site? If ave all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? Have all observed leaks been remedied or contained? If ave all observed leaks been remedied or contained? If a secoss pour facility have a written Contingency Plan? Are facility personnel trained to implement the Contingency Plan? Does your Contingency Plan Include actions to be taken in the event of the following? Fire. Sec. Unauthorized material received at facility. Are splits of waste fluids, if any occur, reported to the NYSDEC Splits Hotline servement form migrating from or running off your property? Is access to your facility controlled by: fences, gates, sign and/or natural barriers (received) Are vaste fluids kept from being discharged onto the ground or into surface waters? Is access to your facility controlled by: fences, gates, sign and/or natural barriers (received) Are fuids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? Are sublic drive material? If a cleaning deliy. <l< th=""><th>Waste Management Compliance Checklist</th><th>NA</th><th>Yes</th><th>No</th><th>Compliance</th></l<>	Waste Management Compliance Checklist	NA	Yes	No	Compliance
fire access lanes or driveways? Image: Control of the date of receipt for all end-of-life vehicles received? 3. Have you recorded the date of receipt for all end-of-life vehicles received? Image: Control of the vehicle records available on-site? 4. Are the end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? Image: Control of the vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? 6. Have all observed leaks been remedied or contained? Image: Control of the vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? 7. Does your facility have a written Contingency Plan? Image: Control of the vehicles been inspected, upon arrival, for leaking fluids and trained to implement the Contingency Plan? 9. Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. Image: Control of the vehicle actions to be taken in the event of the following? 9b. Spill or release of vehicle waste fluids. Image: Control of the vehicle received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hottine within two hours of detection? Image: Control of the prevent interference with facility operations or from leaving facility site? 11. Are a levelicle residues prevented from migrating from or running off your property? Image: Control of the prevent interference with facility operations? 12. Is dust controlled to prevent interference with facility operations? Ima		•			
 Are the end-of-life vehicle records available on-site? Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? Have all observed leaks been remedied or contained? V Does your facility have a written Contingency Plan? V Does your facility personnel trained to implement the Contingency Plan? V Does your Contingency Plan Include actions to be taken in the event of the following? B. Are facility personnel trained to implement the Contingency Plan? V Does your Contingency Plan Include actions to be taken in the event of the following? 9a. Fire. V Spill or release of vehicle waste fluids. V Sc. Unauthorized material received at facility. Are all vehicle residues prevented from migrating from or running off your property? Is dust controlled to prevent interference with facility operations or from leaving facility site? Are vest fluids, kept from being discharged onto the ground or into surface waters? Kare vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? Are west fluids drained from medicity function access?? V Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? Are vector (mosquitoes, rats, mice, etc.) controlled to concrete or equivalent material? Y Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? Are weats fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.?<!--</td--><td></td><td></td><td>2</td><td></td><td></td>			2		
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes? 6. Have all observed leaks been remedied or contained? 7. Does your facility have a written Contingency Plan? 8. Are facility personnel trained to implement the Contingency Plan? 9. Does your Contingency Plan include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevent interference with facility operations or from leaving facility site? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.?	3. Have you recorded the date of receipt for all end-of-life vehicles received?			~	
unauthorized wastes? Image: Contained? 6. Have all observed teaks been remedied or contained? Image: Contained Contained? 7. Does your facility have a written Contingency Plan? Image: Contained Contendered Conterver Contained Contained Contained Contai	4. Are the end-of-life vehicle records available on-site?		2		
7. Does your facility have a written Contingency Plan? Image: Contingency Plan include actions to be taken in the event of the following? 9. Does your Contingency Plan include actions to be taken in the event of the following? Image: Contingency Plan include actions to be taken in the event of the following? 9a. Fire. Image: Contingency Plan include actions to be taken in the event of the following? 9a. Fire. Image: Control Contingency Plan include actions to be taken in the event of the following? 9b. Spill or release of vehicle waste fluids. Image: Control Contenter Control Control Control Control Contr			2		
8. Are facility personnel trained to implement the Contingency Plan? 9. Does your Contingency Plan Include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. 17b. Cleaning spills as they occur.	6. Have all observed leaks been remedied or contained?				
9. Does your Contingency Plan Include actions to be taken in the event of the following? 9a. Fire. 9b. Spill or release of vehicle waste fluids. 9c. Unauthorized material received at facility. 10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? 11. Are all vehicle residues prevented from migrating from or running off your property? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is aces to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. 17b. Cleaning spills as they occur.	7. Does your facility have a written Contingency Plan?		~		
9a. Fire. Image: Constraint of the sector of the secto	8. Are facility personnel trained to implement the Contingency Plan?		2		
9b. Spill or release of vehicle waste fluids. Image: Control in the image: Control in	9. Does your Contingency Plan include actions to be taken in the event of the following	ng?			
9c. Unauthorized material received at facility. Image: Construction of the constructing of the construction of the construction of the const	9a. Fire.				
10. Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection? Image: Comparison of the test of the test of the test of test	9b. Spill or release of vehicle waste fluids.		~		
Spills Hotine within two hours of detection? Image: Control of the second s	9c. Unauthorized material received at facility.	0			
property? Image: Controlled to prevent interference with facility operations or from leaving facility site? 12. Is dust controlled to prevent interference with facility operations or from leaving facility site? Image: Controlled to prevent interference with facility operations? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? Image: Controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? Image: Controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? Image: Controlling access)? 15a. Are the access controls working (i.e. controlling access)? Image: Controlled to prevent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. Image: Control image: Contr			0		
facility site? 13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations? 14. Are waste fluids kept from being discharged onto the ground or into surface waters? 15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)? 15a. Are the access controls working (i.e. controlling access)? 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. 17b. Cleaning spills as they occur.			2		
facility operations? Image: Constraint of the second o			2		
14. Are waste fluids kept from being discharged onto the ground or into surface waters? Image: Control into a			2		
(not vehicles)? Image: Control structure 15a. Are the access controls working (i.e. controlling access)? Image: Control structure 16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? Image: Concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. Image: Cleaning spills as they occur. 17b. Cleaning spills as they occur. Image: Cleaning spills as they occur.	14. Are waste fluids kept from being discharged onto the ground or into surface				
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material? 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. 17b. Cleaning spills as they occur.			2		
equivalent material? Image: Constraint of the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. Image: Cleaning daily. 17b. Cleaning spills as they occur. Image: Cleaning daily.	15a. Are the access controls working (i.e. controlling access)?		2		
 17. Are you doing the following with your concrete (or equivalent surface) pad that is used for vehicle dismantling, fluid draining, crushing, etc.? 17a. Cleaning daily. 17b. Cleaning spills as they occur. 			0		
17b. Cleaning spills as they occur.	17. Are you doing the following with your concrete (or equivalent surface) pad that is u	sed for	vehicle	disma	ntling, fluid
	17a. Cleaning daily.		2		
17c. Collecting and properly disposing of absorbent materials.	17b. Cleaning spills as they occur.		0		
	17c. Collecting and properly disposing of absorbent materials.		2		

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
18. Have the following wastes been drained, removed, deployed, collected and/or stor practices, prior to vehicle crushing or shredding?	red follow	ving be	st mana	agement
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		2		
18b. Lead acid batteries.		~		
18c. Mercury switches or other mercury containing devices, if any.		~		
18d. Refrigerants, if any.		~		
18e. Air bags.		~		
18f. PCB capacitors, if any.	~			
19. Are fluids stored separately & in containers that are compatible with their contents?		2		
20. Are fluids stored in closed containers?		~		
21. Are containers which contain waste fluids in good condition and not visibly leaking?		2		
22. Are containers clearly and legibly labeled to describe their contents?		2		
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?		0		
24. Are lead-acid batteries stored upright and off the ground?		~		
25. Are lead-acid batteries covered to protect them from precipitation?		2		
26. Are all lead-acid batteries sent for recycling within one-year of receipt?		2		
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		2		
27a. Are provisions in place to absorb any acid leakage?		~		
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?				
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	2			
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		2		
31. If sent off-site, is used oil transported via a permitted hauler?	~			
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ans	wer 32a	., 32b.,	32c:	
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		2		
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?				
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		2		

					Date of Return to
	Waste Management Compliance Checklist	NA	Yes	No	Compliance
33.	Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		2		
34.	Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	2			
35.	Are sludges properly recycled or disposed?	~			
36.	Are used oil filters properly drained, crushed or dismantled?		~		
37.	Are drained oil filters properly recycled or disposed?		~		
38.	If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c:				
	38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?		2		
	38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?				
	38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		2		
non the	If your facility does not handle cleaning solvents, degreasers, battery acids or -vehicle wastes write NA. If these materials are handled at your facility, what is maximum amount of this material that your facility generates in any calendar nth?		-	N/A	pounds gallons

Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)

No

COMMENTS? (Attach additional sheets if necessary)

.

SECTION 13 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation Division of Materials Management Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260 Fax 518-402-9041 Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

04-06-2023 U14 E Ul Signature Date

Daniel Menard

Name (Print or Type)

Member

Title (Print or Type)

menardsgarage@yahoo.com

Email (Print or Type)

285 Wackford Rd

Oxford

Address

NY 13830

State and Zip

607 843 9392

City

Phone Number