

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP

AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2023

This annual report is for the year of operation from January 01, 2022 to December 31, 2022

SE	CTION 1 - FAC	CILITY INFORMATIO	ON				
	FACILITY	INFORMATION					
facility name: M&M U-Pull-It, Inc.							
FACILITY LOCATION ADDRESS:	FACILITY	CITY:		STATE:	ZIP CODE:		
2150 William St. Buffalo NY 14206							
FACILITY TOWN:	FACILITY	COUNTY:	FACI	ITY PHON	NE NUMBER:		
Sloan Erie 716-896-1775							
FACILITY NYS PLANNING UNIT: (A lis Northeast Southtowns Solid Waste Management B		its can be found at the end o	f this repo	rt). NY RE	sdec gion #:9		
FACILITY TYPE: Vehicle Dismantle	er Motor	Vehicle Repair Shop	NYS DE	C ACTIVIT	Y CODE:		
DMV I.D. #_7087875		e Vehicle Crusher					
FACILITY CONTACT:	D public	CONTACT PHONE	(CONTACT	FAX NUMBER:		
Martin Marks	🔽 private	NUMBER: 716-896-1775	1	NONE			
CONTACT EMAIL ADDRESS: martin@	marksautoparts.co	om					
	OWNER	INFORMATION		-			
OWNER NAME: Martin Marks	OWNER P 716-896	HONE NUMBER: -1775	NON	ER FAX N	UMBER:		
OWNER ADDRESS:	OWNER O			STATE:	ZIP CODE:		
PO Box 147	Buffalo			NY	14240		
OWNER CONTACT:		ONTACT EMAIL ADDR					
Martin Marks		marksautoparts	.com				
	OPERATO	RINFORMATION					
OPERATOR NAME:	owner			□public ☑private			
	PRE	FERENCES					
Preferred address to receive correspon Other (provide):	dence: 🔲 Facility Ic	ocation address	70	wner addres.	S		
Preferred email address: Facility Co	ntact 🔽 O	wner Contact					
Preferred individual to receive correspo		ity Contact 🔲 Ow	ner Contac	t			
	·····						
Did you operate in 2022? Ves; Co	omplete this form.						

No; Complete and submit Sections 1 and 13

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLE	S (ELVs) PROCESSED
 Provide the number of ELVs received from January 1 to December 31: 	3342
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	3053
 Provide the number of ELVs stored at the facility as of December 31: 	903
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	903
 Provide the approximate area used for the storage of vehicles (acres): 	10acres
• Provide the names of scrap metal processors to which you sold or sent de 1) Buffalo Shredding	commissioned ELVs:
Niagara Motole	
₂₎ Niagara Metals	
2) INIAGATA IVIETAIS 3) 3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	S (ELVs) PROCESSED
3)	S (ELVs) PROCESSED
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1)	
3) SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL 1) 2)	
3)	
3)	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting volumes of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)					See Attachment A
Used Oil** (gallons)					See Attachment A
Diesel Fuel (gallons)					See Attachment A
Gasoline (gallons)					See Attachment A
Engine Coolant/ Antifreeze (gallons)					See Attachment A
Window Washing Fluid (gallons)				1	See Attachment A
Other (specify)					See Attachment A

* Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

** Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting period.

	Received	Stored On Site	Sent Off Site	Destination		
Material Types	(tons)	(tons)	(tons)	NYS <u>Planning Unit (</u> or state if other than New York)	To Scrap Metal Processor	
Ferrous Scrap Metal	5681	1535	5190	Northeast Southtowns Solid Waste Manaç	r∕Yes	□No
Aluminum Scrap Metal					∐Yes	⊡No
Lead Weights					□Yes	No
Non – Ferrous Scrap Metal			1		TYes	□No
Other (specify):		·			□Yes	ΠNο
					□Yes	□No

SECTION 5 - MERCURY SWITCHES COLLECTED

Provide the number of mercury-containing devices <u>recovered</u>. Including but not limited to hood & trunk lighting switches (H&TS) and antilock brake assemblies (ABS).

H&TS 136 (Number)

ABS	1
(Numbe	r)

Indicate permitted facility or permitted transporter accepting mercury containing devices: ELVS Mercury Switch Program

	SECTION 6 - AIF	R BAGS COLLECTED	
Provide the number of air bags reco	overed.		
Number of Air Bags Removed:	0	Number of Air Bags Deployed:	4579
Indicate permitted facility or permit	ed transporter accepti	ng air bags:	

Reprinted (12/22)

SECTION 7 – LEAD-ACID BATTERIES COLLECTED

Provide the number of lead-acid batteries recovered and their disposition.

Number of Lead-Acid Batteries collected from ELVs:

0		

Indicate permitted facility or permitted transporter accepting lead-acid batteries:

See	Attac	hme	nt A

Any materials disposed must undergo a hazardous waste determination and proper handling, storage and disposal, if hazardous.

SECTION 8 – WASTE TIRES COLLECTED

Number of waste tires stored on-site:	210	as of December 31
Number of used tires available for sale on-site:	130	as of December 31
Number of used tires sold:	2094	during operating year
Number of waste tires shipped off-site for recycling, disposal, other:	8696	during operating year
Indicate name of facility(ies) accepting waste tires:		
WNY Tire LLC		

SECTION 9 - SELF INSPECTIONS								
Number of self-inspections conducted for the year:								
Are self-inspection records up-to-date with inspector name, what was inspected, time and date of inspection? ✓ Yes ☐No								
At a minimum, are fluid storage areas, vehicles, vehicle storage areas inspected for leaks/spills? ✓ Yes No								
SECTION 10 - PROBLEMS								
Were any problems encountered during the reporting period (e.g., specific occurrences which have led to changes in facility procedures)?								
Yes No If yes, attach additional sheets identifying each problem and the methods for resolution of the problem								
SECTION 11 – CHANGES								
Were there any changes from approved reports, plans, specifications, and permit conditions?								
Yes No If yes, attach additional sheets identifying changes with a justification for each change.								

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2021:

	Waste Management Compliance Checklist	NA	Yes	No	Date of Return to Compliance
1.	If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores				
MO 2.	RE THAN 1,000 tires, do you have a PART 360 permit for tire storage? Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?				
3.	Have you recorded the date of receipt for all end-of-life vehicles received?		\checkmark		
4.	Are the end-of-life vehicle records available on-site?		\checkmark		
5.	Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		\checkmark		
6.	Have all observed leaks been remedied or contained?		\checkmark		
7.	Does your facility have a written Contingency Plan?		\checkmark		
8.	Are facility personnel trained to implement the Contingency Plan?		\checkmark		
9.	Does your Contingency Plan include actions to be taken in the event of the following	ng?			
	9a. Fire.		\checkmark		
	9b. Spill or release of vehicle waste fluids.		\checkmark		
	9c. Unauthorized material received at facility.		$\overline{\mathbf{V}}$		
10.	Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		$\overline{\mathbf{V}}$		
11.	Are all vehicle residues prevented from migrating from or running off your property?		$\overline{\checkmark}$		
12.	Is dust controlled to prevent interference with facility operations or from leaving facility site?		$\overline{\mathbf{V}}$		
13.	Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		$\overline{}$		
14.	Are waste fluids kept from being discharged onto the ground or into surface waters?				
15.			\checkmark		
	15a. Are the access controls working (i.e. controlling access)?				
16.	Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		\checkmark		
17.	Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	sed for	vehicle	disma	antling, fluid
	17a. Cleaning daily.		\checkmark		
	17b. Cleaning spills as they occur.		\checkmark		
	17c. Collecting and properly disposing of absorbent materials.		\checkmark		

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
18. Have the following wastes been drained, removed, deployed, collected and/or stor practices, prior to vehicle crushing or shredding?	red follow	ving bes	st mana	gement
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		\checkmark		
18b. Lead acid batteries.		\checkmark		
18c. Mercury switches or other mercury containing devices, if any.		\checkmark		
18d. Refrigerants, if any.		\checkmark		
18e. Air bags.		\checkmark		
18f. PCB capacitors, if any.	1			
19. Are fluids stored separately & in containers that are compatible with their contents?		\checkmark		
20. Are fluids stored in closed containers?		\checkmark		
21. Are containers which contain waste fluids in good condition and not visibly leaking?		\checkmark		
22. Are containers clearly and legibly labeled to describe their contents?		\checkmark		
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?		\checkmark		
24. Are lead-acid batteries stored upright and off the ground?		\checkmark		
25. Are lead-acid batteries covered to protect them from precipitation?		\checkmark		
26. Are all lead-acid batteries sent for recycling within one-year of receipt?		\checkmark		
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?		\checkmark		
27a. Are provisions in place to absorb any acid leakage?		\checkmark		
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		\checkmark		
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	\checkmark			
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		\checkmark		
31. If sent off-site, is used oil transported via a permitted hauler?		\checkmark		
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then ans	swer 32a	., 32b.,	32c:	
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?	\checkmark			
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?	\checkmark			
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?	\checkmark			

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		\checkmark		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?		\checkmark		
35. Are sludges properly recycled or disposed?		\checkmark		
36. Are used oil filters properly drained, crushed or dismantled?		\checkmark		
37. Are drained oil filters properly recycled or disposed?		\checkmark		
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?				
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?				
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?	\checkmark			
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes write NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		_		pounds gallons

Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary.)

None

COMMENTS?	(Attach additional sheets if necessary)
None	

SECTION 13 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to:

New York State Department of Environmental Conservation Division of Materials Management Bureau of Solid Waste Management 625 Broadway Albany, New York 12233-7260 Fax 518-402-9041 Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

2/27/2023 Date

Martin Marks

Name (Print or Type)

President

Title (Print or Type)

martin@marksautoparts.com

Email (Print or Type)

2150	William	St
------	---------	----

Address

Buffalo

City

NY 14206

State and Zip

716,896_1775

Phone Number

Attachment A

- Dismantling of ELV's is performed at facilities 1 & 2
- Dismantling of ELV's is performed at facilities 1 & 2 for facility 3.
- ELV's fluids are drained at facilities 1 & 2 for facility 4
- Light dismantling (ie. Dry parts), is performed at facility 3
- All crushing is performed at facility 4
- Final check for mercury switches performed at facility 4
- Disposal of mercury switches is done thru facility 1, 2, 3, & 4
- All ELV's for facility 3 are purchased by facility 4

