

VEHICLE DISMANTLING FACILITY, MOTOR VEHICLE REPAIR SHOP AND MOBILE VEHICLE CRUSHER ANNUAL REPORT

Submit the Annual Report no later than March 1, 2023

This annual report is for the year of operation from January 01, 2022 to December 31, 2022

SECTION 1 - FACILITY INFORMATION **FACILITY INFORMATION FACILITY NAME:** Parts INC 48ED AUTO DUMBLETON FACILITY CITY: ZIP CODE: STATE: **FACILITY LOCATION ADDRESS:** PAUlion 1)4 14525 7223 MORROW Rd FACILITY TOWN: FACILITY COUNTY: 585-584-3458 Wyoming FACILITY NYS PLANNING UNIT: (A list of NYS Planning Units can be found at the end of this report). GLOW NYS DEC ACTIVITY CODE: FACILITY TYPE: Wehicle Dismantler Motor Vehicle Repair Shop 5015 Mobile Vehicle Crusher DMV I.D. # 706861 CONTACT PHONE CONTACT FAX NUMBER: FACILITY CONTACT: public NUMBER: 585-584-3458 private 585-584-8812 Sharon West CONTACT EMAIL ADDRESS: Sharon @ DUMBLETON, COM OWNER INFORMATION OWNER PHONE NUMBER: OWNER FAX NUMBER: OWNER NAME: 585-584-3458 Dennis ZIP CODE: STATE: OWNER ADDRESS: OWNER CITY: 14 Avilian 14505 OWNER CONTACT EMAIL ADDRESS: OWNER CONTACT: duapine @ amail. com **OPERATOR INFORMATION** public OPERATOR NAME: same as owner **PREFERENCES** Owner address Preferred address to receive correspondence: Facility location address Other (provide): Facility Contact Owner Contact Preferred email address: Other (provide): Facility Contact Owner Contact Preferred individual to receive correspondence: Other (provide): Did you operate in 2022? Yes; Complete this form.

No: Complete and submit Sections 1 and 13

SECTION 2A VDF/REPAIR SHOPS- END-OF-LIFE VEHICLE	27921
Provide the number of ELVs received from January 1 to December 31:	10011
 Provide the number of ELVs crushed and/or removed from the facility from January 1 to December 31: 	172
• Provide *he number of ELVs stored at the facility as of December 31:	642
 Provide the highest number of ELVs stored at the facility at any one time from January 1 to December 31: 	778
Provide the approximate area used for the storage of vehicles (acres):	15 acres
• Provide the names of scrap metal processors to which you sold or sent de	ecommissioned ELVs:
2)	
3)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	S (ELVs) PROCESSED
3)	S (ELVs) PROCESSED
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3:	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL1)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL1) 2)	
SECTION 2B MOBILE CRUSHERS - END-OF-LIFE VEHICLE • Provide the number of ELVs crushed from January 1 to December 3: • Provide the names of each facility where you crushed decommissioned EL1) 2) 3)	

SECTION 3 - WASTE FLUIDS RECOVERED

Complete this table by reporting <u>volumes</u> of End-of-Life Vehicle (ELV) waste fluids managed at the facility during the reporting period. <u>Qualitative responses (i.e. \sqrt{s} or X's) are not acceptable</u>. Report only fluids generated from dismantling operations (not general car repair, etc.).

		Fluid	Destination Name & Address		
Waste Fluid Recovered	Used on-site (oil heater, etc.)	Stored on-site at year-end	Sold/ Recycled off-site	Disposed off-site*	(Indicate permitted facility or permitted Part 364 transporter accepting waste fluids.)
Refrigerant (pounds)	15	30	30	0	RW Auto
Used Oil** (gallons)	1300	900	0	0	
Diesel Fuel (gallons)	90	90	0	0	
Gasoline (gallons)	2350	50	0	0	
Engine Coolant/ Antifreeze (gallons)	15	125	430	0	
Window Washing Fluid (gallons)	25	5	0	0	7
Other (specify)					

Any fluids disposed must undergo a hazardous waste determination and proper handling, storage, and disposal, if hazardous.

^{**} Includes Engine Oil, Transmission Fluid, Axle Fluids, Hydraulic Fluid, Power Steering Fluid, Brake Fluid, etc.

SECTION 4 - SCRAP METAL

Complete this table by reporting the amount of metal received, stored and sent off site, by the facility, during the reporting

iod.

	B.13.33	Ct 1 O Cit -	C 0# 0# -	Destination		
Material Types	Received (tons) Stored On Site (tons) Sent Off Site (tons) NYS <u>Planning Unit (or state if other than New York)</u>		To Scrap Metal Processor			
Ferrous Scrap Metal		1			Yes	□No
Aluminum Scrap Metal	.25	2			□Yes	□No
Lead Weights	3 Operat	30 pounds	•		Yes	□No
Non – Ferrous Scrap Metal		.5			□Yes	□No
Other (specify):					□Yes	□No
					□Yes	□No

SECTION 5 - MERCURY SWITCHES COLLECTED

	SWITCHES COLLECTED
Provide the number of mercury-containing devices <u>recovered</u> (H&TS) and antilock brake assemblies (ABS).	d. Including but not limited to hood & trunk lighting switches
H&TS 51 (Number)	ABS (Number)
Indicate permitted facility or permitted transporter accepting n	nercury containing devices:
SECTION 6 - AIR	BAGS COLLECTED
Provide the number of air bags recovered. Number of Air Bags Removed:	Number of Air Bags Deployed:
Indicate permitted facility or permitted transporter accepting RAS $CDRE$	g air bags:

SECTION 7 - LEAD-ACID BATTERIES COLLECTED

rovide the number of lead-acid batteries recovered and their disposition	375	
lumber of Lead-Acid Batteries collected from ELVs:		
dicate permitted facility or permitted transporter accepting lead-acid ba	tteries:	
Multi Motal Becycling		
ny materials disposed must undergo a hazardous waste determination azardous.	and proper handling, s	torage and disposal, if
SECTION 8 - WASTE TIRES	COLLECTED	
umber of waste tires stored on-site:	480 11881	as of December 31
umber of used tires available for sale on-site:	3100	as of December 31
umber of used tires sold:	418	during operating year
umber of waste tires shipped off-site for recycling, disposal, other:	488	during operating year
dicate name of facility(ies) accepting waste tires:		
Union Recycling		
grant neget		
SECTION 9 – SELF INSP	ECTIONS	,
Number of self-inspections conducted for the year:		6
Are self-inspection records up-to-date with inspector name, what wa $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	s inspected, time and o	date of inspection?
At a minimum, are fluid storage areas, vehicles, vehicle storage area Yes No	as inspected for leaks/s	spills?
SECTION 10 - PROB	LEMS	
Were any problems encountered during the reporting period (e.g., sp facility procedures)?	ecific occurrences whic	ch have led to changes in
Yes No If yes, attach additional sheets identifying each prob	olem and the methods f	for resolution of the probler
SECTION 11 - CHAN	NGES	
Were there any changes from approved reports, plans, specification	s, and permit condition	ns?
Yes No If yes, attach additional sheets identifying changes	with a justification for e	each change.

SECTION 12 - COMPLIANCE CERTIFICATION

As of December 31, 2021:

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
If your facility stores LESS THAN 1,000 tires, check NA. If your facility stores MORE THAN 1,000 tires, do you have a PART 360 permit for tire storage?	K			
Is a system in place to control vegetation and prevent it from encroaching onto fire access lanes or driveways?		X		
3. Have you recorded the date of receipt for all end-of-life vehicles received?		X		
4. Are the end-of-life vehicle records available on-site?		X		
5. Have all end-of-life vehicles been inspected, upon arrival, for leaking fluids and unauthorized wastes?		Z		
6. Have all observed leaks been remedied or contained?		X		
7. Does your facility have a written Contingency Plan?		X		
8. Are facility personnel trained to implement the Contingency Plan?	Day of the second	×		
9. Does your Contingency Plan include actions to be taken in the event of the following	ing?			
9a. Fire.		X		
9b. Spill or release of vehicle waste fluids.		人		
9c. Unauthorized material received at facility.		X		
Are spills of waste fluids, if any occur, reported to the NYSDEC Spills Hotline within two hours of detection?		×		
11. Are all vehicle relicties prevented from migrating from or running off your property?		8		
12. Is dust controlled to prevent interference with facility operations or from leaving facility site?		×		
13. Are vectors (mosquitoes, rats, mice, etc.) controlled to prevent interference with facility operations?		X		
14. Are waste fluids kept from being discharged onto the ground or into surface waters?		Z		
15. Is access to your facility controlled by: fences, gates, sign and/or natural barriers (not vehicles)?		区		
15a. Are the access controls working (i.e. controlling access)?		X		
16. Are fluids drained from end-of-life vehicles on a pad constructed of concrete or equivalent material?		又		
17. Are you doing the following with your concrete (or equivalent surface) pad that is u draining, crushing, etc.?	used for	vehicle	dismar	ntling, fluid
17a. Cleaning daily.		X		
17b. Cleaning spills as they occur.		X		
17c. Collecting and properly disposing of absorbent materials.		Z		

						tun

			M. Co.	Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
18. Have the following wastes been drained, removed, deployed, collected and/or store practices, prior to vehicle crushing or shredding?	d follow	ing bes	t mana	gement
18a. Fluids (including engine oil, transmission fluid, transaxle fluid, front and rear axle fluid, brake fluid, power steering fluid, coolant, and fuel).		×		
18b. Lead acid batteries.		X		
18c. Mercury switches or other mercury containing devices, if any.		×		
18d. Refrigerants, if any.		×		
18e. Air bags.		ĊΧ		
18f. PCB capacitors, if any.	8			
19. Are fluids stored separately & in containers that are compatible with their contents?			X	Newtonk to arrive 3/23/23
20. Are fluids stored in closed containers?		4		
21. Are containers which contain waste fluids in good condition and not visibly leaking?		×	227000000000000000000000000000000000000	
22. Are containers clearly and legibly labeled to describe their contents?		8		
23. Are containers stored on a bermed pad constructed of concrete or equivalent material?		V		
24. Are lead-acid batteries stored upright and off the ground?		X		
25. Are lead-acid batteries covered to protect them from precipitation?		2		
26. Are all lead-acid batteries sent for recycling within one-year of receipt?		8		
27. Are <u>leaking</u> lead-acid batteries, if any are encountered, stored in leak-proof containers separated from intact batteries?	2022 101 2020	2		
27a. Are provisions in place to absorb any acid leakage?		9		
28. Are mercury switches and other mercury containing devices stored in appropriate, labeled containers and then sent for recycling?		W		
29. Are PCB capacitors, if any are encountered, removed and stored in appropriate, labeled containers for recycling or disposal?	□X		Water State	
30. Is used oil stored in accordance with local building codes, local fire codes, and the NYS Uniform Fire Prevention & Building Code?		X		
31. If sent off-site, is used oil transported via a permitted hauler?	10		-	
32. If you do not burn used oil onsite check NA for 32a., 32b., 32c. If you do, then answ	wer 32a	., 32b.,	32c:	•
32a. Is used oil burned in a used oil space heating unit, with a maximum capacity of 0.5 million BTU's per hour or less?		×		
32b. Do on-site space heaters burn only used oil that is generated on-site or received from household do-it-yourself generators?		Z		
32c. Are combustion gases from used oil space heaters vented to the outside ambient air?		E		

				Date of Return to
Waste Management Compliance Checklist	NA	Yes	No	Compliance
33. Is waste oil kept from being mixed with brake cleaner, carb cleaner, antifreeze, solvents, gasoline, or degreasers?		Q		
34. Are sludges from sumps and oil/water separators stored in covered, closed and labeled containers?	Ø			
35. Are sludges properly recycled or disposed?	100			. ,
36. Are used oil filters properly drained, crushed or dismantled?		Q		
37. Are drained oil filters properly recycled or disposed?		X		
 If your facility does not require an SPDES Multi-Sector General Permit (MSGP) for Stormwater Discharge, check NA for 38a, 38b, 38c. If your facility requires an SPDES MSGP answer 38a, 38b, 38c: 				
38a. If required by the SPDES MSGP, has a Stormwater Pollution Prevention Plan been prepared for this facility?		0		
38b. Is the information provided in the facility's original Notice of Intent or Termination submission for the SPDES MSGP still accurate and up to date?		70		
38c. Has the facility's Annual Certification Report for the SPDES MSGP been submitted within the previous year?		4		
39. If your facility does not handle cleaning solvents, degreasers, battery acids or non-vehicle wastes w. Re NA. If these materials are handled at your facility, what is the maximum amount of this material that your facility generates in any calendar month?		-		_ pounds _ gallons
Do you have any other Environmental Conservation Law or regulatory violations? (Attach additional sheets as necessary) Shut a Hauked an Mse	nlutre	als		
COMMENTS? (Attach additional sheets if necessary)				,

SECTION 13 - SIGNATURE AND DATE BY OWNER OR OPERATOR

Owner or Operator must sign, date and submit one completed form to the appropriate Regional Office (See attachment for Regional Office addresses, email addresses and Materials Management Contacts).

The Owner or Operator must also submit one copy by email, fax or mail to

New York State Department of Environmental Conservation
Division of Materials Management
Bureau of Solid Waste Management
625 Broadway
Albany, New York 12233-7260
Fax 518-402-9041

Email address: SWMFannualreport@dec.ny.gov

I certify, under penalty of law, that the data and other information identified in this report have been prepared under my direction and supervision in compliance with a system designed to ensure that qualified personnel properly and accurately gather and evaluate this information. I am aware that any false statement I make in such report is punishable pursuant to section 71-2703(2) of the Environmental Conservation Law and section 210.45 of the Penal Law.

Smiller J	2/28/2023
Signature	Date
SHARM WEST	Tigasu
Name (Print or Type)	Title (Print or Type)
Chicopin	or Type)
Email (Print	or Type)
P6BW 436	Pavilier
Address	City
Niy 14535 State and Zip	S 554 34 5 8 Phone Number

	 	 1
ATTACHMENTS:	YES	NO



February 22, 2023

Peter Grasso

Regional Materials Management Engineer
Division of Material Management, Region 9
New York State Department of Environmental Conservation
700 Delaware Ave.
Buffalo, NY 14209

RE: Notices of Violation (Jan. 27th & Feb 1st, 2023)

Dumbleton Used Auto Parts, Inc. Facility ID #61V50011 & 61V30011 PBS # 9-601868

Dear Mr. Grasso:

On behalf of Dumbleton Used Auto Parts, Inc., James Environmental Management, Inc. (JEM) has prepared the following response to the Notices of Violation issued by the New York Department of Environmental Conservation (NYSDEC) on January 27 and February 1, 2023. Please note the department's observation noted in **bold** and our subsequent response noted in *italics*.

Observations and Legal Requirements:

1. Observation: Failure to maintain daily inspection logs.

Response: A doily routine inspection log that includes the requested info was

provided by NYSDEC and will be used moving forward. See Attachment 1

for a copy of the inspection log.

2. Observation: Failure to clean all operating surfaces daily and clean up spills

immediately.

Response: A cleaning campaign was conducted in the area around the used oil tonks.

Stains were cleaned and absorbent material was disposed of properly. See

Attachment 2 for photos of the area after the cleaning campaign.

3. <u>Observation</u>: Failure to properly label containers storing fluids removed from end-of-life vehicles, also failure to use color coding of tank fill port

Response:

Currently the tank that is in use is labeled with its contents. All empty containers that are no longer in use are labeled "empty". The newly purchosed tank will be properly labeled with the tank contents, PBS registration number, and GHS placarding. The labels will be inspected during the monthly tank inspections to ensure they are legible and properly adhered.

4. Observation:

Failure to properly store containers containing fluids removed from end-of-life vehicles on a bermed, sealed asphalt or concrete surface.

Response:

Focility management has recently completed training to be cognizant of proper tank storage and hondling requirements. Facility monagement combined all tank contents around the property into ane tank inside of the main building that stores oll of the used oil for the operation. The remaining empty tanks will be removed from the site once on opproved disposal company has been selected. A new 1,000 gal DWT that was purchased this manth will be the main tank for Used Oil storage. The new tank will be installed indoors, on concrete. See Attachment 3 for photos for the out of service tanks.

5. Observation: PBS Registration Certificate Not Displayed

Response:

A new PBS registration application will be submitted shortly to the regional office to oddress the planned development in the fluid storage area. The facility is awaiting the installation of their new DWT to complete the questions required in the application. Once the application is submitted and approved the facility is aware they must have a copy of the certificate displayed. A digital copy of the certificate will also be stored with their Stormwater Plan.

6. Observation: Failure to meet the AST construction standards

Response:

The newly purchased DWT is approved for petroleum fluid storoge and will be installed according to the NYSDEC AST standards. See Attachment 4 for specifications of the tank

THE TERMINARY CONTRACTOR OF SERVICE WAS RELIGIOUS BOND AND CO.

Page 3 Dumbleton Used Auto Parts, Inc.

7. Observation: No Secondary Containment at AST Less than 10,000 Gallons Located

Near Sensitive Receptor.

Response: Tanks will no longer be located outside or near ony sensitive receptors. All

remaining empty tanks will be removed from the property and properly disposed of. Currently the one remaining tank that is in use is stored inside over concrete with an absorbent sock around as an added measure. See

Attachment 2 for photos of the used oil tank that is still in service.

8. Observation: No Gauge Installed at Aboveground Tank

Response: The newly purchased DWT meets all standard requirements and features

an appropriate tank gauge. See Attachment 4 for the technical

specifications of the tank.

9. Observation: Aboveground Tank Not Inspected Monthly

Response: Facility management has enlisted the assistance of JEM via the eComply®

portal to manage all required inspections and have these reports available to NYSDEC moving forward. Tank and drum inspections are assigned to the facility manager to be conducted an a monthly basis. See Attachment

5 for a copy of the latest tank inspection report.

We appreciate the opportunity to prepare this response for the Department. Should you have questions or require any additional information, please do not hesitate to contact our office at the address or telephone number below.

Sincerely,

31857

Mahdi Al-Sallami Environmental Specialist

James Environmental Management, Inc.

cc via electronic copy: Patrick Diez, patrick.diez@dec.ny.gov

 $Sharon West, \underline{sharon@dumbleton.com}$

Adriana Lee, <u>alee@jamesenvironmental.com</u>
Sean Holly, <u>sholly@jamesenvironmental.com</u>